

Page 1/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.05.2019 Version 346 Revision: 02.05.2019

. SECTION 1: Identification of the substance/mixture and of the company/undertaking

- ∘ 1.1 Product identifier
- ⋄ Trade name: Orangenöl süß EuAB
- Article number: P0106656
- ∘ Registration number

-

01-2119493353-35-0036

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Flavour/Fragrance
- ∘ 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Frey & Lau GmbH

Immenhacken 12, D-24558 Henstedt-Ulzburg

Tel:++49-4193-9953 Fax: +49-4193-9955-80

Further information obtainable from:

Sachkundige Person Frey + Lau

info@freylau.de

1.4 Emergency telephone number: ++49-40-54.77.99.56 WAKO

. SECTION 2: Hazards identification

- ∘ 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
 Flam. Liq. 3 H226 Flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- ∘ Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms









GHS02 GHS07 GHS08 GHS09

- Signal word Danger
- · Hazard-determining components of labelling:

DIPENTENE

Myrcene

I-.alpha.-Pinene

4-Methyliden-1-propan-2-ylbicyclo[3.1.0]hexan

3,7-Dimethyl-1,6-octadien-3-ol

3,7-Dimethyl-2,6-octadien-1-al (cis und trans)

dl-Citronellol

Eucalyptol

3.7-Dimethylocta-2.6-dien-1-ole

3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene

Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

(Contd. on page 2)



Page 2/8

P331

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.05.2019 Version 346 Revision: 02.05.2019

Trade name: Orangenöl süß EuAB

P321 Specific treatment (see on this label).

Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

○ 2.3 Other hazards

Results of PBT and vPvB assessment

∘ PBT: Not applicable. ∘ vPvB: Not applicable.

. SECTION 3: Composition/information on ingredients

⋄ 3.2 Chemical characterisation: Mixtures

∘ CAS-No: 8028-48-6

◇ EINECS-No: 232-433-8

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 138-86-3 >50-100% DIPENTENE EINECS: 205-341-0 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317 CAS: 123-35-3 ≥1-<2.5% EINECS: 204-622-5 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; Aquatic Chronic 3, H412 CAS: 78-70-6 3,7-Dimethyl-1,6-octadien-3-ol ≥0,1-<1% EINECS: 201-134-4 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317 CAS: 7785-26-4 I-.alpha.-Pinene ≥0,25-<1% EINECS: 232-077-3 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317 CAS: 5392-40-5 3,7-Dimethyl-2,6-octadien-1-al (cis und trans) ≥0.1-<1% EINECS: 226-394-6 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 CAS: 106-22-9 dl-Citronellol ≥0,1-<1% EINECS: 203-375-0 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 CAS: 470-82-6 Eucalyptol ≥0,1-<1% EINECS: 207-431-5 Flam. Liq. 3, H226; Skin Sens. 1B, H317 4-Methyliden-1-propan-2-ylbicyclo[3.1.0]hexan CAS: 3387-41-5 ≥0,1-<1% Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317 3,7-Dimethylocta-2,6-dien-1-ole CAS: 106-24-1 ≥0,1-<1%

. SECTION 4: First aid measures

⋄ 4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

EINECS: 203-377-1 Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317 3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene

Additional information: For the wording of the listed hazard phrases refer to section 16.

After inhalation:

CAS: 13466-78-9

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

EINECS: 236-719-3 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1B, H317

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

(Contd. on page 3)

≥0.1-<1%

(Contd. of page 1)



Page 3/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.05.2019 Version 346 Revision: 02.05.2019

Trade name: Orangenöl süß EuAB

(Contd. of page 2)

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

. SECTION 5: Firefighting measures

- ⋄ 5.1 Extinguishing media
- ∘ Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

. SECTION 6: Accidental release measures

∘ 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Treat with 2 % sodium hydroxide solution.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

. SECTION 7: Handling and storage

- ∘ 7.1 Precautions for safe handling Prevent formation of aerosols.
- ∘ Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

- ∘ 7.2 Conditions for safe storage, including any incompatibilities
- Storage.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- ⋄ Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.

. SECTION 8: Exposure controls/personal protection

- ♦ Additional information about design of technical facilities: No further data; see item 7.
- ∘ 8.1 Control parameters
- ♦ Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)



Page 4/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.05.2019 Version 346 Revision: 02.05.2019

Trade name: Orangenöl süß EuAB

(Contd. of page 3)

- Additional information: The lists valid during the making were used as basis.
- ⋄ 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Respiratory protection: Not required.
- Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The multichemical-resistant glove Barrier 02-100 is recommended.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Tightly sealed goggles

. SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- ∘ General Information
- ⋄ Appearance:

Form: Fluid
Colour: Orange

○ Odour: Characteristic

○ Odour threshold: Not determined.

○ pH-value: Not determined.

○ Melting point/freezing point: Undetermined.

⋄ Flash point: 54 °C

Flammability (solid, gas): Not applicable.
 Decomposition temperature: Not determined.
 Auto-ignition temperature: Not determined.

Explosive properties:
 Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

∘ Explosion limits:

Lower: Not determined.
Upper: Not determined.

Density at 20 °C: 0,845 g/cm³

Relative density Not determined.

Vapour density Not determined.

Evaporation rate Not determined.

Solubility in / Miscibility with

water: Not miscible or difficult to mix.

∘ Partition coefficient: n-octanol/water: Not determined.

⋄ VOC (EC) 99,55 %

(Contd. on page 5)



Page 5/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.05.2019 Version 346 Revision: 02.05.2019

Trade name: Orangenöl süß EuAB

No further relevant information available.

(Contd. of page 4)

. SECTION 10: Stability and reactivity

- ∘ 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

⋄ 9.2 Other information

- ∘ Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

. SECTION 11: Toxicological information

- ∘ 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- ∘ Primary irritant effect:
- ⋄ Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- ∘ CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- ⋄ Aspiration hazard

May be fatal if swallowed and enters airways.

. SECTION 12: Ecological information

- ↑ 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- ∘ Remark:

Very toxic for fish

Toxic for fish

Very toxic for water fleas.

Toxic for water fleas

Very toxic for algae

Toxic for algae

- Additional ecological information:
- ⋄ General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- ∘ 12.5 Results of PBT and vPvB assessment
- ∘ PBT: Not applicable.

(Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.05.2019 Version 346 Revision: 02.05.2019

Trade name: Orangenöl süß EuAB

(Contd. of page 5)

∘ vPvB: Not applicable.

◆ 12.6 Other adverse effects No further relevant information available.

. SECTION 13: Disposal considerations

- ∘ 13.1 Waste treatment methods
- · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- ⋄ Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information 14.1 UN-Number ADR, IMDG, IATA 11.2 UN proper shipping name ADR FLAMMABLE LIQUID, N.O.S. (DIPENTENE), ENVIRONMENTALLY HAZARDOUS FLAMMABLE LIQUID, N.O.S. (DIPENTENE, alpha-PINENE), MARINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE) 14.3 Transport hazard class(es) ADR Class 3 (F1) Flammable liquids. 1-14.3 Transport packaging: 3 and substances: DIPENTENE ADR, IATA Class 3 Flammable liquids. 4 Flamm		
ADR IMDG, IATA -14.2 UN proper shipping name -ADR -IMDG FLAMMABLE LIQUID, N.O.S. (DIPENTENE), ENVIRONMENTALLY HAZARDOUS -IATA FLAMMABLE LIQUID, N.O.S. (DIPENTENE, alpha-PINENE), MARINE POLLUTANT -IATA FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE) -IATA FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE -IATA FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE -IATA FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE -IATA FLAMMABLE L	. SECTION 14: Transport information	
- ADR FLAMMABLE LIQUID, N.O.S. (DIPENTENE), ENVIRONMENTALLY HAZARDOUS FLAMMABLE LIQUID, N.O.S. (DIPENTENE), MARINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (DIPENTENE, alpha-PINENE), MARINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE) - ADR FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE) - ADR STANDARD STAND	∘ 14.1 UN-Number	
ADR ADR ENVIRONMENTALLY HAZARDOUS FLAMMABLE LIQUID, N.O.S. (DIPENTENE, alpha-PINENE), MARNINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE) ALATA FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE) ADR Class 3 (F1) Flammable liquids. 3 (F1) Flammable liquids. 3 (F1) Flammable liquids. 3 (F1) Flammable liquids. 4 (Class) 4 (Class) 5 (Class) 6 (Class) 7 (Class) 7 (Class) 8 (Class) 8 (Class) 9 (Class) 1 (Contd. on page 7) ADR 1 (Contd. on page 7)		UN1993
ENVIRONMENTALLY HAZARDOUS FLAMMABLE LIQUID, N.O.S. (DIPENTENE, alpha-PINENE), MARINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE)		
IMDG FLAMMABLE LIQUID, N.O.S. (DIPENTENE, alpha-PINENE), MARINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE) 14.3 Transport hazard class(es) ADR Class 3 (F1) Flammable liquids. 3 Label 3 IMDG, IATA Class 3 Flammable liquids. 1.4 Packing group ADR, IMDG, IATA III Product contains environmentally hazardous substances: DIPENTENE Marine pollutant: Yes Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) Special marking the cautions for user Warning: Flammable liquids. 30 EMS Number: F-E,S-E Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) 5L ITansport category 3 Tunnel restriction code IMDG Limited quantities (LQ) 5L (Contd. on page 7)	<i>ADR</i>	
ARRINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE) 14.3 Transport hazard class(es) ADR Class Label MMDG, IATA Class Sammable liquids. 3 14.4 Packing group ADR, IMDG, IATA III Product contains environmentally hazardous substances: DIPENTENE Marine pollutant: Yes Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) Warning: Flammable liquids. Danger code (Kemler): Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (LQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) IMDG Limited Quantities (LQ	<i>◇IMDG</i>	
**AJR **Class		MARINE POLLUTANT
Class 3 (F1) Flammable liquids. Label 3 IMDG, IATA Class 3 Flammable liquids. Label 3 14.4 Packing group ADR, IMDG, IATA III PAreking group ADR, IMDG, IATA III PROJUCT Contains environmentally hazardous substances: DIPENTENE Yes Symbol (fish and tree) ADR Danger code (Kemler): 30 EMS Number: F-E,S-E Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) SL Excepted quantities (EQ) SL Transport category 3 Turnel restriction code D/E IMDG Limited quantities (LQ) 5L (Contd. on page 7)		FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE)
Class Label IMDG, IATA Class Label 3 14.4 Packing group ADR, IMDG, IATA 11.5 Environmental hazards: Product contains environmentally hazardous substances: DIPENTENE Marine pollutant: Yes Symbol (fish and tree) Special marking (ADR): Special precautions for user Alanger code (Kemler): Stwage Category Ar 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Transport category Transport category Ar Transport category Ar Transport category Ar Tunnel restriction code IMDG Limited quantities (LQ) Limited quantities (LQ) Limited (Qontd. on page 7)	° 14.3 Transport nazard class(es)	
IMDG, IATA		0 (54) 51,
IMDG, IATA Class 3 Flammable liquids 3		3 (F1) Flammable Ilquids.
Class Label 3 1.4.4 Packing group ADR, IMDG, IATA III Product contains environmentally hazardous substances: DIPENTENE Yes Symbol (fish and tree) Special marking (ADR): Special precautions for user Danger code (Kemler): Stowage Category AA 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) IMDG Limited quantities (LQ) IMDG Limited quantities (LQ) IMDG Limited quantities (LQ) SL (Contd. on page 7)		
• Label • 14.4 Packing group • ADR, IMDG, IATA • 14.5 Environmental hazards: Marine pollutant: • Special marking (ADR): • Special marking (ADR): • Special marking (Kemler): • Danger code (Kemler): • Stowage Category • 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code • Transport/Additional information: • ADR • Limited quantities (LQ) • Transport category • Indicate quantities (LQ) • Excepted quantities (LQ) • Excepted quantities (LQ) • Indicate quantities (LQ) • Indica	· · · · · · · · · · · · · · · · · · ·	3 Flammable liquids
ADR, IMDG, IATA 11.5 Environmental hazards: Product contains environmentally hazardous substances: DIPENTENE Marine pollutant: Special marking (ADR): Special precautions for user Danger code (Kemler): Stowage Category Stowage Category A1.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Maring: Flammable liquids. ADR Limited quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Maximum net quantity per outer packaging: 1000 ml Transport category JUPE IMDG Limited quantities (LQ) Limited q		
• 14.5 Environmental hazards: DiPENTENE Marine pollutant: Marine pollutant: Special marking (ADR): Special precautions for user Danger code (Kemler): Stowage Category 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Transport category Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Transport category Maximum net quantities (LQ) Transport category Maximum net quantity per outer packaging: 1000 ml Transport category Tunnel restriction code MDG Limited quantities (LQ) SL (Contd. on page 7)		
• Marine pollutant: • Marine pollutant: • Special marking (ADR): • Special precautions for user • Language Cade (Kemler): • Stowage Category • 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code • Transport/Additional information: • ADR • Limited quantities (LQ) • Excepted quantities (EQ) • Transport category • Transpo		•••
Special marking (ADR): 14.6 Special precautions for user Danger code (Kemler): EMS Number: Stowage Category 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code Image: Contd. on page 7) Symbol (fish and tree) Solution Soluti	◇ 14.5 Environmental hazards:	
Special marking (ADR): 14.6 Special precautions for user Danger code (Kemler): Stowage Category 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Transport category Transport category Transport category Transport category Transport category Tunnel restriction code IMDG Limited quantities (LQ) SL (Contd. on page 7)	∘ Marine pollutant:	. • •
• 14.6 Special precautions for user Danger code (Kemler): EMS Number: Stowage Category 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Limited quantities (LQ) Transport category Umanify Flammable liquids. 30 Not applicable. F-E,S-E A Not applicable. Not applicable. Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Transport category Junel restriction code Umanify DE (Contd. on page 7)	. On a sint was drive at (ADD):	
○ Danger code (Kemler): ○ EMS Number: ○ Stowage Category ○ 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code ○ Transport/Additional information: ○ ADR ○ Limited quantities (LQ) ○ Excepted quantities (EQ) ○ Transport category ○ Transport category ○ Transport category ○ Tunnel restriction code ○ IMDG ○ Limited quantities (LQ) ○ Limited quantities (LQ) ○ Excepted Quantities (LQ) ○ Excepted Quantities (LQ) ○ Excepted Quantities (LQ) ○ Excepted Quantities (EQ) ○ Code: E1 ○ Maximum net quantity per inner packaging: 30 ml ○ Maximum net quantity per outer packaging: 1000 ml ○ Transport category ○ JE ○ IMDG ○ Limited Quantities (LQ) ○ (Contd. on page 7)		
 EMS Number: F-E,S-E Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: △ADR Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Transport category 3 Tunnel restriction code D/E IMDG Limited quantities (LQ) 5L (Contd. on page 7) 		·
Stowage Category 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Transport category Tunnel restriction code IMDG Limited quantities (LQ) Transport category Tunnel restriction code Limited quantities (LQ) Limited quantities (LQ) SL (Contd. on page 7)		
the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Transport category Tunnel restriction code IMDG Limited quantities (LQ) Transport category Limited quantities (LQ) SL (Contd. on page 7)		A
 Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Tode: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Transport category JUE IMDG Limited quantities (LQ) (Contd. on page 7) 		
 ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) SL Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml JE IMDG Limited quantities (LQ) (Contd. on page 7) 		not applicable.
 Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml	◇ Transport/Additional information:	
○ Excepted quantities (ÉQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Transport category Tunnel restriction code IMDG Limited quantities (LQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml D/E IMDG Contd. on page 7)		
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Transport category Tunnel restriction code IMDG Limited quantities (LQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml S		
Maximum net quantity per outer packaging: 1000 ml ○ Transport category 3 ○ Tunnel restriction code D/E ○ IMDG ○ Limited quantities (LQ) 5L (Contd. on page 7)	Excepted quantities (EQ)	· - · - ·
 Transport category 3 Tunnel restriction code D/E IMDG Limited quantities (LQ) 5L (Contd. on page 7) 		Maximum net quantity per nimer packaging: 00 ml
◇ IMDG ◇ Limited quantities (LQ) 5L (Contd. on page 7)		3
⋄ Limited quantities (LQ) 5L (Contd. on page 7)	◇ Tunnel restriction code	D/E
(Contd. on page 7)		
	◇ Limited quantities (LQ)	



Page 7/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.05.2019 Version 346 Revision: 02.05.2019

Trade name: Orangenöl süß EuAB

⋄ Excepted quantities (EQ)

○ UN "Model Regulation":

Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN 1993 FLAMMABLE LIQUID, N.O.S. (DIPENTENE), 3, III,

(Contd. of page 6)

ENVIRONMENTALLY HAZARDOUS

. SECTION 15: Regulatory information

○15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

822.115, Jugendarbeitsschutzverordnung - ArGV 5 und 822.115.2, Verordnung des WBF über gefährliche Arbeiten für Jugendliche sind zu beachten.

ArGV 1 und 822.111.52, Verordnung des WBF über gefährliche und beschwerliche Arbeiten bei Schwangerschaft und Mutterschaft sind nicht zutreffend.

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS02 GHS07 GHS08 GHS09

⋄ Signal word Danger

Hazard-determining components of labelling:

DIPENTENE

Myrcene

I-.alpha.-Pinene

4-Methyliden-1-propan-2-ylbicyclo[3.1.0]hexan

3,7-Dimethyl-1,6-octadien-3-ol

3,7-Dimethyl-2,6-octadien-1-al (cis und trans)

dl-Citronellol

Eucalyptol

3,7-Dimethylocta-2,6-dien-1-ole

3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene

Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

⋄ Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category

E1 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- ∘ REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations:
- Waterhazard class: Klasse A (Self-assessment)

(Contd. on page 8)



Page 8/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.05.2019 Version 346 Revision: 02.05.2019

Trade name: Orangenöl süß EuAB

(Contd. of page 7)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

. SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- Department issuing SDS: Regulatory Affairs
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Áviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.