FREY&LAU explore your senses

Page 1/10

Printing date 23.01.2023

Revision: 23.01.2023

Safety data sheet according to 1907/2006/EC, Article 31 Version 183 (replaces version 182) . SECTION 1: Identification of the substance/mixture and of the company/undertaking • 1.1 Product identifier Trade name: Bergamotteöl nat.-id, furocumarinfr 01-3655 Article number: P0123030 Registration number -1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Flavour/Fragrance • 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Frey & Lau GmbH Immenhacken 12, D-24558 Henstedt-Ulzburg Tel:++49-4193-9953 Fax: +49-4193-9955-80 • Further information obtainable from: Sachkundige Person Frey + Lau info@frevlau.com • 1.4 Emergency telephone number: ++49-40-54.77.99.56 WAKO . SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 H226 Flammable liquid and vapour. Flam. Lig. 3 Skin Irrit. 2 H315 Causes skin irritation. Eve Irrit. 2 H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. Skin Sens. 1 Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. Aquatic Acute 1 H400 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms $\langle \mathfrak{B} \rangle$ **<!**> \langle GHS02 GHS07 GHS08 GHS09 Signal word Danger Hazard-determining components of labelling: 3,7-Dimethyl-1,6-octadien-3-yl acetate dipentene beta-Pinene 3,7-Dimethyl-1,6-octadien-3-ol Cinnamaldehyde (S)-p-Mentha-1,8-diene 3,7-Dimethyl-2,6-octadien-1-al (cis und trans) alpha-Pinene 2,6-Octadien-1-ol, 3,7-dimethyl-, acetate, (E)beta-Caryophyllene Hazard statements H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H304 May be fatal if swallowed and enters airways. H410 Very toxic to aquatic life with long lasting effects. (Contd. on page 2)

CH

FREY&LAU® explore your senses

Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version 183 (replaces version 182)

Revision: 23.01.2023

Trade name: Bergamotteöl nat.-id, furocumarinfr 01-3655

	(Contd. of page 1)	
◇ Precautionary s	Precautionary statements	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P331	Do NOT induce vomiting.	
P303+P361+P3	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].	
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	
 <i>2.3 Other hazards</i> 		
		◊ PBT: Not applic
◊ vPvB: Not appli	cable.	

. SECTION 3: Composition/information on ingredients

◇ 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

,		
◦ Dangerous compo	onents:	
CAS: 115-95-7	3,7-Dimethyl-1,6-octadien-3-yl acetate	>25-50%
EINECS: 204-116	-4 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
CAS: 138-86-3	dipentene	>25-50%
EINECS: 205-341	-0 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 78-70-6	3,7-Dimethyl-1,6-octadien-3-ol	>10-20%
EINECS: 201-134	-4 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
CAS: 99-85-4	p-Mentha-1,4-diene	>2,5-5%
EINECS: 202-794	-6 Flam. Liq. 3, H226; Asp. Tox. 1, H304	
CAS: 18172-67-3		>2,5-5%
EINECS: 242-060	-2 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 5989-54-8	(S)-p-Mentha-1,8-diene	<i>≥</i> 1-<2,5%
EINECS: 227-815	⁻⁶ Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 5392-40-5	3,7-Dimethyl-2,6-octadien-1-al (cis und trans)	<i>≥</i> 0,1-<1%
EINECS: 226-394	-6 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 80-56-8	alpha-Pinene	<i>≥</i> 0,25-<1%
EINECS: 201-291	-9 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acut Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1B, H317	te
	substance with a Community workplace exposure limit	
CAS: 99-87-6	p-cymene	<i>≥</i> 0,25-<1%
	-7 Flam. Liq. 3, H226; Acute Tox. 3, H331; Asp. Tox. 1, H304; Aquatic Chronic 2, H411	
CAS: 105-87-3	2,6-Octadien-1-ol, 3,7-dimethyl-, acetate, (E)-	<i>≥</i> 0,1-<1%
	-5 Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	
CAS: 87-44-5	beta-Caryophyllene	<i>≥</i> 0,1-<1%
	-1 Asp. Tox. 1, H304; Skin Sens. 1B, H317	
CAS: 123-35-3	Myrcene	<i>≥</i> 0,25-<1%
EINECS: 204-622	⁻⁵ Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
CAS: 99-86-5	alpha-terpinene	<i>≥</i> 0,25-<1%
EINECS: 202-795	⁻¹ Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Sens. 1B, H317	
	ATE: LD50 oral: 1.680 mg/kg	
		(Contd. on page 3)

FREY&LAU *(section of the section of the section*

Page 3/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version 183 (replaces version 182)

Revision: 23.01.2023

Trade name: Bergamotteöl nat.-id, furocumarinfr 01-3655

	(Contd. of page 2)
CAS: 106-24-1 3,7-Dimethylocta-2,6-dien-1-ol	<i>≥</i> 0,1-<1%
EINECS: 203-377-1 Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 104-55-2 Cinnamaldehyde	<i>≥</i> 0,1-<1%
EINECS: 203-213-9 Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1A, H317	
CAS: 141-12-8 Neryl acetate	<i>≥</i> 0,1-<1%
EINECS: 205-459-2 Skin Sens. 1B, H317	
CAS: 141-16-2 3,7-Dimethyl-6-Octen-1-yl butyrate	<i>≥</i> 0,1-<0,25%
EINECS: 205-463-4 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1B, H317	
CAS: 79-92-5 Camphene	<i>≥</i> 0,025-<0,25%
EINECS: 201-234-8 Flam. Sol. 1, H228; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Eye Irrit. 2, H319 substance with a Community workplace exposure limit	
CAS: 106-25-2 Nerol	<i>≥</i> 0,1-<1%
EINECS: 203-378-7 Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 586-62-9 Terpinolene	<i>≥</i> 0,1-<0,25%
EINECS: 209-578-0 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; S. Sens. 1B, H317	kin
Additional information: For the wording of the listed hazard phrases refer to section 16.	

. SECTION 4: First aid measures

• 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- ◊ After inhalation:
- Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

◊ After skin contact: Immediately wash with water and soap and rinse thoroughly.

- ◇ After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

•4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

•4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

. SECTION 5: Firefighting measures

• 5.1 Extinguishing media

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

. SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions:
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
$^{\circ}$ 6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Treat with 2 % sodium hydroxide solution.
Ensure adequate ventilation.

FREY&LAU explore your senses

Page 4/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version 183 (replaces version 182)

Revision: 23.01.2023

(Contd. of page 3)

Trade name: Bergamotteöl nat.-id, furocumarinfr 01-3655

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

. SECTION 7: Handling and storage

°7.1 Precautions for safe handling Prevent formation of aerosols.

 Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect from heat.

Protect against electrostatic charges.

- ° 7.2 Conditions for safe storage, including any incompatibilities
- Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.

. SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

80-56-8 alpha-Pinene

MAK Short-term value: 224 mg/m³, 40 ppm Long-term value: 112 mg/m³, 20 ppm H S;

79-92-5 Camphene

MAK Short-term value: 224 mg/m³, 40 ppm Long-term value: 112 mg/m³, 20 ppm H S:

• Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

◇ Respiratory protection: Not required.

 Hand protection Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Multichemical-resistant gloves, Category III acc. to Regulation (EC) 2016/425

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version 183 (replaces version 182)

Revision: 23.01.2023

Trade name: Bergamotteöl nat.-id, furocumarinfr 01-3655

Sye/face protection Tightly sealed goggles

. SECTION 9: Physical and chemical properties					
 General Information 					
◇ Physical state	Fluid				
Colour:					
	Colourless to yellow tint				
∘ Odour:	Characteristic				
Odour threshold:	Not determined.				
Melting point/freezing point:	Undetermined.				
<i>∘</i> Flammability	Flammable.				
 Lower and upper explosion limit 					
	Not determined.				
◊ Upper:	Not determined.				
◊ Flash point:	59 °C				
◇ Decomposition temperature:	Not determined.				
<i>P</i>	Mixture is non-polar/aprotic.				
 Solubility 					
∘ water:	Not miscible or difficult to mix.				
◇ Partition coefficient n-octanol/water (log value)	Not determined.				
	Not determined.				
○ Density and/or relative density	$0.971 a/am^3$				
◊ Density at 20 °C:	0,871 g/cm ³				
Relative density	Not determined.				
◊ Vapour density	Not determined.				
◇ Appearance:					
<pre></pre>	Fluid				
 Important information on protection of health and environment 					
and on safety.	••;				
◇ Auto-ignition temperature:	Not determined.				
 Auto-ignition temperature. Explosive properties: 	Not determined.				
	Not determined.				
 Solvent separation test: 	07.40.0/				
◊ VOC (EC)	97,48 %				
◦ Evaporation rate	Not determined.				
 Information with regard to physical hazard classes 					
◊ Explosives	Void				
◊ Flammable gases	Void				
	Void				
◊ Oxidising gases	Void				
∘ Gases under pressure	Void				
◇ Flammable liquids	Flammable liquid and vapour.				
♦ Flammable solids	Void				
 Self-reactive substances and mixtures 	Void				
	Void				
	Void				
Self-heating substances and mixtures	Void				
 Substances and mixtures, which emit flammable gases in 					
contact with water	Void				
○ Oxidising liquids	Void				
◊ Oxidising solids	Void				
◊ Organic peroxides	Void				
◊ Corrosive to metals	Void				
◊ Desensitised explosives	Void				

(Contd. of page 4)



Page 6/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version 183 (replaces version 182)

Revision: 23.01.2023

Trade name: Bergamotteöl nat.-id,furocumarinfr 01-3655

(Contd. of page 5)

. SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

◦ 10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- Output 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

. SECTION 11: Toxicological information

◦ 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Inhalative LC50 600 mg/l

- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard May be fatal if swallowed and enters airways.
- ° 11.2 Information on other hazards
- Endocrine disrupting properties
- None of the ingredients is listed.

. SECTION 12: Ecological information

- 12.1 Toxicity
- ◇ Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- ∘ vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Remark: Very toxic for fish Toxic for fish Very toxic for water fleas. Toxic for water fleas Very toxic for algae
- Toxic for algae
- Additional ecological information:
- ◊ General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

CH



Page 7/10

Version 183 (replaces version 182)

Printing date 23.01.2023

Revision: 23.01.2023

Trade name: Bergamotteöl nat.-id, furocumarinfr 01-3655

Very toxic for aquatic organisms

. SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

◦ Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

∘ Recommendation: Disposal must be made according to official regulations.

. SECTION 14: Transport information			
 14.1 UN number or ID number ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG IATA 14.3 Transport hazard class(es) 	UN1993 ENTZÜNDBARER FLÜSSIGER STOFF, N.A.G. (DIPENTEN, beta-Pinen) UMWELTGEFÄHRDEND FLAMMABLE LIQUID, N.O.S. (DIPENTENE, beta-Pinene), MARINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE, beta-Pinene)		
 ADR Class Label 	3 (F1) Flammable liquids. 3		
 IMDG, IATA Class Label 14.4 Packing group ADR, IMDG, IATA 	3 Flammable liquids. 3 III		
 • 14.5 Environmental hazards: • Marine pollutant: 	Product contains environmentally hazardous substances: dipentene Yes Symbol (fish and tree)		
 Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 14.7 Maritime transport in bulk according to IM 	Symbol (fish and tree) Warning: Flammable liquids. 30 F-E, <u>S-E</u> A O		
<i>instruments</i>	Not applicable.		
 ADR Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
 Transport category Tunnel restriction code 	3 D/E		
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml (Contd. on page 8		

Safety data sheet according to 1907/2006/EC, Article 31

explore your senses

REY&LAU

Page 8/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version 183 (replaces version 182)

Revision: 23.01.2023

Trade name: Bergamotteöl nat.-id, furocumarinfr 01-3655

◊ UN "Model Regulation":

(Contd. of page 7) UN 1993 ENTZÜNDBARER FLÜSSIGER STOFF, N.A.G. (DIPENTEN, BETA-PINEN), 3, III, UMWELTGEFÄHRDEND

. SECTION 15: Regulatory information

° 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 822.115, Jugendarbeitsschutzverordnung - ArGV 5 und 822.115.2, Verordnung des WBF über gefährliche Arbeiten für Jugendliche sind zu beachten. ArGV 1 und 822.111.52, Verordnung des WBF über gefährliche und beschwerliche Arbeiten bei Schwangerschaft und Mutterschaft sind nicht zutreffend. Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms $\langle ! \rangle$ \langle GHS02 GHS07 GHS08 GHS09 Signal word Danger Hazard-determining components of labelling: 3,7-Dimethyl-1,6-octadien-3-yl acetate dipentene beta-Pinene 3,7-Dimethyl-1,6-octadien-3-ol Cinnamaldehyde (S)-p-Mentha-1,8-diene 3,7-Dimethyl-2,6-octadien-1-al (cis und trans) alpha-Pinene 2,6-Octadien-1-ol, 3,7-dimethyl-, acetate, (E)beta-Caryophyllene Hazard statements H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H304 May be fatal if swallowed and enters airways. H410 Very toxic to aquatic life with long lasting effects. Precautionary statements P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. Seveso category E1 Hazardous to the Aquatic Environment P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t \circ Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 \circ DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II None of the ingredients is listed. (Contd. on page 9) CH **FREY&LAU** *(section of the section of the section*

Page 9/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version 183 (replaces version 182)

Revision: 23.01.2023

(Contd. of page 8)

Trade name: Bergamotteöl nat.-id, furocumarinfr 01-3655

◇ REGULATION (EU) 2019/1148

- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
 None of the ingredients is listed.
- Annex II REPORTABLE EXPLOSIVES PRECURSORS
- None of the ingredients is listed.

◦ Regulation (EC) No 273/2004 on drug precursors

- None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Relevant phrases

Waterhazard class: Klasse A (Self-assessment)

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

. SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H226 Flammable liquid and vapour. H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Department issuing SDS: Regulatory Affairs Contact: Dr. Maja Zippel Date of previous version: 16.12.2022 Version number of previous version: 182 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Flam. Sol. 1: Flammable solids - Category 1 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 (Contd. on page 10) CH **FREY&LAU** *Constant Series*

Page 10/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version 183 (replaces version 182)

Revision: 23.01.2023

(Contd. of page 9)

СН

Trade name: Bergamotteöl nat.-id, furocumarinfr 01-3655