

Safety data sheet
according to ChemV 2015 - SR 813.11

Printing date 07.11.2018

Version 128

Revision: 07.11.2018

. SECTION 1: Identification of the substance/mixture and of the company/undertaking

◊ **1.1 Product identifier**

◊ Trade name: **Kümmelöl PhEur./ 01-3850**

◊ Article number: P0125539

◊ Registration number -

◊ **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

◊ Application of the substance / the mixture Flavour/Fragrance

◊ **1.3 Details of the supplier of the safety data sheet**

◊ Manufacturer/Supplier:

Frey & Lau GmbH

Immenhacken 12, D-24558 Henstedt-Ulzburg

Tel:++49-4193-9953 Fax: +49-4193-9955-80

◊ Further information obtainable from:

Sachkundige Person Frey + Lau

info@freylau.de

◊ **1.4 Emergency telephone number:** ++49-40-54.77.99.56 WAKO

. SECTION 2: Hazards identification

◊ **2.1 Classification of the substance or mixture**

◊ Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

◊ **2.2 Label elements**

◊ Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

◊ Hazard pictograms



GHS02 GHS07 GHS08 GHS09

◊ Signal word Danger

◊ Hazard-determining components of labelling:

2-Methyl-5-(1-methylvinyl)cyclohex-2-en-1-one

DIPENTENE

Myrcene

◊ Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

◊ Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety data sheet
according to ChemV 2015 - SR 813.11

Printing date 07.11.2018

Version 128

Revision: 07.11.2018

Trade name: Kümmelöl PhEur./ 01-3850

(Contd. of page 1)

- ◊ **2.3 Other hazards**
- ◊ Results of PBT and vPvB assessment
- ◊ PBT: Not applicable.
- ◊ vPvB: Not applicable.

. SECTION 3: Composition/information on ingredients

◊ **3.2 Chemical characterisation: Mixtures**

- ◊ CAS-No: 85940-31-4
- ◊ EINECS-No: 288-921-6
- ◊ Description: Mixture of substances listed below with nonhazardous additions.
- ◊ Dangerous components:

CAS: 99-49-0	2-Methyl-5-(1-methylvinyl)cyclohex-2-en-1-one	>50-100%
EINECS: 202-759-5	Skin Sens. 1, H317	
CAS: 138-86-3	DIPENTENE	>25-50%
EINECS: 205-341-0	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
- ◊ Additional information: For the wording of the listed hazard phrases refer to section 16.

. SECTION 4: First aid measures

- ◊ **4.1 Description of first aid measures**
- ◊ General information: Immediately remove any clothing soiled by the product.
- ◊ After inhalation:
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- ◊ After skin contact: Immediately wash with water and soap and rinse thoroughly.
- ◊ After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- ◊ After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- ◊ **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- ◊ **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

. SECTION 5: Firefighting measures

- ◊ **5.1 Extinguishing media**
- ◊ Suitable extinguishing agents: CO₂, sand, extinguishing powder. Do not use water.
- ◊ For safety reasons unsuitable extinguishing agents: Water with full jet
- ◊ **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- ◊ **5.3 Advice for firefighters**
- ◊ Protective equipment: No special measures required.

. SECTION 6: Accidental release measures

- ◊ **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- ◊ **6.2 Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- ◊ **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents

(Contd. on page 3)

Safety data sheet
according to ChemV 2015 - SR 813.11

Printing date 07.11.2018

Version 128

Revision: 07.11.2018

Trade name: Kümmelöl PhEur./ 01-3850

(Contd. of page 2)

◊ **6.4 Reference to other sections**

- ◊ See Section 7 for information on safe handling.
- ◊ See Section 8 for information on personal protection equipment.
- ◊ See Section 13 for disposal information.

. SECTION 7: Handling and storage

- ◊ **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- ◊ **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- ◊ **7.2 Conditions for safe storage, including any incompatibilities**
- ◊ **Storage:**
- ◊ **Requirements to be met by storerooms and receptacles:** No special requirements.
- ◊ **Information about storage in one common storage facility:** Not required.
- ◊ **Further information about storage conditions:** Keep container tightly sealed.
- ◊ **Storage class:** 3
- ◊ **7.3 Specific end use(s)** No further relevant information available.

. SECTION 8: Exposure controls/personal protection

- ◊ **Additional information about design of technical facilities:** No further data; see item 7.
- ◊ **8.1 Control parameters**
- ◊ **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- ◊ **Additional information:** The lists valid during the making were used as basis.
- ◊ **8.2 Exposure controls**
- ◊ **Personal protective equipment:**
- ◊ **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
- ◊ **Respiratory protection:** Not required.
- ◊ **Protection of hands:**
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- ◊ **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
The multichemical-resistant glove Barrier 02-100 is recommended.
- ◊ **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- ◊ **Eye protection:** Tightly sealed goggles

. SECTION 9: Physical and chemical properties

- ◊ **9.1 Information on basic physical and chemical properties**
- ◊ **General Information**
- ◊ **Appearance:**
Form: Fluid

(Contd. on page 4)

Safety data sheet
according to ChemV 2015 - SR 813.11

Printing date 07.11.2018

Version 128

Revision: 07.11.2018

Trade name: Kümmelöl PhEur./ 01-3850

(Contd. of page 3)

Colour:	Yellowish
◊ Odour:	Characteristic
◊ Odour threshold:	Not determined.
◊ pH-value:	Not determined.
◊ Melting point/freezing point:	Undetermined.
◊ Flash point:	59 °C
◊ Flammability (solid, gas):	Not applicable.
◊ Decomposition temperature:	Not determined.
◊ Auto-ignition temperature:	Not determined.
◊ Explosive properties:	Not determined.
◊ Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
◊ Density at 20 °C:	0,915 g/cm ³
◊ Relative density	Not determined.
◊ Vapour density	Not determined.
◊ Evaporation rate	Not determined.
◊ Solubility in / Miscibility with water:	Not miscible or difficult to mix.
◊ Partition coefficient: n-octanol/water:	Not determined.
◊ VOC (EC)	47,09 %
◊ 9.2 Other information	No further relevant information available.

. SECTION 10: Stability and reactivity

- ◊ **10.1 Reactivity** No further relevant information available.
- ◊ **10.2 Chemical stability**
- ◊ **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- ◊ **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- ◊ **10.4 Conditions to avoid** No further relevant information available.
- ◊ **10.5 Incompatible materials:** No further relevant information available.
- ◊ **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

. SECTION 11: Toxicological information

- ◊ **11.1 Information on toxicological effects**
- ◊ **Acute toxicity** Based on available data, the classification criteria are not met.
- ◊ **Primary irritant effect:**
- ◊ **Skin corrosion/irritation**
Causes skin irritation.
- ◊ **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- ◊ **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- ◊ **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- ◊ **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- ◊ **Carcinogenicity** Based on available data, the classification criteria are not met.
- ◊ **Reproductive toxicity** Based on available data, the classification criteria are not met.
- ◊ **STOT-single exposure** Based on available data, the classification criteria are not met.
- ◊ **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 5)

Safety data sheet
 according to ChemV 2015 - SR 813.11

Printing date 07.11.2018

Version 128

Revision: 07.11.2018

Trade name: Kümmelöl PhEur./ 01-3850

(Contd. of page 4)

- ◊ **Aspiration hazard**
 May be fatal if swallowed and enters airways.

. SECTION 12: Ecological information

- ◊ **12.1 Toxicity**
- ◊ **Aquatic toxicity:** No further relevant information available.
- ◊ **12.2 Persistence and degradability** No further relevant information available.
- ◊ **12.3 Bioaccumulative potential** No further relevant information available.
- ◊ **12.4 Mobility in soil** No further relevant information available.
- ◊ **Ecotoxicological effects:**
- ◊ **Remark:**
 Very toxic for fish
 Toxic for fish
 Very toxic for water fleas.
 Toxic for water fleas
 Very toxic for algae
 Toxic for algae
- ◊ **Additional ecological information:**
- ◊ **General notes:**
 Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.
 Danger to drinking water if even extremely small quantities leak into the ground.
 Also poisonous for fish and plankton in water bodies.
 Very toxic for aquatic organisms
- ◊ **12.5 Results of PBT and vPvB assessment**
- ◊ **PBT:** Not applicable.
- ◊ **vPvB:** Not applicable.
- ◊ **12.6 Other adverse effects** No further relevant information available.

. SECTION 13: Disposal considerations

- ◊ **13.1 Waste treatment methods**
- ◊ **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- ◊ **Uncleaned packaging:**
- ◊ **Recommendation:** Disposal must be made according to official regulations.

. SECTION 14: Transport information

- | | |
|--|---|
| ◊ 14.1 UN-Number | UN1993 |
| ◊ ADR, IMDG, IATA | |
| ◊ 14.2 UN proper shipping name | FLAMMABLE LIQUID, N.O.S. (DIPENTENE), ENVIRONMENTALLY HAZARDOUS |
| ◊ ADR | FLAMMABLE LIQUID, N.O.S. (DIPENTENE), MARINE POLLUTANT |
| ◊ IMDG | FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE) |
| ◊ IATA | |
| ◊ 14.3 Transport hazard class(es) | |
| ◊ ADR | |
| ◊ Class | 3 (F1) Flammable liquids. |
| ◊ Label | 3 |
| ----- | |
| ◊ IMDG, IATA | |
| ◊ Class | 3 Flammable liquids. |
| ◊ Label | 3 |

(Contd. on page 6)

Safety data sheet
according to ChemV 2015 - SR 813.11

Printing date 07.11.2018

Version 128

Revision: 07.11.2018

Trade name: Kümmelöl PhEur./ 01-3850

(Contd. of page 5)

◊ 14.4 Packing group	III
◊ ADR, IMDG, IATA	
◊ 14.5 Environmental hazards:	Product contains environmentally hazardous substances: DIPENTENE
◊ Marine pollutant:	Yes
	Symbol (fish and tree)
◊ Special marking (ADR):	Symbol (fish and tree)
◊ 14.6 Special precautions for user	Warning: Flammable liquids.
◊ Danger code (Kemler):	30
◊ EMS Number:	F-E, S-E
◊ Stowage Category	A
◊ 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
◊ Transport/Additional information:	

◊ ADR	
◊ Limited quantities (LQ)	5L
◊ Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
◊ Transport category	3
◊ Tunnel restriction code	D/E

◊ IMDG	
◊ Limited quantities (LQ)	5L
◊ Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
◊ UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (DIPENTENE), 3, III, ENVIRONMENTALLY HAZARDOUS

. SECTION 15: Regulatory information

- ◊ **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- ◊ Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- ◊ Hazard pictograms



◊ Signal word *Danger*

◊ Hazard-determining components of labelling:
2-Methyl-5-(1-methylvinyl)cyclohex-2-en-1-one
DIPENTENE
Myrcene

◊ Hazard statements

- H226 Flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H304 May be fatal if swallowed and enters airways.
- H410 Very toxic to aquatic life with long lasting effects.

◊ Precautionary statements

- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- P321 Specific treatment (see on this label).
- P331 Do NOT induce vomiting.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P362+P364 Take off contaminated clothing and wash it before reuse.

(Contd. on page 7)

Safety data sheet
according to ChemV 2015 - SR 813.11

Printing date 07.11.2018

Version 128

Revision: 07.11.2018

Trade name: Kümmelöl PhEur./ 01-3850

(Contd. of page 6)

P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- ◊ Directive 2012/18/EU
- ◊ Named dangerous substances - ANNEX I None of the ingredients is listed.
- ◊ Seveso category
E1 Hazardous to the Aquatic Environment
P5c FLAMMABLE LIQUIDS
- ◊ Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- ◊ Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- ◊ REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- ◊ **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

. SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- ◊ Relevant phrases
H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
- ◊ Department issuing SDS: Regulatory Affairs
- ◊ Contact: Dr. Maja Zippel
- ◊ Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1