FREY&LAU (*Scenter vour senses*)

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31					
Printing date 28.04.	2020	Version 62	Revision: 28.04.2020		
. SECTION 1: I	dentification of the sub	ostance/mixture and of the company/u	undertaking		
◊ 1.1 Product ide	entifier				
∘ Trade name: W	/intergrünöl(nat.id.)idk.	HAB / 01-4560			
	mber -	tance or mixture and uses advised agains Flavour/Fragrance	t No further relevant information available.		
◇ Manufacturer/S Frey & Lau Gm Immenhacken 1		ırg			
Sachkundige Po info@freylau.co					
	/ telephone number: ++49	-40-54.77.99.56 WAKO			
. SECTION 2: I	Hazards identification				
∘ Classification au Acute Tox. 4 Eye Dam. 1 Skin Sens. 1		No 1272/2008 ed. re damage.			
◇ 2.2 Label elem	ents ding to Regulation (EC) No	1272/2008 The product is classified and labe	elled according to the CLP regulation.		
GHS05 GHS07					
∘ Signal word Da	nger				
Methyl salicylat DIPENTENE beta-Pinene IalphaPinene 2-Methyl-5-(1-n • Hazard stateme H302 Harmful it H318 Causes s H317 May caus H412 Harmful to • Precautionary s	nethylvinyl)cyclohex-2-en-1- ents f swallowed. erious eye damage. re an allergic skin reaction. o aquatic life with long lastii tatements	one ng effects. tiously with water for several minutes. Remov	ve contact lenses, if present and easy to do.		
P321 P330 P362+P364 P501 ∘ 2.3 Other haza	Specific treatment (see Rinse mouth. Take off contaminated of Dispose of contents/cor rds		onal/international regulations.		
	and vPvB assessment				
◇ PBT: Not applic			(Contd. on page 2) CH		

FREY&LAU *explore your senses*

Page 2/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.04.2020

Version 62

Revision: 28.04.2020

Trade name: Wintergrünöl(nat.id.)idk.HAB / 01-4560

∘ vPvB: Not applicable.

. SECTION 3: Composition/information on ingred	ients
--	-------

3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

◇ Dangerous components:	
CAS: 119-36-8 Methyl salicylate	>50-100%
EINECS: 204-317-7 Eye Dam. 1, H318; Acute Tox. 4, H302	
CAS: 99-49-0 2-Methyl-5-(1-methylvinyl)cyclohex-2-en-1-one	<i>≥</i> 0,1-<1%
EINECS: 202-759-5 Skin Sens. 1, H317	
CAS: 138-86-3 DIPENTENE	<i>≥</i> 0,25-<1%
EINECS: 205-341-0 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 18172-67-3 beta-Pinene	<i>≥</i> 0,1-<0,25%
EINECS: 242-060-2 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 7785-26-4 IalphaPinene	<i>≥</i> 0,1-<0,25%
EINECS: 232-077-3 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
◇Additional information: For the wording of the listed hazard phrases refer to section 16.	

. SECTION 4: First aid measures

° 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Seek immediate medical advice.

- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- Seek immediate medical advice.
- ◊ After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- Seek medical treatment.
- ◊ After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Seek immediate medical advice.

- ◊ After swallowing:
- Call for a doctor immediately.
- Seek immediate medical advice.
- •4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- •4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

. SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- $^{\circ}$ For safety reasons unsuitable extinguishing agents: Water with full jet

• 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

(Contd. of page 1)

explore your senses

FREY&LAU

Page 3/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.04.2020

Version 62

Revision: 28.04.2020

(Contd. of page 2)

Trade name: Wintergrünöl(nat.id.)idk.HAB / 01-4560

5.3 Advice for firefighters

Protective equipment: No special measures required.

. SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13. Treat with 2 % sodium hydroxide solution. Ensure adequate ventilation.
6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

. SECTION 7: Handling and storage

See Section 13 for disposal information.

• 7.1 Precautions for safe handling Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

◊ Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

Storage class: 10

• 7.3 Specific end use(s) No further relevant information available.

. SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. • Additional information: The lists valid during the making were used as basis.

◊ 8.2 Exposure controls

- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Respiratory protection: Not required.
- Protection of hands:
- Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

CH

explore your senses

FREY&LAU 6

Page 4/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.04.2020

Version 62

Revision: 28.04.2020

(Contd. of page 3)

Trade name: Wintergrünöl(nat.id.)idk.HAB / 01-4560

Material of gloves The multichemical-resistant glove Barrier 02-100 is recommended.
 Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

 Eye protection: Safety glasses Tightly sealed good

Tightly sealed goggles

. SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties

 Partition coefficient: n-octanol/water: ∨OC (EC) 9.2 Other information 	Not determined. 99,66 % No further relevant information available.
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.
∘ Density at 20 °C: ∘ Relative density ∘ Vapour density ∘ Evaporation rate	1,175 g/cm ³ Not determined. Not determined. Not determined.
∘ Explosion limits: Lower: Upper:	Not determined. Not determined.
◦ Explosive properties:	Not determined.
 Auto-ignition temperature: 	Not determined.
◇ Decomposition temperature:	Not determined.
∘ Flammability (solid, gas):	Not applicable.
 Melting point/freezing point: √Flash point: 	Undetermined. 96 °C
<i>⊳pH-value:</i>	Not determined.
 Appearance: Form: Colour: ○ Odour: ○ Odour threshold: 	Fluid Colourless Characteristic Not determined.
◊ General Information	

. SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

0.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

° 10.3 Possibility of hazardous reactions No dangerous reactions known.

• **10.4 Conditions to avoid** No further relevant information available.

° 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

CH



Page 5/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.04.2020

Version 62

Revision: 28.04.2020

(Contd. of page 4)

Trade name: Wintergrünöl(nat.id.)idk.HAB / 01-4560

. SECTION 11: Toxicological information • 11.1 Information on toxicological effects • Acute toxicity Harmful if swallowed. • LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates) Oral LD50 904 mg/kg (rabbit)

- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

. SECTION 12: Ecological information

- ◊ 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- Ecotoxical effects:
- Remark: Harmful to fish
- Additional ecological information:
- General notes:
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.
- Must not reach sewage water or drainage ditch undiluted or unneutralised.
- Danger to drinking water if even small quantities leak into the ground.
- Harmful to aquatic organisms
- 12.5 Results of PBT and vPvB assessment
- ◊ PBT: Not applicable.
- ∘vPvB: Not applicable.
- ° 12.6 Other adverse effects No further relevant information available.

. SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Our Or Contract of Contract

Recommendation: Disposal must be made according to official regulations.

. SECTION 14: Transport information

° 14.1 UN-Number

◇ADR, ADN, IMDG, IATA

FREY&LAU *(section of the section of the section*

Page 6/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.04.2020

Version 62

Revision: 28.04.2020

Trade name: Wintergrünöl(nat.id.)idk.HAB / 01-4560

 • 14.2 UN proper shipping name • ADR, ADN, IMDG, IATA • 14.3 Transport hazard class(es) 	Void	(Contd. of page 5)		
∘ ADR, ADN, IMDG, IATA ∘ Class ∘ 14.4 Packing group	Void			
 ADR, IMDG, IATA ▶ 14.5 Environmental hazards: 	Void			
<i>◇ Marine pollutant:</i>	No			
• 14.6 Special precautions for user	Not applicable.			
◇14.7 Transport in bulk according to Annex II of Marpol and				
the IBC Code	Not applicable.			
◊ UN "Model Regulation":	Void			

. SECTION 15: Regulatory information

° 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

822.115, Jugendarbeitsschutzverordnung - ArGV 5 und 822.115.2, Verordnung des WBF über gefährliche Arbeiten für Jugendliche sind zu beachten.

ArGV 1 und 822.111.52, Verordnung des WBF über gefährliche und beschwerliche Arbeiten bei Schwangerschaft und Mutterschaft sind nicht zutreffend.

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
 Hazard pictograms

GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

Methyl salicylate

DIPENTENE

beta-Pinene

I-.alpha.-Pinene

- H302 Harmful if swallowed.
- H318 Causes serious eye damage.
- H317 May cause an allergic skin reaction.
- H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P321 Specific treatment (see on this label).
- P330 Rinse mouth.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

◦ Directive 2012/18/EU

- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations:

Waterhazard class: Klasse A (Self-assessment)

(Contd. on page 7)



Page 7/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.04.2020

Version 62

Revision: 28.04.2020

(Contd. of page 6)

Trade name: Wintergrünöl(nat.id.)idk.HAB / 01-4560

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

. SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant phrases H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Department issuing SDS: Regulatory Affairs Contact: Dr. Maja Zippel Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Áviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - oral – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 * Data compared to the previous version altered. CH