

Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version 75 (replaces version 74) Revision: 23.01.2023

. SECTION 1: Identification of the substance/mixture and of the company/undertaking

- ∘ 1.1 Product identifier
- ∘ Trade name: Majoranöl ägypt. / 01-4900
- ⋄ Article number: S0100081
- Registration number -
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Flavour/Fragrance
- ∘ 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Frey & Lau GmbH

Immenhacken 12, D-24558 Henstedt-Ulzburg

Tel:++49-4193-9953 Fax: +49-4193-9955-80

⋄ Further information obtainable from:

Sachkundige Person Frey + Lau

info@freylau.com

◦ 1.4 Emergency telephone number: ++49-40-54.77.99.56 WAKO

. SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

∘ Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements







GHS07 GHS08 GHS09

Signal word Danger

· Hazard-determining components of labelling:

alpha-terpinene p-Mentha-1,4-diene

Terpinolene

p-cymene

beta-Caryophyllene

dipentene

3.7-Dimethyl-1.6-octadien-3-yl acetate

3,7-Dimethyl-1,6-octadien-3-ol

alpha-Pinene

beta-Pinene

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version 75 (replaces version 74) Revision: 23.01.2023

Trade name: Majoranöl ägypt. / 01-4900

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

∘ 2.3 Other hazards

∘ Results of PBT and vPvB assessment

∘ PBT: Not applicable. ∘ vPvB: Not applicable.

. SECTION 3: Composition/information on ingredients		
 3.2 Mixtures CAS-No: 84082-58-6 EINECS-No: 282-004-4 Description: Mixture of substances listed below with the substances of the substance of the substances of the substance of the subst	vith nonhazardous additions.	
∘ Dangerous components:		
CAS: 562-74-3 p-Menth-1-en-4-ol		>20-25%
EINECS: 209-235-5 Acute Tox. 4, H302; Skin Irra	it. 2, H315; Eye Irrit. 2, H319	
CAS: 99-85-4 p-Mentha-1,4-diene		>10-20%
EINECS: 202-794-6 Flam. Liq. 3, H226; Asp. To	x. 1, H304	
CAS: 99-86-5 alpha-terpinene		>5-10%
EINECS: 202-795-1 Flam. Liq. 3, H226; Asp. To: 1B, H317 ATE: LD50 oral: 1.680 mg/k	x. 1, H304; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Sens.	
CAS: 99-87-6 p-cymene	5	>2.5-5%
	ox. 3, H331; Asp. Tox. 1, H304; Aquatic Chronic 2, H411	2,0070
CAS: 586-62-9 Terpinolene		>2,5-5%
	x. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
CAS: 98-55-5 alpha-Terpineol		>2,5-5%
EINECS: 202-680-6 Skin Irrit. 2, H315; Eye Irrit.	2, H319	
CAS: 87-44-5 beta-Caryophyllene EINECS: 201-746-1 Asp. Tox. 1, H304; Skin Sen	ns 1B H317	1-2,5%
CAS: 138-86-3 dipentene	0. 12, 110 11	≥1-<2.5%
	x. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 17	_, _,,,,,
CAS: 115-95-7 3,7-Dimethyl-1,6-octadien-3	-yl acetate	1-2,5%
EINECS: 204-116-4 Skin Irrit. 2, H315; Eye Irrit.	2, H319; Skin Sens. 1B, H317	
CAS: 78-70-6 3,7-Dimethyl-1,6-octadien-3		1-2,5%
EINECS: 201-134-4 Skin Irrit. 2, H315; Eye Irrit.	2, H319; Skin Sens. 1B, H317	
CAS: 80-56-8 alpha-Pinene		≥0,25-<1%
EINECS: 201-291-9 Flam. Liq. 3, H226; Asp. Tox Tox. 4, H302; Skin Irrit. 2, H substance with a Communit		
CAS: 18172-67-3 beta-Pinene	,	≥0.25-<1%
	x. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit.	-0,20
CAS: 106-24-1 3,7-Dimethylocta-2,6-dien-1- EINECS: 203-377-1 Eye Dam. 1, H318; Skin Irrit		≥0,1-<1%
CAS: 140-67-0 4-Allylanisole		≥0.1-<1%
	11; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1B, H317;	-, -, -, -, -, -, -, -, -, -, -, -, -, -
CAS: 470-82-6 Eucalyptol		≥0,1-<1%
EINECS: 207-431-5 Flam. Liq. 3, H226; Skin Sei	ns. 1B, H317	
	(Cor	ntd. on page 3)

(Contd. of page 1)



Page 3/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version 75 (replaces version 74) Revision: 23.01.2023

Trade name: Majoranöl ägypt. / 01-4900

♦ Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

. SECTION 4: First aid measures

- 4.1 Description of first aid measures
- ∘ General information: Immediately remove any clothing soiled by the product.
- ⋄ After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

. SECTION 5: Firefighting measures

- ⋄ 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- ∘ 5.3 Advice for firefighters
- Protective equipment: No special measures required.

. SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Treat with 2 % sodium hydroxide solution.

Ensure adequate ventilation.

• 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

. SECTION 7: Handling and storage

- ∘ **7.1 Precautions for safe handling** Prevent formation of aerosols.
- ∘ Information about fire and explosion protection: No special measures required.
- ⋄ 7.2 Conditions for safe storage, including any incompatibilities
- ∘ Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- ∘ Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- ∘ Storage class: 10

(Contd. on page 4)



Page 4/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version 75 (replaces version 74) Revision: 23.01.2023

Trade name: Majoranöl ägypt. / 01-4900

∘ 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

. SECTION 8: Exposure controls/personal protection

∘ 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

80-56-8 alpha-Pinene

MAK Short-term value: 224 mg/m³, 40 ppm Long-term value: 112 mg/m³, 20 ppm

HS;

Additional information: The lists valid during the making were used as basis.

⋄ 8.2 Exposure controls

∘ Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection: Not required.

⋄ Hand protection

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Multichemical-resistant gloves, Category III acc. to Regulation (EC) 2016/425

◇ Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Safety glasses

Tightly sealed goggles

. SECTION 9: Physical and chemical properties

$^{\circ}$ 9.1 Information on basic physical and chemical properties

⋄ General Information

Physical state

⋄ Colour:

∘ Odour:

Odour threshold:

Melting point/freezing point:

∘ Flammability

Lower and upper explosion limit

⋄ Lower:

⋄ Upper:

∘ Flash point:

Decomposition temperature:

∘ pH

∘ Solubility

∘ water:

∘ Partition coefficient n-octanol/water (log value)

Fluid

Colourless to yellow tint

Characteristic Not determined. Undetermined. Not applicable.

Not determined. Not determined.

64 °C

Not determined.

Mixture is non-polar/aprotic.

Not miscible or difficult to mix.

Not determined.

(Contd. on page 5)



Page 5/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version 75 (replaces version 74) Revision: 23.01.2023

Trade name: Majoranöl ägypt. / 01-4900

(Contd. of page 4)

Density and/or relative density

∘ Density at 20 °C: 0,893 g/cm3 Relative density Not determined. Vapour density Not determined.

⋄ 9.2 Other information

Appearance:

Fluid ⋄ Form:

Important information on protection of health and environment,

and on safety.

Auto-ignition temperature: Not determined. Explosive properties: Not determined.

⋄ Solvent separation test:

∘ VOC (EC) 68.48 %

 Evaporation rate Not determined.

∘ Information with regard to physical hazard classes

Explosives Void ∘ Flammable gases Void ⋄ Aerosols Void Oxidising gases Void Gases under pressure Void ∘ Flammable liquids Void ∘ Flammable solids Void Self-reactive substances and mixtures Void ∘ Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void

 Oxidising solids Void Organic peroxides Void Corrosive to metals Void Desensitised explosives Void

. SECTION 10: Stability and reactivity

- ∘ 10.1 Reactivity No further relevant information available.
- ∘ 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

. SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 3.990 mg/kg

Inhalative LC50 60 mg/l

- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation May cause an allergic skin reaction.

(Contd. on page 6)



Page 6/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version 75 (replaces version 74) Revision: 23.01.2023

Trade name: Majoranöl ägypt. / 01-4900

(Contd. of page 5)

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard May be fatal if swallowed and enters airways.
- ∘ 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

. SECTION 12: Ecological information

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- ∘ 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- ∘ PBT: Not applicable.
- ⋄ vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

. SECTION 13: Disposal considerations

- · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

. SECTION 14: Transport information

⋄ ADR, IMDG, IATA

⋄ 14.2 UN proper shipping name

⋄ ADR

◇ IMDG

⋄IATA

◇ADR

◇ Class

◊ I abel

UN3082

UMWELTGEFÄHRDENDER STOFF, FLÜSSIG, N.A.G. (alpha-Terpinen,

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (p-

mentha-1,3-diene, CYMENES), MARINE POLLUTANT

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (containing p-mentha-1,3-diene, CYMENES)

9 (M6) Miscellaneous dangerous substances and articles.

(Contd. on page 7)



Page 7/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version 75 (replaces version 74) Revision: 23.01.2023

Trade name: Majoranöl ägypt. / 01-4900

(Contd. of page 6)

∘ IMDG, IATA

○ Class

9 Miscellaneous dangerous substances and articles.

◊ Label

∘ 14.4 Packing group ⋄ADR, IMDG, IATA

Yes

◊ 14.5 Environmental hazards:

Product contains environmentally hazardous substances: Terpinolene

Marine pollutant:

Symbol (fish and tree)

∘ Special marking (ADR): ⋄ Special marking (IATA): Symbol (fish and tree) Symbol (fish and tree)

⋄ 14.6 Special precautions for user Hazard identification number (Kemler code): Warning: Miscellaneous dangerous substances and articles.

⋄ EMS Number:

F-A,S-F

Stowage Category

◦ 14.7 Maritime transport in bulk according to IMO

instruments

Not applicable.

Transport/Additional information:

⋄ Limited quantities (LQ)

⋄ Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category

⋄ Tunnel restriction code

(-)

⋄ IMDG

5L

Code: E1

⋄ Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

○ UN "Model Regulation":

UN 3082 UMWELTGEFÄHRDENDER STOFF, FLÜSSIG, N.A.G. (ALPHA-

TERPINEN, CYMENE), 9, III

. SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

822.115, Jugendarbeitsschutzverordnung - ArGV 5 und 822.115.2, Verordnung des WBF über gefährliche Arbeiten für Jugendliche sind zu beachten.

ArGV 1 und 822.111.52, Verordnung des WBF über gefährliche und beschwerliche Arbeiten bei Schwangerschaft und Mutterschaft

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms







GHS07 GHS08 GHS09

Signal word Danger

Hazard-determining components of labelling:

alpha-terpinene

p-Mentha-1,4-diene

Terpinolene

p-cymene

beta-Caryophyllene

dipentene

3,7-Dimethyl-1,6-octadien-3-yl acetate

3,7-Dimethyl-1,6-octadien-3-ol

(Contd. on page 8)



Page 8/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version 75 (replaces version 74) Revision: 23.01.2023

Trade name: Majoranöl ägypt. / 01-4900

(Contd. of page 7)

alpha-Pinene

beta-Pinene

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction. H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsina

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- ⋄ Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- ◇ REGULATION (ÉC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- ∘ REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

◇ Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

∘ Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

∘ Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- ⋄ National regulations:
- · Waterhazard class: Klasse A (Self-assessment)
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

. SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

(Contd. on page 9)



Page 9/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Version 75 (replaces version 74) Revision: 23.01.2023

Trade name: Majoranöl ägypt. / 01-4900

(Contd. of page 8)

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

- Department issuing SDS: Regulatory Affairs
- ⋄ Contact: Dr. Maja Zippel
- Date of previous version: 17.12.2022
- Version number of previous version: 74
- Abbreviations and acronyms:

RID. Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B Muta. 2: Germ cell mutagenicity – Category 2 Carc. 2: Carcinogenicity – Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.