

Page 1/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 222 Revision: 01.08.2019

## . SECTION 1: Identification of the substance/mixture and of the company/undertaking

- ∘ Trade name: Teebaumöl austr. EuAB / 01-4940
- Article number: P0128416
- ◇ Registration number

01-2120743651-57-0007

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- ⋄ Application of the substance / the mixture Flavour/Fragrance
- ∘ 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Frey & Lau GmbH

Immenhacken 12, D-24558 Henstedt-Ulzburg

Tel:++49-4193-9953 Fax: +49-4193-9955-80

Further information obtainable from:

Sachkundige Person Frey + Lau

info@freylau.de

1.4 Emergency telephone number: ++49-40-54.77.99.56 WAKO

## . SECTION 2: Hazards identification

### ∘ 2.1 Classification of the substance or mixture

∘ Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.


Hazard pictograms











- Signal word Danger
- · Hazard-determining components of labelling:

p-Menth-1-en-4-ol

p-Mentha-1,4-diene

I-.alpha.-Pinene

p-mentha-1,3-diene

Terpinolene

Eucalyptol

DIPENTENE

Myrcene

beta-Pinene

4-Methyliden-1-propan-2-ylbicyclo[3.1.0]hexan

Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 2)



Page 2/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 222 Revision: 01.08.2019

Trade name: Teebaumöl austr. EuAB / 01-4940

(Contd. of page 1)

H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### ○ 2.3 Other hazards

- ∘ Results of PBT and vPvB assessment
- ∘ PBT: Not applicable. ∘ vPvB: Not applicable.

# . SECTION 3: Composition/information on ingredients

3.2 Chen	nical charac	terisation:	Mixtures
----------	--------------	-------------	----------

CAS-No: 85085-48-9EINECS-No: 285-377-1

CAS: 18172-67-3

beta-Pinene

• Description: Mixture of substances listed below with nonhazardous additions.

ents:	
	>25-50%
	>20-25%
	20 20/0
p-mentha-1,3-diene	>5-10%
	/
	>2,5-5%
	>2.5-5%
B Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	2,0 070
Terpinolene	>2,5-5%
Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1B, H317	
p-Cymene	>2,5-5%
	> 2 E E0/
	>2,5-5%
DIPENTENE	≥1-<2,5%
Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
Myrcene	≥0,1-<1%
Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	
	p-Menth-1-en-4-ol Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 p-Mentha-1,4-diene Flam. Liq. 3, H226; Asp. Tox. 1, H304 p-mentha-1,3-diene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Acute Tox. 4, H302 alpha-Terpineol Skin Irrit. 2, H315; Eye Irrit. 2, H319 I-alpha-Pinene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317 Terpinolene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1B, H317 p-Cymene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411 Eucalyptol Flam. Liq. 3, H226; Skin Sens. 1B, H317 DIPENTENE Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317 Myrcene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317 Myrcene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; Myrcene

EINECS: 242-060-2 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317 (Contd. on page 3)

≥0.25-<1%



Page 3/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 222 Revision: 01.08.2019

Trade name: Teebaumöl austr. EuAB / 01-4940

(Contd. of page 2)

CAS: 3387-41-5 4-Methyliden-1-propan-2-ylbicyclo[3.1.0]hexan ≥0,1-<1%

Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317

3,7-Dimethyl-1,6-octadien-3-ol CAS: 78-70-6

≥0.1-<1%

EINECS: 201-134-4 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### . SECTION 4: First aid measures

#### ⋄ 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## . SECTION 5: Firefighting measures

- ⋄ 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

## . SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Treat with 2 % sodium hydroxide solution.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

• 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## . SECTION 7: Handling and storage

7.1 Precautions for safe handling Prevent formation of aerosols.

(Contd. on page 4)



Page 4/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 222 Revision: 01.08.2019

Trade name: Teebaumöl austr. EuAB / 01-4940

(Contd. of page 3)

⋄ Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

- ∘ 7.2 Conditions for safe storage, including any incompatibilities
- ⋄ Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- ∘ Further information about storage conditions: Keep container tightly sealed.
- Storage class: 3
- ∘ 7.3 Specific end use(s) No further relevant information available.

### . SECTION 8: Exposure controls/personal protection

∘ Additional information about design of technical facilities: No further data; see item 7.

#### ⋄ 8.1 Control parameters

- ∘ Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection: Not required.
- ∘ Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves The multichemical-resistant glove Barrier 02-100 is recommended.
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Tightly sealed goggles

## . SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

∘ General Information

Appearance:

Form: Fluid
Colour: Yellowish
○ Odour: Characteristic
○ Odour threshold: Not determined.
○ pH-value: Not determined.
○ Melting point/freezing point: Undetermined.

⋄ Flash point: 57 °C

Flammability (solid, gas): Not applicable.
 Decomposition temperature: Not determined.
 Auto-ignition temperature: Not determined.

(Contd. on page 5)



Page 5/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 222 Revision: 01.08.2019

Trade name: Teebaumöl austr. EuAB / 01-4940

(Contd. of page 4)

Explosive properties: Not determined.

Explosion limits:

Not determined. Lower: Upper: Not determined. ⋄ Density at 20 °C: 0,895 g/cm3 Relative density Not determined. Not determined. Vapour density Evaporation rate Not determined.

Solubility in / Miscibility with

Not miscible or difficult to mix. water:

Partition coefficient: n-octanol/water: Not determined. 93.25 % ⋄ VOC (EC)

No further relevant information available. ∘ 9.2 Other information

### . SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- ◆ 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### . SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity

Harmful if swallowed.

∘ LD/LC50 values relevant for classification:

### ATE (Acute Toxicity Estimates)

Oral LD50 1.912 mg/kg

- Primary irritant effect:
- ⋄ Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard

May be fatal if swallowed and enters airways.

## . SECTION 12: Ecological information

- ↑ 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.

(Contd. on page 6)



Page 6/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 222 Revision: 01.08.2019

Trade name: Teebaumöl austr. EuAB / 01-4940

(Contd. of page 5)

- 12.2 Persistence and degradability No further relevant information available.
- ∘ 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- ∘ Remark: Toxic for fish
- Additional ecological information:
- General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- ◇ PBT: Not applicable.
- ∘ vPvB: Not applicable.
- ◆ 12.6 Other adverse effects No further relevant information available.

### . SECTION 13: Disposal considerations

- ∘ 13.1 Waste treatment methods
- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

## . SECTION 14: Transport information

∘ 14.1 UN-Number

⋄ ADR, IMDG, IATA

⋄ 14.2 UN proper shipping name

⋄ ADR

∘ IMDG

◇ IATA

⋄ 14.3 Transport hazard class(es)

⋄ ADR ◇ Class

⋄ Label

∘ IMDG, IATA Class

◊ Label

∘ 14.4 Packing group ⋄ ADR, IMDG, IATA

Marine pollutant:

Special marking (ADR):

⋄ 14.6 Special precautions for user

∘ Danger code (Kemler):

∘ EMS Number:

Stowage Category

UN1993

FLAMMABLE LIQUID, N.O.S. (p-Mentha-1,4-dien, p-mentha-1,3-

diene), ENVIRONMENTALLY HAZARDOUS

FLAMMABLE LIQUID, N.O.S. (p-Mentha-1,4-dien, p-mentha-1,3-

diene), MARINE POLLUTANT

FLAMMABLE LIQUID, N.O.S. (containing p-Mentha-1,4-dien, p-

mentha-1,3-diene)

3 (F1) Flammable liquids.

3 Flammable liquids.

Product contains environmentally hazardous substances: alpha-

Pinene

Symbol (fish and tree) Symbol (fish and tree)

Warning: Flammable liquids.

30

F-E,S-E

(Contd. on page 7)



Page 7/8

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 222 Revision: 01.08.2019

Trade name: Teebaumöl austr. EuAB / 01-4940

∘ 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

Transport/Additional information:

Excepted quantities (EQ)

⋄ Transport category

⋄ Tunnel restriction code

∘ Excepted quantities (ÉQ)

◊ UN "Model Regulation":

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

D/E

5L Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN 1993 FLAMMABLE LIQUID, N.O.S. (P-MENTHA-1,4-DIEN, P-MENTHA-1,3-DIENE), 3, III, ENVIRONMENTALLY HAZARDOUS

## . SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

822.115, Jugendarbeitsschutzverordnung - ArGV 5 und 822.115.2, Verordnung des WBF über gefährliche Arbeiten für Jugendliche sind zu beachten.

ArGV 1 und 822.111.52, Verordnung des WBF über gefährliche und beschwerliche Arbeiten bei Schwangerschaft und Mutterschaft sind nicht zutreffend.

∘ Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms







GHS02 GHS07 GHS08 GHS09

Signal word Danger

Hazard-determining components of labelling:

p-Menth-1-en-4-ol p-Mentha-1,4-diene I-.alpha.-Pinene

p-mentha-1,3-diene

Terpinolene Eucalyptol **DIPENTENE** Myrcene beta-Pinene

4-Methyliden-1-propan-2-ylbicyclo[3.1.0]hexan

Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

Rinse mouth. P330

P331 Do NOT induce vomiting.

(Contd. on page 8)

(Contd. of page 6)



Page 8/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 222 Revision: 01.08.2019

Trade name: Teebaumöl austr. EuAB / 01-4940

(Contd. of page 7)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- ⋄ Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- ◇ REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- ⋄ National regulations:
- Waterhazard class: Klasse A (Self-assessment)
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### . SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- Department issuing SDS: Regulatory Affairs
- Contact: Dr. Maja Zippel
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

\* Data compared to the previous version altered.

CH