

Page 1/8

Safety data sheet

according to ChemV 2015 - SR 813.11

Printing date 07.11.2018 Version 101 Revision: 07.11.2018

. SECTION 1: Identification of the substance/mixture and of the company/undertaking

- ∘ Trade name: Fichtennadelöl sibir. / 01-5322
- ∘ Article number: S0100045
- ◇ Registration number

01-2120738835-44-0002

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Flavour/Fragrance
- ∘ 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Frey & Lau GmbH

Immenhacken 12, D-24558 Henstedt-Ulzburg

Tel:++49-4193-9953 Fax: +49-4193-9955-80

Further information obtainable from:

Sachkundige Person Frey + Lau

info@freylau.de

1.4 Emergency telephone number: ++49-40-54.77.99.56 WAKO

. SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

∘ Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms









GHS02 GHS07 GHS08 GHS09

- Signal word Danger
- · Hazard-determining components of labelling:

I-.alpha.-Pinene

3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene

DIPENTENE

beta-Phellandrene

beta-Pinene

Terpinolene

Longifolene

3,7-Dimethyl-1,6-octadien-3-ol

2,6-Octadien-1-ol-3,7-dimethylacetate

dl-Citronellol

Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

(Contd. on page 2)



Page 2/8

Safety data sheet

according to ChemV 2015 - SR 813.11

Printing date 07.11.2018 Version 101 Revision: 07.11.2018

Trade name: Fichtennadelöl sibir. / 01-5322

(Contd. of page 1) H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P301+P310

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Take off contaminated clothing and wash it before reuse. P362+P364

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

∘ Results of PBT and vPvB assessment

∘ PBT: Not applicable. ∘ vPvB: Not applicable.

. SECTION 3: Composition/information on ingredients

∘ 3.2 Chemical characterisation: Mixtures

∘ CAS-No: 91697-89-1 ∘ EINECS-No: 294-351-9

CAS: 106-22-9

Description: Mixture of substances listed below with nonhazardous additions.

EINECS: 203-341-5 Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412

EINECS: 203-375-0 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317

dl-Citronellol

Dangerous components:

Bungerous components.			
	CAS: 79-92-5	Camphene	>20-<25%
	EINECS: 201-234-8	Flam. Sol. 1, H228; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Eye Irrit. 2, H319	
	CAS: 7785-26-4	IalphaPinene	>10-20%
	EINECS: 232-077-3	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
	CAS: 13466-78-9	3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene	>10-20%
	EINECS: 236-719-3	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
	CAS: 138-86-3	DIPENTENE	>5-<10%
	EINECS: 205-341-0	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
	CAS: 555-10-2	beta-Phellandrene	>2,5-5%
	EINECS: 209-081-9	Flam. Liq. 3, H226; Asp. Tox. 1, H304	
	CAS: 18172-67-3	beta-Pinene	2,5%
	EINECS: 242-060-2	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
	CAS: 507-70-0	Borneol	1-2,5%
	EINECS: 208-080-0	Flam. Sol. 1, H228	
	CAS: 586-62-9	Terpinolene	≥1-<2,5%
	EINECS: 209-578-0	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1B, H317	
	CAS: 475-20-7	Longifolene	≥0,25-<1%
	EINECS: 207-491-2	Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1B, H317	
	CAS: 78-70-6	3,7-Dimethyl-1,6-octadien-3-ol	≥0,1-<1%
	EINECS: 201-134-4	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
	CAS: 469-61-4	alpha-Cedrene	≥0,25-<1%
	EINECS: 207-418-4	Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	CAS: 105-87-3	2,6-Octadien-1-ol-3,7-dimethylacetate	≥0,1-<1%

(Contd. on page 3) - CH/GB

≥0,1-<1%



Page 3/8

Safety data sheet

according to ChemV 2015 - SR 813.11

Printing date 07.11.2018 Version 101 Revision: 07.11.2018

Trade name: Fichtennadelöl sibir. / 01-5322

♦ Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

. SECTION 4: First aid measures

- ⋄ 4.1 Description of first aid measures
- ∘ General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

. SECTION 5: Firefighting measures

- ⋄ 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

. SECTION 6: Accidental release measures

∘ 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

∘ 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

. SECTION 7: Handling and storage

- ⋄ 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- ⋄ 7.2 Conditions for safe storage, including any incompatibilities
- ⋄ Storage:
- ∘ Requirements to be met by storerooms and receptacles: No special requirements.
- ∘ Information about storage in one common storage facility: Not required.
- ∘ Further information about storage conditions: Keep container tightly sealed.
- ∘ Storage class: 3

(Contd. on page 4)



Page 4/8

Safety data sheet

according to ChemV 2015 - SR 813.11

Printing date 07.11.2018 Version 101 Revision: 07.11.2018

Trade name: Fichtennadelöl sibir. / 01-5322

∘ 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

. SECTION 8: Exposure controls/personal protection

- ∘ Additional information about design of technical facilities: No further data; see item 7.
- ∘ 8.1 Control parameters
- ∘ Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

- ∘ 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection: Not required.
- Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The multichemical-resistant glove Barrier 02-100 is recommended.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Tightly sealed goggles

. SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- ∘ General Information

⋄ Appearance:

Form: Fluid

Colour: Nearly colourless

○ Odour: Characteristic

○ Odour threshold: Not determined.

∘ pH-value at 20 °C:

Melting point/freezing point: Undetermined.

⋄ Flash point: 43 °C

Flammability (solid, gas): Not applicable.
 Decomposition temperature: Not determined.
 Auto-ignition temperature: Not determined.

Explosive properties:
 Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Explosion limits:

Lower: Not determined.
Upper: Not determined.

○ Density at 20 °C: 0,9 g/cm³

○ Relative density Not determined.

(Contd. on page 5)



Page 5/8

Safety data sheet

according to ChemV 2015 - SR 813.11

Printing date 07.11.2018 Version 101 Revision: 07.11.2018

Trade name: Fichtennadelöl sibir. / 01-5322

Vapour density Not determined.
 Evaporation rate Not determined.

Solubility in / Miscibility with

water: Not miscible or difficult to mix.

Partition coefficient: n-octanol/water: Not determined.
 VOC (EC) 77,45 %

• 9.2 Other information No further relevant information available.

. SECTION 10: Stability and reactivity

- ∘ Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- ∘ 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

. SECTION 11: Toxicological information

- ∘ 11.1 Information on toxicological effects
- ∘ Acute toxicity Based on available data, the classification criteria are not met.
- ∘ Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- ⋄ Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- ⋄ STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard

May be fatal if swallowed and enters airways.

. SECTION 12: Ecological information

- ∘ 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- ∘ Remark:

Very toxic for fish

Toxic for fish

Very toxic for water fleas.

Toxic for water fleas

Very toxic for algae

Toxic for algae

(Contd. on page 6)

(Contd. of page 4)



Page 6/8

Safety data sheet

according to ChemV 2015 - SR 813.11

Printing date 07.11.2018 Version 101 Revision: 07.11.2018

Trade name: Fichtennadelöl sibir. / 01-5322

(Contd. of page 5)

- ⋄ Additional ecological information:
- General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- ∘ 12.5 Results of PBT and vPvB assessment
- ∘ PBT: Not applicable.
- ∘ vPvB: Not applicable.
- ∘ 12.6 Other adverse effects No further relevant information available

. SECTION 13: Disposal considerations

- ⋄ 13.1 Waste treatment methods
- · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

. SECTION 14: Transport information

⋄ ADR, IMDG, IATA

⋄ ADR

∘ IMDG

MARINE POLLUTANT

◇ IATA FLAMMABLE LIQUID, N.O.S. (containing alpha-PINENE, delta-3-

UN1993

FLAMMABLE LIQUID, N.O.S. (alpha-PINENE, delta-3-Carene),

FLAMMABLE LIQUID, N.O.S. (alpha-PINENE, delta-3-Carene),

ENVIRONMENTALLY HAZARDOUS

⋄ 14.3 Transport hazard class(es)

⋄ ADR

◇ Class 3 (F1) Flammable liquids.

◊ Label

∘ IMDG, IATA Class 3 Flammable liquids.

◊ Label

∘ 14.4 Packing group

⋄ ADR, IMDG, IATA

∘ 14.5 Environmental hazards: Product contains environmentally hazardous substances:

Camphene, alpha-Pinene ⋄ Marine pollutant:

Symbol (fish and tree)

30

3

⋄ Special marking (ADR):

Symbol (fish and tree) ⋄ 14.6 Special precautions for user Warning: Flammable liquids.

⋄ Danger code (Kemler):

Stowage Category

∘ EMS Number: F-E,S-E

○ 14.7 Transport in bulk according to Annex II of Marpol and

the IBC Code Not applicable.

(Contd. on page 7)

- CH/GB



Page 7/8

Safety data sheet

according to ChemV 2015 - SR 813.11

Printing date 07.11.2018 Version 101 Revision: 07.11.2018

Trade name: Fichtennadelöl sibir. / 01-5322

(Contd. of page 6)

⋄ Transport/Additional information:

⋄ ADR

∘ Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

 Transport category D/E

∘ IMDG

5L

Code: E1 ⋄ Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

⋄ UN "Model Regulation": UN 1993 FLAMMABLE LIQUID, N.O.S. (ALPHA-PINENE, DELTA-

3-CARENE), 3, III, ENVIRONMENTALLY HAZARDOUS

. SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

⋄ Hazard pictograms









GHS02 GHS07 GHS08 GHS09

Signal word Danger

· Hazard-determining components of labelling:

I-.alpha.-Pinene

3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene

DIPENTENE

beta-Phellandrene

beta-Pinene

Terpinolene

Lonaifolene

3,7-Dimethyl-1,6-octadien-3-ol

2,6-Octadien-1-ol-3,7-dimethylacetate

dl-Citronellol

Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P301+P310

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 8)



Page 8/8

Safety data sheet

according to ChemV 2015 - SR 813.11

Printing date 07.11.2018 Version 101 Revision: 07.11.2018

Trade name: Fichtennadelöl sibir. / 01-5322

(Contd. of page 7)

- Directive 2012/18/EU
- ∘ Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category

E1 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

. SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H228 Flammable solid.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- Department issuing SDS: Regulatory Affairs
- ∘ Contact: Dr. Maja Zippel
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3 Flam. Sol. 1: Flammable solids – Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

CH/GB