

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.11.2023

Version 67 (replaces version 66)

Revision: 30.11.2023

. SECTION 1: Identification of the substance/mixture and of the company/undertaking

◊ **1.1 Product identifier**

◊ Trade name: **Latschenkiefernöl rekt. EuAB / 01-5351**

◊ Article number: P0126818

◊ Registration number -

◊ **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

◊ Application of the substance / the mixture Flavour/Fragrance

◊ **1.3 Details of the supplier of the safety data sheet**

◊ Manufacturer/Supplier:

Frey & Lau GmbH

Immenhacken 12, D-24558 Henstedt-Ulzburg

Tel:++49-4193-9953 Fax: +49-4193-9955-80

◊ Further information obtainable from:

Sachkundige Person Frey + Lau

info@freylau.com

◊ **1.4 Emergency telephone number:** ++49-40-54.77.99.56 WAKO

. SECTION 2: Hazards identification

◊ **2.1 Classification of the substance or mixture**

◊ Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

◊ **2.2 Label elements**

◊ Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

◊ Hazard pictograms



GHS02 GHS07 GHS08 GHS09

◊ Signal word Danger

◊ Hazard-determining components of labelling:

alpha-Pinene

3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene

beta-Pinene

(R)-p-mentha-1,8-diene

Myrcene

beta-Caryophyllene

Terpinolene

(R)-5-Isopropyl-2-methylcyclohexa-1,3-dien

alpha-terpinene

4-Methyliden-1-propan-2-ylbicyclo[3.1.0]hexan

◊ Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

◊ Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.11.2023

Version 67 (replaces version 66)

Revision: 30.11.2023

Trade name: Latschenkiefernöl rekt. EuAB / 01-5351

(Contd. of page 1)

P362+P364 Take off contaminated clothing and wash it before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

- ◊ Results of PBT and vPvB assessment
- ◊ PBT: Not applicable.
- ◊ vPvB: Not applicable.

. SECTION 3: Composition/information on ingredients

3.2 Mixtures

◊ Description: Mixture of substances listed below with nonhazardous additions.

◊ Dangerous components:

CAS: 80-56-8	alpha-Pinene	>20-<25%
EINECS: 201-291-9	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1B, H317 substance with a Community workplace exposure limit	
CAS: 13466-78-9	3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene	>10-20%
EINECS: 236-719-3	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 555-10-2	beta-Phellandrene	>10-20%
EINECS: 209-081-9	Flam. Liq. 3, H226; Asp. Tox. 1, H304	
CAS: 18172-67-3	beta-Pinene	>10-20%
EINECS: 242-060-2	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	>10-20%
EINECS: 227-813-5	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412 substance with a Community workplace exposure limit	
CAS: 123-35-3	Myrcene	>5-<10%
EINECS: 204-622-5	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
CAS: 87-44-5	beta-Caryophyllene	>2,5-5%
EINECS: 201-746-1	Asp. Tox. 1, H304; Skin Sens. 1B, H317	
CAS: 79-92-5	Camphene	≥1-<2,5%
EINECS: 201-234-8	Flam. Sol. 1, H228; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Eye Irrit. 2, H319 substance with a Community workplace exposure limit	
CAS: 586-62-9	Terpinolene	≥0,25-<1%
EINECS: 209-578-0	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1B, H317	
CAS: 99-87-6	p-cymene	≥0,25-<1%
EINECS: 202-796-7	Flam. Liq. 3, H226; Acute Tox. 3, H331; Asp. Tox. 1, H304; Aquatic Chronic 2, H411	
CAS: 4221-98-1	(R)-5-Isopropyl-2-methylcyclohexa-1,3-dien	≥0,25-<1%
EINECS: 224-167-6	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1B, H317	
CAS: 99-86-5	alpha-terpinene	≥0,25-<1%
EINECS: 202-795-1	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Sens. 1B, H317 ATE: LD50 oral: 1.680 mg/kg	
CAS: 3387-41-5	4-Methyliden-1-propan-2-ylbicyclo[3.1.0]hexan	≥0,1-<1%
	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317	

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.11.2023

Version 67 (replaces version 66)

Revision: 30.11.2023

Trade name: Latschenkiefenöl rekt. EuAB / 01-5351

CAS: 470-82-6 Eucalyptol

EINECS: 207-431-5 Flam. Liq. 3, H226; Skin Sens. 1B, H317

CAS: 13877-91-3 3,7-Dimethyl-1,3,6-octatriene

EINECS: 237-641-2 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 2, H411;
Skin Irrit. 2, H315

◊ Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

≥0,1-<1%

<0,25%

. SECTION 4: First aid measures

◊ **4.1 Description of first aid measures**

◊ General information: Immediately remove any clothing soiled by the product.

◊ After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

◊ After skin contact: Immediately wash with water and soap and rinse thoroughly.

◊ After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

◊ After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

◊ **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

◊ **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

. SECTION 5: Firefighting measures

◊ **5.1 Extinguishing media**

◊ Suitable extinguishing agents: CO₂, sand, extinguishing powder. Do not use water.

◊ For safety reasons unsuitable extinguishing agents: Water with full jet

◊ **5.2 Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.

◊ **5.3 Advice for firefighters**

◊ Protective equipment: No special measures required.

. SECTION 6: Accidental release measures

◊ **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

◊ **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

◊ **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Treat with 2 % sodium hydroxide solution.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

◊ **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

. SECTION 7: Handling and storage

◊ **7.1 Precautions for safe handling** Prevent formation of aerosols.

◊ Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect from heat.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.11.2023

Version 67 (replaces version 66)

Revision: 30.11.2023

Trade name: Latschenkiefernöl rekt. EuAB / 01-5351

(Contd. of page 3)

Protect against electrostatic charges.

◊ **7.2 Conditions for safe storage, including any incompatibilities**

- ◊ Storage:
- ◊ Requirements to be met by storerooms and receptacles: No special requirements.
- ◊ Information about storage in one common storage facility: Not required.
- ◊ Further information about storage conditions: Keep container tightly sealed.
- ◊ Storage class: 3
- ◊ **7.3 Specific end use(s)** No further relevant information available.

. SECTION 8: Exposure controls/personal protection

◊ **8.1 Control parameters**

- ◊ Ingredients with limit values that require monitoring at the workplace:

80-56-8 alpha-Pinene

MAK Short-term value: 224 mg/m³, 40 ppm
Long-term value: 112 mg/m³, 20 ppm
H S;

5989-27-5 (R)-p-mentha-1,8-diene

MAK Short-term value: 80 mg/m³, 14 ppm
Long-term value: 40 mg/m³, 7 ppm
S SSc;

79-92-5 Camphene

MAK Short-term value: 224 mg/m³, 40 ppm
Long-term value: 112 mg/m³, 20 ppm
H S;

- ◊ Additional information: The lists valid during the making were used as basis.

◊ **8.2 Exposure controls**

- ◊ Appropriate engineering controls No further data; see section 7.
- ◊ Individual protection measures, such as personal protective equipment
- ◊ General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
- ◊ Respiratory protection: Not required.
- ◊ Hand protection
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- ◊ Material of gloves Multichemical-resistant gloves, Category III acc. to Regulation (EC) 2016/425
- ◊ Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- ◊ Eye/face protection Tightly sealed goggles

. SECTION 9: Physical and chemical properties

◊ **9.1 Information on basic physical and chemical properties**

- ◊ General Information
- ◊ Physical state Fluid
- ◊ Colour: Yellowish
- ◊ Odour: Characteristic
- ◊ Odour threshold: Not determined.
- ◊ Melting point/freezing point: Undetermined.

(Contd. on page 5)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 30.11.2023

Version 67 (replaces version 66)

Revision: 30.11.2023

Trade name: Latschenkieferröl rekt. EuAB / 01-5351

(Contd. of page 4)

◊ <i>Flammability</i>	Flammable.
◊ <i>Lower and upper explosion limit</i>	
◊ <i>Lower:</i>	Not determined.
◊ <i>Upper:</i>	Not determined.
◊ <i>Flash point:</i>	44 °C
◊ <i>Decomposition temperature:</i>	Not determined.
◊ <i>pH</i>	Mixture is non-polar/aprotic.
◊ <i>Solubility</i>	
◊ <i>water:</i>	Not miscible or difficult to mix.
◊ <i>Partition coefficient n-octanol/water (log value)</i>	Not determined.
◊ <i>Density and/or relative density</i>	
◊ <i>Density at 20 °C:</i>	0,857 g/cm ³
◊ <i>Relative density</i>	Not determined.
◊ <i>Vapour density</i>	Not determined.
◊ 9.2 Other information	
◊ <i>Appearance:</i>	
◊ <i>Form:</i>	Fluid
◊ <i>Important information on protection of health and environment, and on safety.</i>	
◊ <i>Ignition temperature:</i>	Not determined.
◊ <i>Explosive properties:</i>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
◊ <i>Solvent separation test:</i>	
◊ <i>VOC (EC)</i>	38,11 %
◊ <i>Evaporation rate</i>	Not determined.
◊ Information with regard to physical hazard classes	
◊ <i>Explosives</i>	Void
◊ <i>Flammable gases</i>	Void
◊ <i>Aerosols</i>	Void
◊ <i>Oxidising gases</i>	Void
◊ <i>Gases under pressure</i>	Void
◊ <i>Flammable liquids</i>	Flammable liquid and vapour.
◊ <i>Flammable solids</i>	Void
◊ <i>Self-reactive substances and mixtures</i>	Void
◊ <i>Pyrophoric liquids</i>	Void
◊ <i>Pyrophoric solids</i>	Void
◊ <i>Self-heating substances and mixtures</i>	Void
◊ <i>Substances and mixtures, which emit flammable gases in contact with water</i>	Void
◊ <i>Oxidising liquids</i>	Void
◊ <i>Oxidising solids</i>	Void
◊ <i>Organic peroxides</i>	Void
◊ <i>Corrosive to metals</i>	Void
◊ <i>Desensitised explosives</i>	Void

. SECTION 10: Stability and reactivity

- ◊ **10.1 Reactivity** No further relevant information available.
- ◊ **10.2 Chemical stability**
- ◊ *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.
- ◊ **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- ◊ **10.4 Conditions to avoid** No further relevant information available.
- ◊ **10.5 Incompatible materials:** No further relevant information available.
- ◊ **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

CH

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.11.2023

Version 67 (replaces version 66)

Revision: 30.11.2023

Trade name: Latschenkiefernöl rekt. EuAB / 01-5351

(Contd. of page 5)

. SECTION 11: Toxicological information

◊ **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

- ◊ Acute toxicity Based on available data, the classification criteria are not met.
- ◊ LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 2.168 mg/kg

Inhalative LC50 475 mg/l

- ◊ Skin corrosion/irritation Causes skin irritation.
- ◊ Serious eye damage/irritation Based on available data, the classification criteria are not met.
- ◊ Respiratory or skin sensitisation May cause an allergic skin reaction.
- ◊ Germ cell mutagenicity Based on available data, the classification criteria are not met.
- ◊ Carcinogenicity Based on available data, the classification criteria are not met.
- ◊ Reproductive toxicity Based on available data, the classification criteria are not met.
- ◊ STOT-single exposure Based on available data, the classification criteria are not met.
- ◊ STOT-repeated exposure Based on available data, the classification criteria are not met.
- ◊ Aspiration hazard May be fatal if swallowed and enters airways.

◊ **11.2 Information on other hazards**

- ◊ Endocrine disrupting properties
None of the ingredients is listed.

. SECTION 12: Ecological information

◊ **12.1 Toxicity**

- ◊ Aquatic toxicity: No further relevant information available.
- ◊ **12.2 Persistence and degradability** No further relevant information available.
- ◊ **12.3 Bioaccumulative potential** No further relevant information available.
- ◊ **12.4 Mobility in soil** No further relevant information available.

◊ **12.5 Results of PBT and vPvB assessment**

- ◊ PBT: Not applicable.
- ◊ vPvB: Not applicable.

◊ **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

◊ **12.7 Other adverse effects**

◊ Remark:

Very toxic for fish
Toxic for fish
Very toxic for water fleas.
Toxic for water fleas
Very toxic for algae
Toxic for algae

◊ Additional ecological information:

◊ General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Very toxic for aquatic organisms

. SECTION 13: Disposal considerations

◊ **13.1 Waste treatment methods**

- ◊ Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 30.11.2023

Version 67 (replaces version 66)

Revision: 30.11.2023

Trade name: Latschenkiefernöl rekt. EuAB / 01-5351

(Contd. of page 6)

- ◊ *Uncleaned packaging:*
- ◊ *Recommendation: Disposal must be made according to official regulations.*

. SECTION 14: Transport information

<ul style="list-style-type: none"> ◊ 14.1 UN number or ID number ◊ ADR, IMDG, IATA ◊ 14.2 UN proper shipping name ◊ ADR ◊ IMDG ◊ IATA ◊ 14.3 Transport hazard class(es) ◊ ADR ◊ Class ◊ Label 	<p>UN1993</p> <p>ENTZÜNDBARER FLÜSSIGER STOFF, N.A.G. (alpha-PINEN, β-Phellandren), UMWELTGEFÄHRDEND FLAMMABLE LIQUID, N.O.S. (alpha-PINENE, β-Phellandren), MARINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (containing alpha-PINENE, β-Phellandren)</p> <p>3 (F1) Flammable liquids. 3</p>
<ul style="list-style-type: none"> ◊ IMDG, IATA ◊ Class ◊ Label ◊ 14.4 Packing group ◊ ADR, IMDG, IATA ◊ 14.5 Environmental hazards: ◊ Marine pollutant: ◊ Special marking (ADR): ◊ 14.6 Special precautions for user ◊ Hazard identification number (Kemler code): ◊ EMS Number: ◊ Stowage Category ◊ 14.7 Maritime transport in bulk according to IMO instruments ◊ Transport/Additional information: 	<p>3 Flammable liquids. 3</p> <p>III Product contains environmentally hazardous substances: alpha-Pinene Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Flammable liquids. 30 F-E,S-E A Not applicable.</p>
<ul style="list-style-type: none"> ◊ ADR ◊ Limited quantities (LQ) ◊ Excepted quantities (EQ) ◊ Transport category ◊ Tunnel restriction code 	<p>5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 D/E</p>
<ul style="list-style-type: none"> ◊ IMDG ◊ Limited quantities (LQ) ◊ Excepted quantities (EQ) ◊ UN "Model Regulation": 	<p>5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN 1993 ENTZÜNDBARER FLÜSSIGER STOFF, N.A.G. (ALPHA-PINEN, S-PHELLANDREN), 3, III, UMWELTGEFÄHRDEND</p>

CH

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.11.2023

Version 67 (replaces version 66)

Revision: 30.11.2023

Trade name: Latschenkiefenöl rekt. EuAB / 01-5351

(Contd. of page 7)

. SECTION 15: Regulatory information

◊ **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

822.115, Jugendarbeitsschutzverordnung - ArGV 5 und 822.115.2, Verordnung des WBF über gefährliche Arbeiten für Jugendliche sind zu beachten.

ArGV 1 und 822.111.52, Verordnung des WBF über gefährliche und beschwerliche Arbeiten bei Schwangerschaft und Mutterschaft sind nicht zutreffend.

◊ Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

◊ Hazard pictograms



◊ Signal word *Danger*

◊ Hazard-determining components of labelling:

alpha-Pinene

3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene

beta-Pinene

(R)-p-mentha-1,8-diene

Myrcene

beta-Caryophyllene

Terpinolene

(R)-5-Isopropyl-2-methylcyclohexa-1,3-dien

alpha-terpinene

4-Methyliden-1-propan-2-ylbicyclo[3.1.0]hexan

◊ Hazard statements

H226 *Flammable liquid and vapour.*

H315 *Causes skin irritation.*

H317 *May cause an allergic skin reaction.*

H304 *May be fatal if swallowed and enters airways.*

H410 *Very toxic to aquatic life with long lasting effects.*

◊ Precautionary statements

P301+P310 *IF SWALLOWED: Immediately call a POISON CENTER/ doctor.*

P331 *Do NOT induce vomiting.*

P303+P361+P353 *IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*

P362+P364 *Take off contaminated clothing and wash it before reuse.*

P405 *Store locked up.*

P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

◊ Directive 2012/18/EU

◊ Named dangerous substances - ANNEX I None of the ingredients is listed.

◊ Seveso category

E1 *Hazardous to the Aquatic Environment*

P5c **FLAMMABLE LIQUIDS**

◊ Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

◊ Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

◊ REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

◊ DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

◊ REGULATION (EU) 2019/1148

◊ Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

◊ Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.11.2023

Version 67 (replaces version 66)

Revision: 30.11.2023

Trade name: Latschenkiefernöl rekt. EuAB / 01-5351

(Contd. of page 8)

- ◊ Regulation (EC) No 273/2004 on drug precursors
None of the ingredients is listed.
- ◊ Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
None of the ingredients is listed.
- ◊ National regulations:
- ◊ Waterhazard class: Klasse A (Self-assessment)
- ◊ **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

. SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- ◊ Relevant phrases
H226 Flammable liquid and vapour.
H228 Flammable solid.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
- ◊ Department issuing SDS: Regulatory Affairs
- ◊ Contact: Dr. Maja Zippel
- ◊ Date of previous version: 30.11.2023
- ◊ Version number of previous version: 66
- ◊ Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Flam. Liq. 3: Flammable liquids – Category 3
Flam. Sol. 1: Flammable solids – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
- ◊ * Data compared to the previous version altered.