

Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 112 Revision: 01.08.2019

. SECTION 1: Identification of the substance/mixture and of the company/undertaking

- ∘ Trade name: Salbeiöl naturidentisch / 01-5740
- ⋄ Article number: P0117086
- Registration number -
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Flavour/Fragrance
- ∘ 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Frey & Lau GmbH

Immenhacken 12, D-24558 Henstedt-Ulzburg

Tel:++49-4193-9953 Fax: +49-4193-9955-80

Further information obtainable from:

Sachkundige Person Frey + Lau

info@frevlau.de

◦ 1.4 Emergency telephone number: ++49-40-54.77.99.56 WAKO

. SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

○ Classification according to Regulation (EC) No 1272/2008

H226 Flammable liquid and vapour. Flam. Lig. 3

Skin Irrit. 2 H315 Causes skin irritation.

Eve Irrit. 2 H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction. Skin Sens. 1

STOT SE 2 H371 May cause damage to the lung. Route of exposure: Inhalation.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

∘ Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms







GHS02 GHS07 GHS08 GHS09

Signal word Danger

Hazard-determining components of labelling:

Eucalyptol

DIPENTENE

Bornan-2-on

I-.alpha.-Pinene

3,7-Dimethyl-1,6-octadien-3-yl acetate

beta-Caryophyllene

3,7-Dimethyl-1,6-octadien-3-ol

beta-Pinene

Myrcene

Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H371 May cause damage to the lung. Route of exposure: Inhalation.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)



Page 2/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 112 Revision: 01.08.2019

Trade name: Salbeiöl naturidentisch / 01-5740

(Contd. of page 1)

⋄ Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

- Results of PBT and vPvB assessment
- ⋄ PBT: Not applicable. ∘ vPvB: Not applicable.

. SECTION 3: Composition/information on ingredients	
∘ 3.2 Chemical characterisation: Mixtures ∘ Description: Mixture of substances listed below with nonhazardous additions.	
◇ Dangerous components:	
CAS: 76-22-2 Bornan-2-on	>25-50%
EINECS: 200-945-0 Flam. Sol. 1, H228; STOT SE 2, H371; Acute Tox. 4, H302; Acute Tox. 4, H332	
CAS: 470-82-6 Eucalyptol	>10-20%
EINECS: 207-431-5 Flam. Liq. 3, H226; Skin Sens. 1B, H317	
CAS: 138-86-3	>10-20%
EINECS: 205-341-0 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 7785-26-4 IalphaPinene	>10-20%
EINECS: 232-077-3 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 507-70-0 Borneol	>5-10%
EINECS: 208-080-0 Flam. Sol. 1, H228	
CAS: 8000-41-7 Terpineol	>2,5-5%
EINECS: 232-268-1 Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 115-95-7 3,7-Dimethyl-1,6-octadien-3-yl acetate	>2,5-5%
EINECS: 204-116-4 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
CAS: 79-92-5 Camphene	<i>≥</i> 1-<2,5%
EINECS: 201-234-8 Flam. Sol. 1, H228; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Eye Irrit. 2, H319	4.0.50/
CAS: 87-44-5 beta-Caryophyllene EINECS: 201-746-1 Asp. Tox. 1, H304; Skin Sens. 1B, H317	1-2,5%
CAS: 78-70-6 3,7-Dimethyl-1,6-octadien-3-ol	1-2,5%
EINECS: 201-134-4 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	1-2,5/6
CAS: 18172-67-3 beta-Pinene	≥0.25-<1%
EINECS: 242-060-2 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	20,20 17,0
CAS: 123-35-3 Myrcene	≥0,1-<1%
EINECS: 204-622-5 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	,
Additional information: For the wording of the listed hazard phrases refer to section 16.	

(Contd. on page 3)



Page 3/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 112 Revision: 01.08.2019

Trade name: Salbeiöl naturidentisch / 01-5740

(Contd. of page 2)

. SECTION 4: First aid measures

4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

. SECTION 5: Firefighting measures

- ⋄ 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

. SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

∘ 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Treat with 2 % sodium hydroxide solution.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

∘ 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

. SECTION 7: Handling and storage

- ∘ 7.1 Precautions for safe handling Prevent formation of aerosols.
- Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

Keep respiratory protective device available.

◦ 7.2 Conditions for safe storage, including any incompatibilities

- ⋄ Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.

(Contd. on page 4)



Page 4/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 112 Revision: 01.08.2019

Trade name: Salbeiöl naturidentisch / 01-5740

(Contd. of page 3)

- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 3
- ∘ 7.3 Specific end use(s) No further relevant information available.

. SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- ⋄ 8.1 Control parameters
- ∘ Ingredients with limit values that require monitoring at the workplace:

76-22-2 Bornan-2-on

MAK Long-term value: 13 mg/m³, 2 ppm

79-92-5 Camphene

MAK Short-term value: 224 mg/m³, 40 ppm Long-term value: 112 mg/m³, 20 ppm

HS,

Additional information: The lists valid during the making were used as basis.

- ∘ 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

- Respiratory protection: Not required.
- Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The multichemical-resistant glove Barrier 02-100 is recommended.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Tightly sealed goggles

. SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Undetermined.

⋄ General Information

Appearance:
 Form:
 Colour:
 Odour:
 Odour threshold:
 PH-value:
 PAppearance:
 Fluid
 Yellowish
 Characteristic
 Not determined.
 Not determined.

Melting point/freezing point: Undete
 Flash point: 53 °C

Flammability (solid, gas): Not applicable.
 Decomposition temperature: Not determined.

(Contd. on page 5)



Page 5/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 112 Revision: 01.08.2019

Trade name: Salbeiöl naturidentisch / 01-5740

(Contd. of page 4)

◇ Auto-ignition temperature: Not determined.

Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Explosion limits:

Lower: Not determined. Not determined. Upper: ∘ Density at 20 °C: 0,914 g/cm3 Not determined. Relative density Vapour density Not determined. ⋄ Evaporation rate Not determined.

Solubility in / Miscibility with

Not miscible or difficult to mix. water:

∘ Partition coefficient: n-octanol/water: Not determined.

⋄ VOC (EC) 90.60 %

9.2 Other information No further relevant information available.

. SECTION 10: Stability and reactivity

- ∘ 10.1 Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

. SECTION 11: Toxicological information

- ⋄ 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- ∘ LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 4.679 mg/kg

Inhalative LC50 39,3 mg/l

- ◇ Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause damage to the lung. Route of exposure: Inhalation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard
- May be fatal if swallowed and enters airways.

(Contd. on page 6)



Page 6/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 112 Revision: 01.08.2019

Trade name: Salbeiöl naturidentisch / 01-5740

(Contd. of page 5)

. SECTION 12: Ecological information

- ∘ 12.1 Toxicity
- ⋄ Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- ∘ 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- ∘ Remark:

Very toxic for fish

Toxic for fish

Very toxic for water fleas.

Toxic for water fleas

Very toxic for algae

Toxic for algae

- Additional ecological information:
- General notes:

Water hazard class 3 (German Regulation) (Self-assessment); extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- ∘ PBT: Not applicable.
- ∘ vPvB: Not applicable.
- ∘ 12.6 Other adverse effects No further relevant information available.

. SECTION 13: Disposal considerations

- ∘ 13.1 Waste treatment methods
- · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

. SECTION 14: Transport information

∘ 14.1 UN-Number

◇ADR, IMDG, IATA

⋄ 14.2 UN proper shipping name

ADR

∘ IMDG

^ I A T A

◇IATA

. . . .

UN1993

FLAMMABLE LIQUID, N.O.S. (alpha-PINENE, 1,8-Cineol),

ENVIRONMENTALLY HAZARDOUS

FLAMMABLE LIQUID, N.O.S. (alpha-PINENE, 1,8-Cineol),

MARINE POLLUTANT

FLAMMABLE LIQUID, N.O.S. (containing alpha-PINENE, 1,8-

Cineol)

⋄ 14.3 Transport hazard class(es)

⋄ ADR

ClassLabel

3 (F1) Flammable liquids.

∘ IMDG, IATA

∘ Class ∘ Label 3 Flammable liquids.

3

(Contd. on page 7)

CH ·



Page 7/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 112 Revision: 01.08.2019

Trade name: Salbeiöl naturidentisch / 01-5740

(Contd. of page 6)

∘ ADR, IMDG, IATA

○ 14.5 Environmental hazards:

Marine pollutant:

⋄ Special marking (ADR):

∘ 14.6 Special precautions for user

Danger code (Kemler):

∘ EMS Number:

Stowage Category

◦ 14.7 Transport in bulk according to Annex II of Marpol and

the IBC Code

⋄ Transport/Additional information:

⋄ ADR

Excepted quantities (EQ)

⋄ Transport category

Tunnel restriction code

◊ IMDG

⋄ Excepted quantities (EQ)

⋄ UN "Model Regulation":

Product contains environmentally hazardous substances:

DIPENTENE

Yes

Symbol (fish and tree)

Symbol (fish and tree)

Warning: Flammable liquids.

30

F-E,S-E

Not applicable.

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

D/E

51

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN 1993 FLAMMABLE LIQUID, N.O.S. (ALPHA-PINENE, 1,8-

CINEOL), 3, III, ENVIRONMENTALLY HAZARDOUS

. SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

822.115, Jugendarbeitsschutzverordnung - ArGV 5 und 822.115.2, Verordnung des WBF über gefährliche Arbeiten für Jugendliche sind zu beachten.

ArGV 1 und 822.111.52, Verordnung des WBF über gefährliche und beschwerliche Arbeiten bei Schwangerschaft und Mutterschaft

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms











Signal word Danger

· Hazard-determining components of labelling:

Eucalyptol

DIPENTENE

Bornan-2-on

I-.alpha.-Pinene

3,7-Dimethyl-1,6-octadien-3-yl acetate

beta-Caryophyllene

3,7-Dimethyl-1,6-octadien-3-ol

beta-Pinene

Myrcene

· Hazard statements

H226 Flammable liquid and vapour.

(Contd. on page 8)



Page 8/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 112 Revision: 01.08.2019

Trade name: Salbeiöl naturidentisch / 01-5740

(Contd. of page 7)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H371 May cause damage to the lung. Route of exposure: Inhalation.

H304 May be fatal if swallowed and enters airways. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- ⋄ Directive 2012/18/EU
- ⋄ Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category

E1 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- ∘ REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations:
- · Waterhazard class: Klasse A (Self-assessment)
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

. SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H228 Flammable solid.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H371 May cause damage to the lung. Route of exposure: Inhalation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- Department issuing SDS: Regulatory Affairs
- ∘ Contact: Dr. Maja Zippel
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 9)



Page 9/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.08.2019 Version 112 Revision: 01.08.2019

Trade name: Salbeiöl naturidentisch / 01-5740

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3
Flam. Sol. 1: Flammable solids – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B STOT SE 2: Specific target organ toxicity (single exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.

(Contd. of page 8)