

Page 1/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025 Version 86 (replaces version 85) Revision: 03.11.2025

. SECTION 1: Identification of the substance/mixture and of the company/undertaking

- ⋄ Trade name: Salbeiöl PH H / 01-5750
- ⋄ Article number: P0128228
- Registration number -
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Flavour/Fragrance
- ∘ 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Frey & Lau GmbH

Immenhacken 12, D-24558 Henstedt-Ulzburg

Tel:++49-4193-9953 Fax: +49-4193-9955-80

Further information obtainable from:

Sachkundige Person Frey + Lau

info@frevlau.com

◦ 1.4 Emergency telephone number: ++49-40-54.77.99.56 WAKO

. SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flam. Lig. 3 H226 Flammable liquid and vapour.

Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 2 H371 May cause damage to the lung. Route of exposure: Inhalation.

H304 May be fatal if swallowed and enters airways. Asp. Tox. 1 Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

∘ Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

⋄ Hazard pictograms









(\$\)\$\)\$\(\phi\)\$\(\p

Signal word Danger

Hazard-determining components of labelling:

Thujone (alpha- and beta)

Bornan-2-one

Eucalyptol

beta-Caryophyllene

alpha-Pinene

beta-Pinene

(R)-p-mentha-1,8-diene

Myrcene

3,7-Dimethyl-1,6-octadien-3-ol

Terpinolene

Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H371 May cause damage to the lung. Route of exposure: Inhalation.

(Contd. on page 2)



Page 2/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025 Version 86 (replaces version 85) Revision: 03.11.2025

Trade name: Salbeiöl PH H / 01-5750

(Contd. of page 1)

>25-50%

>10-20%

>5-10%

>2,5-5%

1-2,5%

≥1-<2,5%

H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P330 Rinse mouth.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

∘ PBT: Not applicable. ∘ vPvB: Not applicable.

. SECTION 3: Composition/information on ingredients

∘ 3.2 Mixtures

∘ CAS-No: 97952-71-1 ∘ EINECS-No: 308-365-0

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 1125-12-8 Thujone (alpha- and beta) EINECS: 214-405-7 Acute Tox. 4, H302

ATE: LD50 oral: 500 mg/kg

CAS: 76-22-2 Bornan-2-one

EINECS: 200-945-0 Flam. Sol. 1, H228; STOT SE 2, H371; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4,

H332; Skin Írrit. 2, H315 ATE: LC50 inhalative: 1,5 mg/l

substance with a Community workplace exposure limit

CAS: 470-82-6 Eucalyptol

EINECS: 207-431-5 Flam. Liq. 3, H226; Skin Sens. 1B, H317

CAS: 79-92-5 Camphene >2.5-5%

EINECS: 201-234-8 Flam. Sol. 1, H228; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Eye Irrit. 2,

H319

substance with a Community workplace exposure limit CAS: 87-44-5 beta-Caryophyllene

EINECS: 201-746-1 Asp. Tox. 1, H304; Skin Sens. 1B, H317

CAS: 80-56-8 alpha-Pinene

>2,5-5% EINECS: 201-291-9 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410

(M=1); Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1B, H317

ATE: LD50 oral: 500 mg/kg

substance with a Community workplace exposure limit

CAS: 507-70-0 Borneol

EINECS: 208-080-0 Flam. Sol. 1, H228

CAS: 18172-67-3 beta-Pinene EINECS: 242-060-2 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410

(M=1); Skin Irrit. 2, H315; Skin Sens. 1B, H317

(Contd. on page 3)



Page 3/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025 Version 86 (replaces version 85) Revision: 03.11.2025

Trade name: Salbeiöl PH H / 01-5750

		(Contd. of page 2)
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	<i>≥</i> 1-<2,5%
EINECS: 227-813-5	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412 substance with a Community workplace exposure limit	
CAS: 99-87-6	p-cymene p-cymene	<i>≥</i> 1-<2,5%
EINECS: 202-796-7	Flam. Liq. 3, H226; Acute Tox. 3, H331; Asp. Tox. 1, H304; Aquatic Chronic 2, H411 ATE: LD50 oral: 4.750 mg/kg LC50 inhalative: 3 mg/l	
CAS: 123-35-3	Myrcene	≥0,25-<1%
EINECS: 204-622-5	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
CAS: 78-70-6	3,7-Dimethyl-1,6-octadien-3-ol	≥0,1-<1%
EINECS: 201-134-4	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
CAS: 586-62-9	Terpinolene	≥0,1-<0,25%
EINECS: 209-578-0	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1B, H317	
CAS: 3387-41-5	4-Methyliden-1-propan-2-ylbicyclo[3.1.0]hexan	≥0,1-<1%
	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 3391-86-4	1-Octen-3-ol	≥0,1-<1%
EINECS: 222-226-0	Acute Tox. 3, H301; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
	ATE: LC50 inhalative: 11 mg/l	
CAS: 99-86-5	alpha-terpinene	≥0,1-<0,25%
EINECS: 202-795-1	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Sen 1B, H317	S.
⋄ Additional information	ATE: LD50 oral: 1.680 mg/kg on: For the wording of the listed hazard phrases refer to section 16.	
and of the minor matter	c.	

. SECTION 4: First aid measures

⋄ 4.1 Description of first aid measures

∘ General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Seek immediate medical advice.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Seek immediate medical advice.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Seek immediate medical advice.

After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

∘ 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.



Page 4/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025 Version 86 (replaces version 85) Revision: 03.11.2025

Trade name: Salbeiöl PH H / 01-5750

(Contd. of page 3)

. SECTION 5: Firefighting measures

- ⋄ 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- ⋄ 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

. SECTION 6: Accidental release measures

∘ 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Treat with 2 % sodium hydroxide solution.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

. SECTION 7: Handling and storage

- ∘ 7.1 Precautions for safe handling Prevent formation of aerosols.
- ⋄ Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

- Storage:
- ∘ Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- ⋄ Further information about storage conditions: Keep container tightly sealed.
- Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.

. SECTION 8: Exposure controls/personal protection

- ⋄ 8.1 Control parameters
- ∘ Ingredients with limit values that require monitoring at the workplace:

76-22-2 Bornan-2-one

MAK Long-term value: 13 mg/m³, 2 ppm

(Contd. on page 5)



Page 5/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025 Version 86 (replaces version 85) Revision: 03.11.2025

Trade name: Salbeiöl PH H / 01-5750

(Contd. of page 4)

79-92-5 Camphene

MAK Short-term value: 224 mg/m³, 40 ppm Long-term value: 112 mg/m³, 20 ppm

HS:

80-56-8 alpha-Pinene

MAK Short-term value: 224 mg/m³, 40 ppm Long-term value: 112 mg/m³, 20 ppm

5989-27-5 (R)-p-mentha-1,8-diene

MAK Short-term value: 80 mg/m³, 14 ppm Long-term value: 40 mg/m³, 7 ppm

S SSc:

· Additional information: The lists valid during the making were used as basis.

∘ 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- o Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Respiratory protection: Not required.
- ⋄ Hand protection

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves Multichemical-resistant gloves, Category III acc. to Regulation (EC) 2016/425
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

∘ Eye/face protection Tightly sealed goggles

. SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties

○ General Information

∘ Physical state

Colour:

⋄ Odour:

Odour threshold:

⋄ Melting point/freezing point:

◇ Flammability

Lower and upper explosion limit

⋄ Lower:

◊ Upper:

⋄ Flash point:

⋄ Decomposition temperature:

¢ρΗ

⋄ Solubility

∘ water:

◇ Partition coefficient n-octanol/water (log value)

⋄ Density and/or relative density

Density at 20 °C:

Relative density

Liquid

Yellowish

Characteristic

Not determined.

Undetermined.

Flammable.

Not determined.

Not determined.

56 °C

Not determined.

Mixture is non-polar/aprotic.

Not miscible or difficult to mix.

Not determined.

0,918 g/cm3 Not determined.

(Contd. on page 6)



Page 6/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025 Version 86 (replaces version 85) Revision: 03.11.2025

Not determined.

Not determined.

Trade name: Salbeiöl PH H / 01-5750

 Vapour density Not determined.

9.2 Other information

⋄ Appearance:

⋄ Form: Fluid

 Important information on protection of health and environment, and on safety.

Ignition temperature: Explosive properties:

⋄ Solvent separation test:

⋄ VOC (EC)

39 34 % Not determined. ⋄ Evaporation rate

Information with regard to physical hazard classes

Explosives Void ∘ Flammable gases Void Void Aerosols Oxidising gases Void Gases under pressure Void

⋄ Flammable liquids Flammable liquid and vapour.

∘ Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids

Void Organic peroxides Void ∘ Corrosive to metals Void Desensitised explosives Void

. SECTION 10: Stability and reactivity

- ∘ 10.1 Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

. SECTION 11: Toxicological information

- ∘ 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Harmful if swallowed.
- ⋄ LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 1.174 mg/kg

Inhalative LC50 55,5 mg/l

- Primary irritant effect:
- ∘ Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- ∘ Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

(Contd. of page 5)



Page 7/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025 Version 86 (replaces version 85) Revision: 03.11.2025

Trade name: Salbeiöl PH H / 01-5750

(Contd. of page 6)

- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause damage to the lung. Route of exposure: Inhalation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard May be fatal if swallowed and enters airways.
- ∘ 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

. SECTION 12: Ecological information

- ↑ 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- ∘ 12.5 Results of PBT and vPvB assessment
- ∘ PBT: Not applicable.
- ∘ vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- ∘ Remark: Toxic for fish
- Additional ecological information:
- General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

. SECTION 13: Disposal considerations

- ⋄ 13.1 Waste treatment methods
- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

. SECTION 14: Transport information

⋄ ADR, IMDG, IATA

UN1993

∘ 14.2 UN proper shipping name

◇ADR

ENTZÜNDBARER FLÜSSIGER STOFF, N.A.G. (1,8-Cineol, alpha-PINEN), **UMWELTGEFÄHRDEND**

FLAMMABLE LIQUID, N.O.S. (1,8-Cineol, alpha-PINENE), MARINE **POLLUTANT**

◇ IMDG

FLAMMABLE LIQUID, N.O.S. (containing 1,8-Cineol, alpha-PINENE)

◊ IATA ⋄ 14.3 Transport hazard class(es)

⋄ ADR

○ Class ⋄ Label 3 (F1) Flammable liquids.

∘ IMDG, IATA

○ Class

3 Flammable liquids.

(Contd. on page 8)



Page 8/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025 Version 86 (replaces version 85) Revision: 03.11.2025

Trade name: Salbeiöl PH H / 01-5750

◇Label

◇ **14.4 Packing group** ◇ ADR, IMDG, IATA

◆ 14.5 Environmental hazards: Product contains environmentally hazardous substances: alpha-Pinene

3

Symbol (fish and tree)

⋄ Special marking (ADR):

Symbol (fish and tree)

◆ 14.6 Special precautions for user Warning: Flammable liquids.

→ Hazard identification number (Kemler code):
 → EMS Number:
 F-E,S-E

◦ Stowage Category A
◦ 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

⋄ Transport/Additional information:

⋄ ADR

∘ Limited quantities (LQ) 5L

∘ Excepted quantities (ÉQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

⋄ Transport category 3

⋄ Tunnel restriction code D/E

∘ IMDG

Limited quantities (LQ)
 Excepted quantities (EQ)

• Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

♦ UN "Model Regulation": UN 1993 ENTZÜNDBARER FLÜSSIGER STOFF, N.A.G. (1,8-CINEOL,

ALPHA-PINEN), 3, III, UMWELTGEFÄHRDEND

. SECTION 15: Regulatory information

∘ 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

822.115, Jugendarbeitsschutzverordnung - ArGV 5 und 822.115.2, Verordnung des WBF über gefährliche Arbeiten für Jugendliche sind zu beachten.

ArGV 1 und 822.111.52, Verordnung des WBF über gefährliche und beschwerliche Arbeiten bei Schwangerschaft und Mutterschaft sind zu beachten.

∘ Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms

GHS02 GHS05 GHS07 GHS08 GHS09

⋄ Signal word Danger

Hazard-determining components of labelling:

Thujone (alpha- and beta)

Bornan-2-one Eucalyptol

beta-Caryophyllene

alpha-Pinene

beta-Pinene

(R)-p-mentha-1,8-diene

Myrcene

3,7-Dimethyl-1,6-octadien-3-ol

Terpinolene

(Contd. on page 9)

(Contd. of page 7)



Page 9/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025 Version 86 (replaces version 85) Revision: 03.11.2025

Trade name: Salbeiöl PH H / 01-5750

(Contd. of page 8)

Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H371 May cause damage to the lung. Route of exposure: Inhalation.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P301+P310

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P330 Rinse mouth.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- ⋄ Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- \circ Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- ∘ REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- ∘ DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment –

None of the ingredients is listed.

- ∘ REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

⋄ Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

∘ Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- National regulations:
- Waterhazard class: Klasse A (Self-assessment)
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

. SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H228 Flammable solid.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 10)



Page 10/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.11.2025 Version 86 (replaces version 85) Revision: 03.11.2025

Trade name: Salbeiöl PH H / 01-5750

(Contd. of page 9) H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Department issuing SDS: Regulatory Affairs ∘ Contact: Dr. Maja Zippel Date of previous version: 02.05.2025 Version number of previous version: 85 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: verv Persistent and verv Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 3: Flammable liquids - Category 3 Flam. Sol. 1: Flammable solids — Category 1
Acute Tox. 4: Acute toxicity — Category 4
Acute Tox. 3: Acute toxicity — Category 3
Skin Irrit. 2: Skin corrosion/irritation — Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B STOT SE 2: Specific target organ toxicity (single exposure) - Category 2 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard — Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.