Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Ethanolum 96% non potabile

Substance number: 020500

Version: 6 / CH Replaces Version: 5 / CH Date revised: 05.12.2022

HANSELER

Print date: 05.12.22

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ethanolum 96% non potabile Item No. 02050000

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Hänseler AG Industriestrasse 35 9100 Herisau Telephone no. 0041 (0)71 353 58 58 E-mail address of person responsible for this SDS

1.4. Emergency telephone number

Switzerland :145 / Abroad +41 (0)44 251 51 51

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms ***

Hazard statements ***



Signal word ***

Danger

H225

Highly flammable liquid and vapour.

Precautionary statements ***

Keep away from heat, hot surfaces, sparks, open flames and other ignition
sources. No smoking.
Take action to prevent static discharges.
Wear protective gloves/protective clothing/eye protection/face protection.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
Store in a well-ventilated place. Keep container tightly closed.
Disposal in compliance with local and national regulations.

2.3. Other hazards



Trade name: Ethanolum 96% non potabile

Substance number: 020500

Version: 6 / CH

Replaces Version: 5 / CH

Date revised: 05.12.2022

Print date: 05.12.22

In use, may form flammable/explosive vapour-air mixture. Repeated exposure may cause skin dryness or cracking. Irritating to eyes, respiratory system and skin.

SECTION 3: Composition/information on ingredients ***

3.2. Mixtures

Chemical characterization

Alcoholic solution

Further ingredients ***

ethanol

CAS No.	64-17-5			
EINECS no.	200-578-6			
Concentration		>=	90	%
Advice: [4]				
Classification (Regulat	ion (EC) No. 1272/2008)			
	Flam. Liq. 2	H225		

Note

[4] Voluntary information

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

After skin contact

Wash immediately with plenty of water for several minutes. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

After ingestion

Do not induce vomiting - aspiration hazard. Summon a doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

Headache, Dizziness, Dizziness, Unconsciousness, Nausea

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Dry powder, Water spray jet, Extinguish greater fire with water spray or alcohol-resistant foam.

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fires, hazardous combustion gases are formed; Carbon monoxide (CO); Carbon dioxide (CO2)

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Use self-contained breathing apparatus.

Other information



Trade name: Ethanolum 96% non potabile

Substance number: 020500

Version: 6 / CH Replaces Version: 5 / CH Date revised: 05.12.2022

Print date: 05.12.22

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Remove persons to safety. Ensure adequate ventilation. Keep away sources of ignition.

6.2. Environmental precautions

Dilute with lot of water. Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material (eg sand, kieselgur, acid binder, universal binder, sawdust).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary).

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry and cool place.

Storage classes

Storage class according to TRGS 510	3	Flammable liquid
Storage category (Switzerland)	3	Flammable liquid

Further information on storage conditions

Product is hygroscopic. Store only in the open air or in explosion-proof rooms.

SECTION 8: Exposure controls/personal protection ***

8.1. Control parameters

Exposure limit values ***

ethanol				
List	SUVA			
Туре	MAK			
Value	960	mg/m³	500	ppm(V)
Short term exposure limit	1920	mg/m³	1000	ppm(V)
Pregnancy group: S; Remarks:	SSc; OAW	, FormalKT HU; INRS,	NIOSH	

8.2. Exposure controls

General protective and hygiene measures

Wash hands before breaks and after work.

Respiratory protection

Not necessary, but do not inhale vapours.

Hand protection

impermeable gloves

Eye protection

Tightly fitting safety glasses

	Replaces Version: 5	/ CH	Print date: 05.12.2
Body protection Fire-resistant protective clothin	a		
	•		
ECTION 9: Physical and c			
9.1. Information on basic physic		erties	
Form Colour	liquid colourless		
Odour	characteristic		
Melting point			
Value	-117	°C	
Initial boiling point and boilin	ng range		
Value	78	°C	
Flash point			
Value	13	°C	
Upper/lower flammability or e	explosive limits		
Lower explosion limit	3.5 to 1	15.0 %(V)	
Vapour pressure			
Value	5.9	kPa	
Density			
Value	0.807	g/cm³	
Solubility in water			
Remarks	Completely miscible		
Ignition temperature			
Value	425	°C	
Decomposition temperature			
Remarks	No decomposition if used as	s prescribed.	
Viscosity			
dynamic	4.0	m Da la	
Value kinematic	1.2	mPa.s	
Value	1.73	mm²/s	
2. Other information			
Solvent content Value	04	0/	
value	94	%	
CTION 10: Stability and	reactivity		
0.1. Reactivity Risk of ignition or formation of i		with: Air	
0.2. Chemical stability No decomposition if stored and			
0.3. Possibility of hazardous i Possible incompatibility with ma	reactions	.5.	
D.4. Conditions to avoid Keep away from sources of hea			
	ar anu iyinuon.		
	Page 4(7)		

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Ethanolum 96% non potabile

Substance number: 020500

Version: 6 / CH Replaces Version: 5 / CH Date revised: 05.12.2022 Print date: 05.12.22



Safety data sheet in accordance	with regu	lation (EC) No 1907/2006	HANSELER C
Trade name: Ethanolum 96% non	potabile		
Substance number: 020500		Version: 6 / CH	Date revised: 05.12.202
		Replaces Version: 5 / CH	Print date: 05.12.2
10.5. Incompatible materia Reactions with strong oxid Reactions with alkali meta	dising ager	nts. Reactions with strong acids. Rea	actions with earth alkali metals.
10.6. Hazardous decompos In the event of fire the follo determin decomposition p	owing can	be released: Carbon monoxide and	carbon dioxide, Hazardous
SECTION 11: Toxicolog	ical info	ormation	
11.1. Information on toxico	logical e	effects	
Acute oral toxicity (Com	ponents)		
ethanol Species LD50 Source	rat Toxico	7060 mg logy and Applied Pharmacology. Vo	
ethanol	TOXICC	logy and Applied Filamacology. Ve	5. 10, 1 g. 7 10, 1070.
Species LD50	rat	10470 mg	/kg
Acute dermal toxicity (Co	omponen	ts)	
ethanol Species LD50	rabbit	15800 mg	/kg
Acute inhalative toxicity	(Compor	nents)	
ethanol Species LC50 Duration of exposure Administration/Form	rat Vapor	30000 mg 4 h s	/m³
Skin corrosion/irritation	•		
ethanol			
evaluation	non-irr		
Serious eye damage/irrit		imponents)	
ethanol evaluation	irritant		
Mutagenicity (Componer			
ethanol evaluation	No mu	tagenicity in the Ames-test.	
SECTION 12: Ecologica	<u>l inforn</u>	nation	
12.1. Toxicity			
General information			

There is no data available on the product apart from the information given in this subsection.

12.2. Persistence and degradability

General information

There is no data available on the product apart from the information given in this subsection. **Biodegradability (Components)**

Safety data sheet in accordance	e with regulation (E0	C) No 19	07/2006	
Trade name: Ethanolum 96% nor	n potabile			
Substance number: 020500	Versio	on: 6/C	н	Date revised: 05.12.202
	Repla	ces Vers	ion: 5/CH	Print date: 05.12.
ethanol				
evaluation	Readily biodegr			
Chemical oxygen dema	nd (COD) (Compo	nents)		
ethanol Value	0.93	to	1.67	mg/g
12.3. Bioaccumulative pot	ential			
General information				
	e on the product apa	rt from th	ne informatio	n given in this subsection.
Bioconcentration factor				-
ethanol BCF	0.66			
12.4. Mobility in soil				
General information				
	e on the product apa	rt from th	e informatio	n given in this subsection.
12.5. Results of PBT and v				
General information				
	e on the product apa	rt from th	ne informatio	n given in this subsection.
Evaluation of persistance				-
• ethanol The Substance doesn't n			·	. ,
12.6. Other adverse effect	\$			
General information / ecology Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. The product is easily volatile.				
SECTION 13: Disposal	consideration	S		
13.1. Waste treatment met				
Disposal recommendati	ons for the produ	ct		
Disposal in compliance w	-		ons.	
Disposal recommendati	ons for packaging	3		
Disposal in compliance w	ith local and national	l regulati	ons.	
SECTION 14: Transpor	t information *	**		

Page	7(7)	
------	------	--

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Ethanolum 96% non potabile

Substance number: 020500

Version: 6 / CH

Date revised: 05.12.2022

Print date: 05.12.22

	Land transport ADR/RID	Marine transport IMDG/GGVSee ***	Air transport ICAO/IATA ***
Tunnel restriction code	D/E		
14.1. UN number	1170	1170	1170
14.2. UN proper shipping name	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION
14.3. Transport hazard class(es)	3	3	3
Label	*	*	*
14.4. Packing group	II	II	II
Limited Quantity	11		
Transport category	2		

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (Germany) ***

Water Hazard Class WGK 1 (Germany) Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

SECTION 16: Other information

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

