

Trade name: Ethanolum 96% non potabile /Ko sher

Substance number: 020600

Version: 3 / CH

Date revised: 17.09.2019

Replaces Version: 2 / CH

Print date: 17.09.19

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

Ethanolum 96% non potabile /Ko sher

Item No. 02060009

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

Hänseler AG

Industriestrasse 35

9100 Herisau

Telephone no. 0041 (0)71 353 58 58

E-mail address of sdb@haenseler.ch

person responsible

for this SDS

### **1.4. Emergency telephone number**

Switzerland :145 / Abroad +41 (0)44 251 51 51

## **SECTION 2: Hazards identification \*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Regulation (EC) No. 1272/2008)**

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2

H225

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

### **2.2. Label elements**

#### **Labelling according to regulation (EC) No 1272/2008**

##### **Hazard pictograms \*\*\***



##### **Signal word \*\*\***

Danger

##### **Hazard statements \*\*\***

H225

Highly flammable liquid and vapour.

##### **Precautionary statements \*\*\***

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P243

Take action to prevent static discharges.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P403+P233

Store in a well-ventilated place. Keep container tightly closed.

P501.3

Disposal in compliance with local and national regulations.

### **2.3. Other hazards**

Trade name: Ethanolum 96% non potabile /Ko sher

Substance number: 020600

Version: 3 / CH

Date revised: 17.09.2019

Replaces Version: 2 / CH

Print date: 17.09.19

In use, may form flammable/explosive vapour-air mixture. Repeated exposure may cause skin dryness or cracking. Irritating to eyes, respiratory system and skin.

### **SECTION 3: Composition/information on ingredients \*\*\***

#### **3.2. Mixtures**

##### **Chemical characterization**

Alcoholic solution

##### **Further ingredients**

###### **Ethanol**

CAS No. 64-17-5

EINECS no. 200-578-6

Concentration &gt;= 90 %

Advice: [4]

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225

##### **Note**

[4] Voluntary information

### **SECTION 4: First aid measures**

#### **4.1. Description of first aid measures**

##### **After inhalation**

Ensure supply of fresh air. In the event of symptoms take medical treatment.

##### **After skin contact**

Wash immediately with plenty of water for several minutes. Consult a doctor if skin irritation persists.

##### **After eye contact**

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

##### **After ingestion**

Do not induce vomiting - aspiration hazard. Summon a doctor immediately.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Headache, Dizziness, Unconsciousness, Nausea

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Carbon dioxide, Dry powder, Water spray jet, Extinguish greater fire with water spray or alcohol-resistant foam.

##### **Non suitable extinguishing media**

Full water jet

#### **5.2. Special hazards arising from the substance or mixture**

In case of fires, hazardous combustion gases are formed; Carbon monoxide (CO); Carbon dioxide (CO<sub>2</sub>)

#### **5.3. Advice for firefighters**

##### **Special protective equipment for fire-fighting**

Use self-contained breathing apparatus.

##### **Other information**

Trade name: Ethanolum 96% non potabile /Ko sher

Substance number: 020600

Version: 3 / CH

Date revised: 17.09.2019

Replaces Version: 2 / CH

Print date: 17.09.19

Cool endangered containers with water spray jet.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing. Remove persons to safety. Ensure adequate ventilation. Keep away sources of ignition.

### **6.2. Environmental precautions**

Dilute with lot of water. Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### **6.3. Methods and material for containment and cleaning up**

Pick up with absorbent material (eg sand, kieselgur, acid binder, universal binder, sawdust).

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

Provide good ventilation of working area (local exhaust ventilation if necessary).

#### **Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take action to prevent static discharges.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Keep tightly closed in a dry and cool place.

#### **Storage classes**

Storage class according to TRGS 510	3	Flammable liquid
Storage category (Switzerland)	3	Flammable liquid

#### **Further information on storage conditions**

Product is hygroscopic. Store only in the open air or in explosion-proof rooms.

## **SECTION 8: Exposure controls/personal protection \*\*\***

### **8.1. Control parameters**

#### **Exposure limit values \*\*\***

##### **Ethanol**

List	SUVA			
Type	MAK			
Value	960	mg/m <sup>3</sup>	500	ppm(V)
Short term exposure limit	1920	mg/m <sup>3</sup>	1000	ppm(V)

Pregnancy group: S; Status: 2017; Remarks: SSc; OAW, FormalKT HU; INRS, NIOSH

### **8.2. Exposure controls**

#### **General protective and hygiene measures**

Wash hands before breaks and after work.

#### **Respiratory protection**

Not necessary, but do not inhale vapours.

#### **Hand protection**

impermeable gloves

#### **Eye protection**

Tightly fitting safety glasses

Trade name: Ethanolum 96% non potabile /Ko sher

Substance number: 020600

Version: 3 / CH

Date revised: 17.09.2019

Replaces Version: 2 / CH

Print date: 17.09.19

**Body protection**

Fire-resistant protective clothing

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

<b>Form</b>	liquid, clear	
<b>Colour</b>	colourless	
<b>Odour</b>	weak	
<b>Melting point</b>		
Value	-117	°C
<b>Initial boiling point and boiling range</b>		
Value	78	°C
<b>Flash point</b>		
Value	13	°C
<b>Vapour pressure</b>		
Value	59	hPa
<b>Density</b>		
Value	0.807	kg/m <sup>3</sup>
<b>Decomposition temperature</b>		
Remarks	No decomposition if used as prescribed.	

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Risk of ignition or formation of inflammable gases or vapours with: Air

**10.2. Chemical stability**

No decomposition if stored and applied as directed.

**10.3. Possibility of hazardous reactions**

Possible incompatibility with materials listed under section 10.5.

**10.4. Conditions to avoid**

Keep away from sources of heat and ignition.

**10.5. Incompatible materials**

Reactions with strong oxidising agents. Reactions with strong acids. Reactions with earth alkali metals. Reactions with alkali metals.

**10.6. Hazardous decomposition products**

In the event of fire the following can be released: Carbon monoxide and carbon dioxide, Hazardous decomposition products: Flammable gases/vapours

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute oral toxicity (Components)****Ethanol**

Species	rat	
LD50	7060	mg/kg
Source	Toxicology and Applied Pharmacology. Vol. 16, Pg. 718, 1970.	

Trade name: Ethanolum 96% non potabile /Ko sher

Substance number: 020600

Version: 3 / CH

Date revised: 17.09.2019

Replaces Version: 2 / CH

Print date: 17.09.19

**Ethanol**

Species	rat		
LD50		10470	mg/kg

**Acute dermal toxicity (Components)****Ethanol**

Species	rabbit		
LD50		15800	mg/kg

**Acute inhalative toxicity (Components)****Ethanol**

Species	rat		
LC50		30000	mg/m <sup>3</sup>
Duration of exposure		4	h
Administration/Form	Vapors		

**Skin corrosion/irritation (Components)****Ethanol**

evaluation	non-irritant
------------	--------------

**Serious eye damage/irritation (Components)****Ethanol**

evaluation	irritant
------------	----------

**SECTION 12: Ecological information****12.1. Toxicity****General information**

There is no data available on the product apart from the information given in this subsection.

**12.2. Persistence and degradability****General information**

There is no data available on the product apart from the information given in this subsection.

**Biodegradability (Components)****Ethanol**

evaluation	Readily biodegradable
------------	-----------------------

**Chemical oxygen demand (COD) (Components)****Ethanol**

Value	0.93	to	1.67	mg/g
-------	------	----	------	------

**12.3. Bioaccumulative potential****General information**

There is no data available on the product apart from the information given in this subsection.

**12.4. Mobility in soil****General information**

There is no data available on the product apart from the information given in this subsection.

**12.5. Results of PBT and vPvB assessment****General information**

There is no data available on the product apart from the information given in this subsection.

**Evaluation of persistence and bioaccumulation potential (Components)****Ethanol**

Trade name: Ethanolum 96% non potabile /Ko sher

Substance number: 020600

Version: 3 / CH

Date revised: 17.09.2019

Replaces Version: 2 / CH

Print date: 17.09.19

The Substance doesn't meets PBT/vPvB-criterions

## 12.6. Other adverse effects

### General information / ecology

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. The product is easily volatile.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods




#### Disposal recommendations for the product

Disposal in compliance with local and national regulations.

#### Disposal recommendations for packaging

Disposal in compliance with local and national regulations.

## SECTION 14: Transport information \*\*\*

	Land transport ADR/RID ***	Marine transport IMDG/GGVSee ***	Air transport ICAO/IATA ***
Tunnel restriction code	D/E		
14.1. UN number	1170	1170	1170
14.2. UN proper shipping name	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es)	3	3	3
Label			
14.4. Packing group	II	II	II
Limited Quantity	1 l		
Transport category	2		

## SECTION 15: Regulatory information \*\*\*

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Water Hazard Class (Germany) \*\*\*

Water Hazard Class (Germany) WGK 1

Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

## SECTION 16: Other information

### Supplemental information

Trade name: Ethanolum 96% non potabile /Ko sher

Substance number: 020600

Version: 3 / CH

Date revised: 17.09.2019

Replaces Version: 2 / CH

Print date: 17.09.19

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.