

Trade name: Ethanolum ketonatum 70%

Substance number: 026000

Version: 9 / CH

Date revised: 28.05.2025

Replaces Version: 8 / CH

Print date: 28.05.25

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ethanolum ketonatum 70%

Item No. 02600000

Substance / product identification

UFI HMP8-4GVR-S70R-DGQ2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Pharmaceutical excipient

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Hänseler AG

Industriestrasse 35

9100 Herisau

Telephone no. 0041 (0)71 353 58 58

E-mail address of sdb@haenseler.ch

person responsible
for this SDS

1.4. Emergency telephone number

Switzerland :145 / Abroad +41 (0)44 251 51 51

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P243 Take action to prevent static discharges.

Trade name: Ethanolum ketonatum 70%

Substance number: 026000

Version: 9 / CH

Date revised: 28.05.2025

Replaces Version: 8 / CH

Print date: 28.05.25

P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P501.3 Disposal in compliance with local and national regulations.

2.3. Other hazards

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Alcoholic solution

Hazardous ingredients

butanone

CAS No.	78-93-3				
EINECS no.	201-159-0				
Concentration	>=	1	<	1.4	%
Classification (Regulation (EC) No. 1272/2008)					
	Flam. Liq. 2			H225	
	Eye Irrit. 2			H319	
	STOT SE 3			H336	

ATE	oral	4.29	mg/kg
-----	------	------	-------

Further ingredients

ethanol

CAS No.	64-17-5				
EINECS no.	200-578-6				
Registration no.	01-2119457610-43-0098				
Concentration		>=	50	%	
Advice: [4]					
Classification (Regulation (EC) No. 1272/2008)					
	Flam. Liq. 2			H225	

water

CAS No.	7732-18-5				
EINECS no.	231-791-2				
Concentration	>=	25	<	50	%
Advice: [4]					

Note

[4] Voluntary information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

If you feel unwell, seek medical advice (show the label where possible). Take off contaminated clothing and shoes immediately.

Trade name: Ethanolum ketonatum 70%

Substance number: 026000

Version: 9 / CH

Date revised: 28.05.2025

Replaces Version: 8 / CH

Print date: 28.05.25

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment. Irregular breathing/no breathing: artificial respiration.

After skin contact

Wash immediately with plenty of water for several minutes. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Consult a physician if necessary. Rinse out mouth and give plenty of water to drink.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Water spray jet, Carbon dioxide, Alcohol-resistant foam, Dry powder, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In the event of a fire, toxic and combustible gases can be formed. In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO₂)

5.3. Advice for firefighters**Special protective equipment for fire-fighting**

Wear full protective suit. Use self-contained breathing apparatus.

Other information

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Remove persons to safety. Keep away sources of ignition.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (eg sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal. Clean up affected area.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Keep away from heat and sources of ignition. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep tightly closed in a dry and cool place. Storage rooms must be properly ventilated.

Storage classes

Storage class according to TRGS 510

3

Flammable liquid

Trade name: Ethanolum ketonatum 70%

Substance number: 026000

Version: 9 / CH

Date revised: 28.05.2025

Replaces Version: 8 / CH

Print date: 28.05.25

Storage category (Switzerland)

3

Flammable liquid

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

ethanol

List	SUVA			
Type	MAK			
Value	960	mg/m ³	500	ppm(V)
Short term exposure limit	1920	mg/m ³	1000	ppm(V)
Pregnancy group: S; Remarks: SSc; Formal; INRS NIOSH				

butanone

List	SUVA			
Type	MAK			
Value	590	mg/m ³	200	ppm(V)
Short term exposure limit	590	mg/m ³	200	ppm(V)
Skin resorption / sensibilisation: H; Pregnancy group: S; Remarks: H B SSc; NS, OAWKT HU; INRS, NIOSH, OSHA				

Derived No/Minimal Effect Levels (DNEL/DMEL)

ethanol

Type of value	Derived No Effect Level (DNEL)			
Reference group	Worker			
Duration of exposure	Long term			
Route of exposure	dermal			
Mode of action	Systemic effects			
Concentration	343			mg/kg/d

Type of value	Derived No Effect Level (DNEL)			
Reference group	Worker			
Duration of exposure	Long term			
Route of exposure	inhalative			
Mode of action	Systemic effects			
Concentration	950			mg/m ³

butanone

Type of value	Derived No Effect Level (DNEL)			
Reference group	Worker			
Duration of exposure	Long term			
Route of exposure	inhalative			
Mode of action	Systemic effects			
Concentration	600			mg/m ³

Type of value	Derived No Effect Level (DNEL)			
Reference group	Worker			
Duration of exposure	Long term			
Route of exposure	dermal			
Mode of action	Systemic effects			
Concentration	1161			mg/kg/d

8.2. Exposure controls

General protective and hygiene measures

Avoid any contact with the body. Observe the usual precautions for handling chemicals. Keep away from

Trade name: Ethanolum ketonatum 70%

Substance number: 026000

Version: 9 / CH

Date revised: 28.05.2025

Replaces Version: 8 / CH

Print date: 28.05.25

food-stuffs, beverages and feed-stocks. Hold eye wash fountain available. Hold emergency shower available. Wash thoroughly after work. Take off immediately all contaminated clothing.

Respiratory protection

necessary; Do not breathe vapours, dust or aerosol. Provide adequate ventilation.

Hand protection

Appropriate Material Gloves / resistant to chemicals

Eye protection

Tightly fitting safety glasses

Body protection

Fire-resistant protective clothing

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state liquid, clear

Colour colourless

Odour ketone-like

Boiling point or initial boiling point and boiling range

Value > 78 °C

Source GESTIS-Stoffdatenbank

Flash point

Value 21 to 22 °C

Source GESTIS-Stoffdatenbank

Vapour pressure

Value < 5.8 kPa

Source GESTIS-Stoffdatenbank

Density and/or relative density

Value 0.886 to 0.889

Remarks Relative Density according specification

SECTION 10: Stability and reactivity**10.1. Reactivity**

No decomposition if stored and applied as directed.

10.2. Chemical stability

No decomposition if stored and applied as directed.

10.3. Possibility of hazardous reactions

No decomposition if stored and applied as directed.

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

Alkaline metals, Ammonia, peroxides, Oxidising agents

10.6. Hazardous decomposition products

In the event of fire the following can be released: Carbon monoxide, Carbon dioxide, Hazardous decomposition products: Flammable gases/vapours

SECTION 11: Toxicological information

Trade name: Ethanolum ketonatum 70%

Substance number: 026000

Version: 9 / CH

Date revised: 28.05.2025

Replaces Version: 8 / CH

Print date: 28.05.25

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**Acute oral toxicity**

ATE	320.149	mg/kg
	3	
Method	calculated value (Regulation (EC) No. 1272/2008)	

Acute oral toxicity (Components)**ethanol**

Species	rat	
LD50	7060	mg/kg
Source	Toxicology and Applied Pharmacology. Vol. 16, Pg. 718, 1970.	

ethanol

Species	rat	
LD50	10470	mg/kg

butanone

Species	rat	
LD50	4.29	mg/kg

butanone

Species	rat	
LD50	3450	mg/kg

Acute dermal toxicity (Components)**ethanol**

Species	rabbit	
LD50	15800	mg/kg

ethanol

NOAEL	8232	mg/kg
-------	------	-------

butanone

Species	rabbit	
LD50	> 8000	mg/kg

Acute inhalative toxicity (Components)**ethanol**

Species	rat	
LC50	30000	mg/m ³
Duration of exposure	4	h
Administration/Form	Vapors	

Skin corrosion/irritation (Components)**ethanol**

evaluation	non-irritant
------------	--------------

Serious eye damage/irritation

Remarks	Eye contact with the product may lead to irritation.
---------	--

Serious eye damage/irritation (Components)**ethanol**

evaluation	irritant
------------	----------

butanone

Species	rabbit
evaluation	irritant

Sensitization (Components)**butanone**

Species	guinea pig
evaluation	non-sensitizing

Trade name: Ethanolum ktonatum 70%

Substance number: 026000

Version: 9 / CH

Date revised: 28.05.2025

Replaces Version: 8 / CH

Print date: 28.05.25

Mutagenicity (Components)**ethanol**

evaluation

No mutagenicity in the Ames-test.

11.2 Information on other hazards**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

The solvent vapours cause an irritating effect to the respiratory organs. Causes disorders of the central nervous system and can cause headache, respiratory difficulties or unconsciousness. Causes a numb feeling. Liver damage is possible.

Other information

When handled appropriately, even after long years of experience with this product, no adverse health effects are known.

Product specific toxicological data are not known.

SECTION 12: Ecological information**12.2. Persistence and degradability****Biodegradability (Components)****ethanol**

Value

94

%

evaluation

Readily biodegradable

Chemical oxygen demand (COD) (Components)**ethanol**

Value

0.93

to

1.67

mg/g

12.3. Bioaccumulative potential**General information**

For this subsection there is no ecotoxicological data available on the product as such.

Bioconcentration factor (BCF) (Components)**ethanol**

BCF

0.66

12.4. Mobility in soil**General information**

For this subsection there is no ecotoxicological data available on the product as such.

12.5. Results of PBT and vPvB assessment**General information**

For this subsection there is no ecotoxicological data available on the product as such.

Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

Results of PBT and vPvB assessment (Ingredients)**ethanol**

The Substance doesn't meets PBT/vPvB-criteria

12.6 Endocrine disrupting properties

Trade name: Ethanolum ketonatum 70%

Substance number: 026000

Version: 9 / CH

Date revised: 28.05.2025

Replaces Version: 8 / CH

Print date: 28.05.25

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects**General information**

For this subsection there is no ecotoxicological data available on the product as such.

General information / ecology

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.




SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations for the product**

Disposal in compliance with local and national regulations.

Disposal recommendations for packaging

Dispose of as unused product.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	D/E		
14.1. UN number	1170	1170	1170
14.2. UN proper shipping name	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (ethanol)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (ethanol)	ETHANOL SOLUTION (ethanol)
14.3. Transport hazard class(es)	3	3	3
Label			
14.4. Packing group	II	II	II
Limited Quantity	1 I		
Transport category	2		

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Water Hazard Class (Germany)**

Water Hazard Class (Germany) WGK 1

Trade name: Ethanolum ketonatum 70%

Substance number: 026000

Version: 9 / CH

Date revised: 28.05.2025

Replaces Version: 8 / CH

Print date: 28.05.25

Remarks

Derivation of WGK according to Annex 1 No. 5.2 AwSV

SECTION 16: Other information**Hazard statements listed in Chapter 3**

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

CLP categories listed in Chapter 3

Eye Irrit. 2	Eye irritation, Category 2
Flam. Liq. 2	Flammable liquid, Category 2
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.