

Trade name: Ethanolum 80% c cam 0.1%

Substance number: 027120

Version: 1 / CH

Date revised: 28.04.2020

Replaces Version: - / CH

Print date: 28.04.20

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ethanolum 80% c cam 0.1%

Item No. 02712000

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Hänseler AG

Industriestrasse 35

9100 Herisau

Telephone no. 0041 (0)71 353 58 58

E-mail address of sdb@haenseler.ch

person responsible

for this SDS

1.4. Emergency telephone number

Switzerland :145 / Abroad +41 (0)44 251 51 51

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2

H225

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501.3 Disposal in compliance with local and national regulations.

2.3. Other hazards

Trade name: Ethanolum 80% c cam 0.1%

Substance number: 027120

Version: 1 / CH

Date revised: 28.04.2020

Replaces Version: - / CH

Print date: 28.04.20

In use, may form flammable/explosive vapour-air mixture. Repeated exposure may cause skin dryness or cracking. Irritating to eyes, respiratory system and skin.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Alcoholic solution

Further ingredients

Ethanol

CAS No.	64-17-5				
EINECS no.	200-578-6				
Concentration		>=	50		%
Advice: [4]					
Classification (Regulation (EC) No. 1272/2008)					
	Flam. Liq. 2		H225		

Water

CAS No.	7732-18-5				
EINECS no.	231-791-2				
Concentration		>=	1	<	10 %
Advice: [4]					

Bornan-2-one

CAS No.	76-22-2				
EINECS no.	200-945-0				
Registration no.	01-2119966156-31-XXXX				
Concentration		<	1		%
Advice: [4]					
Classification (Regulation (EC) No. 1272/2008)					
	Flam. Sol. 2		H228		
	Acute Tox. 4		H302		
	Acute Tox. 4		H332		
	STOT SE 2		H371		

Lungs; Route of exposure:
inhalative

Note

[4] Voluntary information

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

After skin contact

Wash immediately with plenty of water for several minutes. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

After ingestion

Do not induce vomiting - aspiration hazard. Summon a doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

Trade name: Ethanolum 80% c cam 0.1%

Substance number: 027120

Version: 1 / CH

Date revised: 28.04.2020

Replaces Version: - / CH

Print date: 28.04.20

Headache, Dizziness, Dizziness, Unconsciousness, Nausea

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Dry powder, Water spray jet, Extinguish greater fire with water spray or alcohol-resistant foam.

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fires, hazardous combustion gases are formed; Carbon monoxide (CO); Carbon dioxide (CO₂)

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Use self-contained breathing apparatus.

Other information

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Remove persons to safety. Ensure adequate ventilation. Keep away sources of ignition.

6.2. Environmental precautions

Dilute with lot of water. Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material (eg sand, kieselgur, acid binder, universal binder, sawdust).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary).

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry and cool place.

Storage classes

Storage class according to TRGS 510	3	Flammable liquid
Storage category (Switzerland)	3	Flammable liquid

Further information on storage conditions

Product is hygroscopic. Store only in the open air or in explosion-proof rooms.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Trade name: Ethanolum 80% c cam 0.1%

Substance number: 027120

Version: 1 / CH

Date revised: 28.04.2020

Replaces Version: - / CH

Print date: 28.04.20

Exposure limit values**Ethanol**

List	SUVA			
Type	MAK			
Value	960	mg/m ³	500	ppm(V)
Short term exposure limit	1920	mg/m ³	1000	ppm(V)
Pregnancy group: S; Status: 2017; Remarks: SSc; OAW, FormalKT HU; INRS, NIOSH				

8.2. Exposure controls**General protective and hygiene measures**

Wash hands before breaks and after work.

Respiratory protection

Not necessary, but do not inhale vapours.

Hand protection

impermeable gloves

Eye protection

Tightly fitting safety glasses

Body protection

Fire-resistant protective clothing

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Form	liquid
Colour	clear
Initial boiling point and boiling range	
Value	>= 78 °C
Source	Estimated value
Flash point	
Value	13 to 22 °C
Source	Estimated value
Vapour pressure	
Value	<= 5.8 kPa
Decomposition temperature	
Remarks	No decomposition if used as prescribed.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Risk of ignition or formation of inflammable gases or vapours with: Air

10.2. Chemical stability

No decomposition if stored and applied as directed.

10.3. Possibility of hazardous reactions

Possible incompatibility with materials listed under section 10.5.

10.4. Conditions to avoid

Keep away from sources of heat and ignition.

10.5. Incompatible materials

Reactions with strong oxidising agents. Reactions with strong acids. Reactions with earth alkali metals.

Trade name: Ethanolum 80% c cam 0.1%

Substance number: 027120

Version: 1 / CH

Date revised: 28.04.2020

Replaces Version: - / CH

Print date: 28.04.20

Reactions with alkali metals.

10.6. Hazardous decomposition products

In the event of fire the following can be released: Carbon monoxide and carbon dioxide, Hazardous determin decomposition products: Flammable gases/vapours

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute oral toxicity (Components)****Ethanol**

Species	rat		
LD50		7060	mg/kg
Source	Toxicology and Applied Pharmacology. Vol. 16, Pg. 718, 1970.		

Ethanol

Species	rat		
LD50		10470	mg/kg

Bornan-2-one

Species	mouse		
LD50		1310 to 5000	mg/kg

Acute dermal toxicity (Components)**Ethanol**

Species	rabbit		
LD50		15800	mg/kg

Bornan-2-one

Species	rabbit		
LD50	>	5000	mg/kg

Acute inhalative toxicity (Components)**Ethanol**

Species	rat		
LC50		30000	mg/m ³
Duration of exposure		4	h
Administration/Form	Vapors		

Bornan-2-one

LC50		1.5	mg/l
------	--	-----	------

Skin corrosion/irritation (Components)**Ethanol**

evaluation	non-irritant
------------	--------------

Serious eye damage/irritation (Components)**Ethanol**

evaluation	irritant
------------	----------

SECTION 12: Ecological information**12.1. Toxicity****General information**

There is no data available on the product apart from the information given in this subsection.

Fish toxicity (Components)**Bornan-2-one**

LC50		35	mg/l
------	--	----	------

Trade name: Ethanolum 80% c cam 0.1%

Substance number: 027120

Version: 1 / CH

Date revised: 28.04.2020

Replaces Version: - / CH

Print date: 28.04.20

Duration of exposure 96 h

12.2. Persistence and degradability

General information

There is no data available on the product apart from the information given in this subsection.

Biodegradability (Components)

Ethanol

evaluation Readily biodegradable

Chemical oxygen demand (COD) (Components)

Ethanol

Value 0.93 to 1.67 mg/g

12.3. Bioaccumulative potential

General information

There is no data available on the product apart from the information given in this subsection.

12.4. Mobility in soil

General information

There is no data available on the product apart from the information given in this subsection.

12.5. Results of PBT and vPvB assessment

General information

There is no data available on the product apart from the information given in this subsection.

Evaluation of persistence and bioaccumulation potential (Components)

Ethanol

The Substance doesn't meets PBT/vPvB-criteria

12.6. Other adverse effects

General information / ecology

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. The product is easily volatile.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Disposal in compliance with local and national regulations.

Disposal recommendations for packaging

Disposal in compliance with local and national regulations.

SECTION 14: Transport information

Trade name: Ethanolum 80% c cam 0.1%




Substance number: 027120

Version: 1 / CH

Date revised: 28.04.2020

Replaces Version: - / CH

Print date: 28.04.20

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	D/E		
14.1. UN number	1170	1170	1170
14.2. UN proper shipping name	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol)
14.3. Transport hazard class(es)	3	3	3
Label			
14.4. Packing group	II	II	II
Limited Quantity	1 I		
Transport category	2		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (Germany)

Water Hazard Class (Germany) WGK 1

Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

SECTION 16: Other information

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.