

Trade name: Salviae folii extr liquidum

Substance number: 127571

Version: 1 / CH Replaces Version: - / CH Date revised: 03.05.2023 Print date: 03.05.23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Salviae folii extr liquidum Item No. 12757100

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Medicinal product

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Hänseler AG Industriestrasse 35 9100 Herisau Telephone no. 0041 (0)71 353 58 58 E-mail address of sdb@haenseler.ch person responsible for this SDS

1.4. Emergency telephone number

Switzerland :145 / Abroad +41 (0)44 251 51 51

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture


Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008) Flam. Liq. 3 H226 The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms





Trade name: Salviae folii extr liquidum

Substance number: 127571

Version: 1 / CH Replaces Version: - / CH

Date revised: 03.05.2023

Print date: 03.05.23

with water [or shower].

P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501.3	Disposal in compliance with local and national regulations.

2.3. Other hazards

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Alcoholic solution Extract of herbal drugs Medicinal products

Further ingredients

ethanol

CAS No.	64-17-5				
EINECS no.	200-578-6				
Concentration	>=	10	<	25	%
Advice: [4]					
Classification (Regulat	tion (EC) No. 1	272/2008)			
	Flam. Liq. 2		H225		

Note

[4] Voluntary information

Other information

The product is an article within the meaning of Article 3 No. 3 of the REACH Regulation and thus not to be labelled according to the CLP regulation. The compilation of the Safety Data sheet is not required according to Article 31 REACH Regulation for articles and is done on a voluntary basis.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

If you feel unwell, seek medical advice (show the label where possible). Take off contaminated clothing and shoes immediately.

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment. Irregular breathing/no breathing: artificial respiration.

After skin contact

Wash immediately with plenty of water for several minutes. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Consult a physician if necessary. Rinse out mouth and give plenty of water to drink.

SECTION 5: Firefighting measures

5.1. Extinguishing media



Trade name: Salviae folii extr liquidum

Substance number: 127571

Version: 1 / CH Replaces Version: - / CH Date revised: 03.05.2023

Print date: 03.05.23

Suitable extinguishing media

Water spray jet, Carbon dioxide, Alcohol-resistant foam, Dry powder, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In the event of a fire, toxic and combustible gases can be formed. In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2)

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Wear full protective suit. Use self-contained breathing apparatus.

Other information

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove persons to safety. Keep away sources of ignition.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (eg sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal. Clean up affected area.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep away from heat and sources of ignition. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry and cool place. Storage rooms must be properly ventilated.

Storage classes

Storage class according to TRGS 510	3	Flammable liquid
Storage category (Switzerland)	3	Flammable liquid

SECTION 8: Exposure controls/personal protection


8.1. Control parameters

Exposure limit values

ethanol

••••••					
List	SUVA				
Туре	MAK				
Value	960	mg/m³	500	ppm(V)	
Short term exposure limit	1920	mg/m³	1000	ppm(V)	
Pregnancy group: S; Remark	s: SSc; Fo	rmal; INRS NIOSH			
Derived No/Minimal Effect L	evels (DN	EL/DMEL)			

,	with regulation (EC) No 1907/2006	HÄNSELER
Trade name: Salviae folii extr liqui	idum	
Substance number: 127571	Version: 1 / CH	Date revised: 03.05.2023
	Replaces Version: - / CH	Print date: 03.05.2
ethanol		
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	1900	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	434	mg/kg/d
8.2. Exposure controls		
General protective and h	nygiene measures	
-	e body. Observe the usual precautions for ha	andling chemicals. Keep away from
Respiratory protection		
	e vapours, dust or aerosol. Provide adequate	e ventilation.
Hand protection		
-		
Appropriate Material	Gloves / resistant to chemicals	
Appropriate Material Eye protection	Gloves / resistant to chemicals	
Eye protection Tightly fitting safety glass		
Eye protection	es	
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective c	es lothing	
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective cl SECTION 9: Physical ar	es lothing nd chemical properties	
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective c SECTION 9: Physical ar 9.1. Information on basic p	es lothing	
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective cl SECTION 9: Physical ar 9.1. Information on basic p Physical state	es ^{Iothing} Ind chemical properties Ind chemical properties	
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective cl SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour	es lothing nd chemical properties physical and chemical properties liquid dark brown to reddish brown	
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective cl SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour Boiling point or initial bo	es lothing nd chemical properties ohysical and chemical properties liquid dark brown to reddish brown biling point and boiling range	٩
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective classe SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour Boiling point or initial bo Value	es lothing nd chemical properties ohysical and chemical properties liquid dark brown to reddish brown biling point and boiling range > 78	℃
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective classe SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour Boiling point or initial bo Value Source	es lothing nd chemical properties ohysical and chemical properties liquid dark brown to reddish brown biling point and boiling range	°C
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective cl SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour Boiling point or initial bo Value Source Flash point	es lothing nd chemical properties ohysical and chemical properties liquid dark brown to reddish brown biling point and boiling range > 78 Estimated value	
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective classe SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour Boiling point or initial bo Value Source Flash point Value	es lothing nd chemical properties ohysical and chemical properties liquid dark brown to reddish brown biling point and boiling range > 78 Estimated value > 24	°C
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective of SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour Boiling point or initial bo Value Source Flash point Value Source	es lothing nd chemical properties ohysical and chemical properties liquid dark brown to reddish brown biling point and boiling range > 78 Estimated value	
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective classe SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour Boiling point or initial bo Value Source Flash point Value	es lothing nd chemical properties ohysical and chemical properties liquid dark brown to reddish brown biling point and boiling range > 78 Estimated value > 24	
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective of SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour Boiling point or initial bo Value Source Flash point Value Source	es lothing nd chemical properties ohysical and chemical properties liquid dark brown to reddish brown biling point and boiling range > 78 Estimated value > 24	
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective classes SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour Boiling point or initial bo Value Source Flash point Value Source Vapour pressure	es lothing nd chemical properties ohysical and chemical properties liquid dark brown to reddish brown biling point and boiling range > 78 Estimated value > 24 Estimated value	°C
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective classes SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour Boiling point or initial bo Value Source Flash point Value Source Value	es lothing nd chemical properties hysical and chemical properties liquid dark brown to reddish brown biling point and boiling range > 78 Estimated value > 24 Estimated value < 5.8 Estimated value	°C
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective of SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour Boiling point or initial bo Value Source Flash point Value Source Vapour pressure Value Source	es lothing nd chemical properties hysical and chemical properties liquid dark brown to reddish brown biling point and boiling range > 78 Estimated value > 24 Estimated value < 5.8 Estimated value	°C
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective classes SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour Boiling point or initial bo Value Source Flash point Value Source Vapour pressure Value Source Density and/or relative d	es lothing nd chemical properties ohysical and chemical properties liquid dark brown to reddish brown biling point and boiling range > 78 Estimated value > 24 Estimated value < 5.8 Estimated value	°C kPa
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective classes SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour Boiling point or initial bo Value Source Flash point Value Source Vapour pressure Value Source Density and/or relative d Value	es lothing nd chemical properties ohysical and chemical properties liquid dark brown to reddish brown biling point and boiling range > 78 Estimated value > 24 Estimated value < 5.8 Estimated value lensity 0.980 to 1.020	°C kPa
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective of SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour Boiling point or initial bo Value Source Flash point Value Source Vapour pressure Value Source Density and/or relative d Value Remarks 9.2. Other information	es lothing nd chemical properties ohysical and chemical properties liquid dark brown to reddish brown biling point and boiling range > 78 Estimated value > 24 Estimated value < 5.8 Estimated value lensity 0.980 to 1.020	°C kPa
Eye protection Tightly fitting safety glasse Body protection Fire-resistant protective of SECTION 9: Physical ar 9.1. Information on basic p Physical state Colour Boiling point or initial bo Value Source Flash point Value Source Vapour pressure Value Source Density and/or relative d Value Remarks	es lothing nd chemical properties ohysical and chemical properties liquid dark brown to reddish brown biling point and boiling range > 78 Estimated value > 24 Estimated value < 5.8 Estimated value lensity 0.980 to 1.020	°C kPa



Substance number: 127571

Version: 1 / CH Replaces Version: - / CH Date revised: 03.05.2023 Print date: 03.05.23

HANSELER

SECTION 10: Stability and reactivity

10.1. Reactivity

Risk of ignition or formation of inflammable gases or vapours with: Air

10.2. Chemical stability

No decomposition if stored and applied as directed.

10.3. Possibility of hazardous reactions

Keep away from sources of heat and ignition. No decomposition if stored and applied as directed.

10.4. Conditions to avoid Heat

10.5. Incompatible materials Alkaline metals, Ammonia, peroxides, Oxidising agents

10.6. Hazardous decomposition products

Hazardous determin decomposition products: Carbon monoxide, Carbon dioxide, Flammable gases/vapours

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute oral toxicity (Components)

ethanol Species LD50 Source ethanol	rat Toxico	7060 blogy and A	Applied Pharmacolog	mg/kg ıy. Vol. 16, Pg. 718, 1970.
Species LD50 Acute dermal toxicity (Con	rat n poner	10470 nts)		mg/kg
ethanol	1	,		
Species LD50	rabbit	15800		mg/kg
Acute inhalative toxicity (C	ompoi	nents)		
ethanol Species LC50 Duration of exposure Administration/Form	rat Vapor	30000 4 's	h	mg/m³
Skin corrosion/irritation (C	ompor	nents)		
ethanol evaluation	non-ir	ritant		
Serious eye damage/irritat				
Remarks	-		the product may lea	d to irritation.
Serious eye damage/irritati	ion (Co	omponent	ts)	
ethanol evaluation	irritant	t		
Mutagenicity (Components	;)			



Trade name: Salviae folii extr liquidum

Substance number: 127571

Version: 1 / CH Replaces Version: - / CH Date revised: 03.05.2023

Print date: 03.05.23

ethanol evaluation

No mutagenicity in the Ames-test.

11.2 Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

The solvent vapours cause an irritating effect to the respiratory organs. Causes disorders of the central nervous system and can cause headache, respiratory difficulties or unconsciousness. Causes a numb feeling. Liver damage is possible.

Other information

When handled appropriately, even after long years of experience with this product, no adverse health effects are known.

Product specific toxicological data are not known.

SECTION 12: Ecological information

12.2. Persistence and degradability

Biodegradability (Components)

5 7 (•	,			
ethanol evaluation Chemical oxygen de		adily biodegra D) (Compo l			
,,	·	, , , ,	,		
ethanol Value		0.93	to	1.67	mg/g
12.3. Bioaccumulative	potential				
Bioconcentration fac	ctor (BCF)	(Componei	nts)		
ethanol					
BCF		0.66			

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

Results of PBT and vPvB assessment (Ingredients)

ethanol

The Substance doesn't meets PBT/vPvB-criterions

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information / ecology

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. For this subsection there is no ecotoxicological data available on the product as such.

SECTION 13: Disposal considerations



Trade name: Salviae folii extr liquidum

Substance number: 127571

Version: 1 / CH Replaces Version: - / CH Date revised: 03.05.2023

Print date: 03.05.23

13.1. Waste treatment methods

Disposal recommendations for the product Disposal in compliance with local and national regulations. Disposal recommendations for packaging

Dispose of as unused product.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	D/E		
14.1. UN number	1293	1293	1293
14.2. UN proper shipping name	TINCTURES, MEDICINAL (ethanol)	TINCTURES, MEDICINAL (ethanol)	TINCTURES, MEDICINAL (ethanol)
14.3. Transport hazard class(es)	3	3	3
Label			
14.4. Packing group	III	III	III
Limited Quantity	51		
Transport category	3		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (Germany)

Water Hazard ClassWGK 1(Germany)Derivation of WGK according to Annex 1 No. 5.2 AwSV

SECTION 16: Other information

Hazard statements listed in Chapter 3

H226

Flammable liquid and vapour.

CLP categories listed in Chapter 3

Flam. Liq. 3

Flammable liquid, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.



Trade name: Salviae folii extr liquidum

Substance number: 127571

Version: 1 / CH Replaces Version: - / CH Date revised: 03.05.2023 Print date: 03.05.23