

Trade name: Polygalae extr liquidum 1/1

Substance number: 127921 Version: 3 / CH Date revised: 08.08.2023

Replaces Version: 2 / CH Print date: 08.08.23

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Polygalae extr liquidum 1/1

Item No. 12792100

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/preparation

Active pharmacutical substance

## 1.3. Details of the supplier of the safety data sheet

#### Address/Manufacturer

Hänseler AG

Industriestrasse 35

9100 Herisau

Telephone no.

0041 (0)71 353 58 58

E-mail address of

sdb@haenseler.ch

person responsible

for this SDS

## 1.4. Emergency telephone number

Switzerland: 145 / Abroad +41 (0)44 251 51 51

## **SECTION 2: Hazards identification \*\*\***

## 2.1. Classification of the substance or mixture

## Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 3

H226

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

#### 2.2. Label elements

## Labelling according to regulation (EC) No 1272/2008

## Hazard pictograms \*\*\*



## Signal word \*\*\*

Warning

#### Hazard statements \*\*\*

H226 Flammable liquid and vapour.

## Precautionary statements \*\*\*

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin



Trade name: Polygalae extr liquidum 1/1

Substance number: 127921 Version: 3 / CH Date revised: 08.08.2023

Replaces Version: 2 / CH Print date: 08.08.23

with water [or shower].

P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501.3 Disposal in compliance with local and national regulations.

#### 2.3. Other hazards

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Alcoholic solution Extract of herbal drugs Medicinal products

## **Further ingredients**

water

CAS No. 7732-18-5 EINECS no. 231-791-2

Concentration >= 50 %

Advice: [4]

ethanol

CAS No. 64-17-5 EINECS no. 200-578-6

Concentration >= 25 < 50 %

Advice: [4]

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225

#### Note

[4] Voluntary information

#### Other information

The product is an article within the meaning of Article 3 No. 3 of the REACH Regulation and thus not to be labelled according to the CLP regulation. The compilation of the Safety Data sheet is not required according to Article 31 REACH Regulation for articles and is done on a voluntary basis.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

If you feel unwell, seek medical advice (show the label where possible). Take off contaminated clothing and shoes immediately.

#### After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment. Irregular breathing/no breathing: artificial respiration.

#### After skin contact

Wash immediately with plenty of water for several minutes. Consult a doctor if skin irritation persists.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.



Trade name: Polygalae extr liquidum 1/1

Substance number: 127921 Version: 3 / CH Date revised: 08.08.2023

Replaces Version: 2 / CH Print date: 08.08.23

#### After ingestion

Consult a physician if necessary. Rinse out mouth and give plenty of water to drink.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Carbon dioxide, Alcohol-resistant foam, Dry powder, Extinguishing measures to suit surroundings

## Non suitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

In the event of a fire, toxic and combustible gases can be formed. In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2)

#### 5.3. Advice for firefighters

## Special protective equipment for fire-fighting

Wear full protective suit. Use self-contained breathing apparatus.

#### Other information

Cool endangered containers with water spray jet.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Remove persons to safety. Keep away sources of ignition.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

Take up with absorbent material (eg sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal. Clean up affected area.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Keep away from heat and sources of ignition. Take action to prevent static discharges.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep tightly closed in a dry and cool place. Storage rooms must be properly ventilated.

#### Storage classes

Storage class according to TRGS 510 3 Flammable liquid Storage category (Switzerland) 3 Flammable liquid

# **SECTION 8: Exposure controls/personal protection \*\*\***

## 8.1. Control parameters

Exposure limit values \*\*\*

ethanol



Trade name: Polygalae extr liquidum 1/1

Substance number: 127921 Version: 3 / CH Date revised: 08.08.2023

Replaces Version: 2 / CH Print date: 08.08.23

List SUVA

Type MAK

Value 960 mg/m³ 500 ppm(V) Short term exposure limit 1920 mg/m³ 1000 ppm(V)

Pregnancy group: S; Remarks: SSc; Formal; INRS NIOSH

## **Derived No/Minimal Effect Levels (DNEL/DMEL)**

ethanol

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Route of exposure inhalative
Mode of action Local effects

Concentration 1900 mg/m<sup>3</sup>

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure oral

Mode of action Systemic effects

Concentration 434 mg/kg/d

## 8.2. Exposure controls

#### General protective and hygiene measures

Avoid any contact with the body. Observe the usual precautions for handling chemicals. Keep away from food-stuffs, beverages and feed-stocks.

## **Respiratory protection**

necessary; Do not breathe vapours, dust or aerosol. Provide adequate ventilation.

Hand protection

Appropriate Material Gloves / resistant to chemicals

Eye protection

Tightly fitting safety glasses

**Body protection** 

Fire-resistant protective clothing

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state Liquid
Colour brown
Odour weak
Odour characteristic

Boiling point or initial boiling point and boiling range

Value > 78 °C

Source GESTIS-Stoffdatenbank

Flash point

Value > 24 °C

Source GESTIS-Stoffdatenbank

Vapour pressure

Value < 5.8 kPa

Source GESTIS-Stoffdatenbank

Density and/or relative density



Print date: 08.08.23

Trade name: Polygalae extr liquidum 1/1

Substance number: 127921 Version: 3 / CH Date revised: 08.08.2023

Replaces Version: 2 / CH

Value 0.980 to 1.050 g/ml Remarks Relative Density according specification

9.2. Other information

Solubility in water

Remarks soluble

Efflux time

Value 11 s

Method DIN EN ISO 2431 - 4 mm

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Risk of ignition or formation of inflammable gases or vapours with: Air

## 10.2. Chemical stability

No decomposition if stored and applied as directed.

#### 10.3. Possibility of hazardous reactions

Keep away from sources of heat and ignition. No decomposition if stored and applied as directed.

#### 10.4. Conditions to avoid

Heat

## 10.5. Incompatible materials

Alkaline metals, Ammonia, peroxides, Oxidising agents

#### 10.6. Hazardous decomposition products

Hazardous determin decomposition products: Carbon monoxide, Carbon dioxide, Flammable gases/vapours

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute oral toxicity (Components)

ethanol

Species rat

LD50 7060 mg/kg

Source Toxicology and Applied Pharmacology. Vol. 16, Pg. 718, 1970.

ethanol

Species rat

LD50 10470 mg/kg

**Acute dermal toxicity (Components)** 

ethanol

Species rabbit

LD50 15800 mg/kg

**Acute inhalative toxicity (Components)** 

ethanol

Species rat

LC50 30000 mg/m<sup>3</sup>

Duration of exposure 4 h

Administration/Form Vapors

## Skin corrosion/irritation (Components)

ethanol



Trade name: Polygalae extr liquidum 1/1

Substance number: 127921 Version: 3 / CH Date revised: 08.08.2023

Replaces Version: 2 / CH Print date: 08.08.23

evaluation non-irritant

Serious eye damage/irritation

Remarks Eye contact with the product may lead to irritation.

Serious eye damage/irritation (Components)

ethanol

evaluation irritant

**Mutagenicity (Components)** 

ethanol

evaluation No mutagenicity in the Ames-test.

#### 11.2 Information on other hazards

## **Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

#### **Experience in practice**

The solvent vapours cause an irritating effect to the respiratory organs. Causes disorders of the central nervous system and can cause headache, respiratory difficulties or unconsciousness. Causes a numb feeling. Liver damage is possible.

#### Other information

When handled appropriately, even after long years of experience with this product, no adverse health effects are known.

Product specific toxicological data are not known.

# SECTION 12: Ecological information

#### 12.2. Persistence and degradability

**Biodegradability (Components)** 

ethanol

evaluation Readily biodegradable Chemical oxygen demand (COD) (Components)

ethanol

Value 0.93 to 1.67 mg/g

## 12.3. Bioaccumulative potential

**Bioconcentration factor (BCF) (Components)** 

ethanol

BCF 0.66

#### 12.5. Results of PBT and vPvB assessment

## Results of PBT and vPvB assessment

The product contains no PBT substances The product contains no vPvB substances.

## Results of PBT and vPvB assessment (Ingredients)

ethanol

The Substance doesn't meets PBT/vPvB-criterions

## 12.6 Endocrine disrupting properties

#### **Endocrine disrupting properties with respect to the envrionment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.



Trade name: Polygalae extr liquidum 1/1

Substance number: 127921 Version: 3 / CH Date revised: 08.08.2023

Replaces Version: 2 / CH Print date: 08.08.23

#### 12.7. Other adverse effects

## General information / ecology

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. For this subsection there is no ecotoxicological data available on the product as such.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## Disposal recommendations for the product

Disposal in compliance with local and national regulations.

## Disposal recommendations for packaging

Dispose of as unused product.

**SECTION 14: Transport information \*\*\*** 

	Land transport ADR/RID  ***	Marine transport IMDG/GGVSee ***	Air transport ICAO/IATA ***
Tunnel restriction code	D/E		
14.1. UN number	1293	1293	1293
14.2. UN proper shipping name	TINCTURES, MEDICINAL	TINCTURES, MEDICINAL	TINCTURES, MEDICINAL
14.3. Transport hazard class(es)	3	3	3
Label	***	***	***
14.4. Packing group	III	III	III
Limited Quantity	51		
Transport category	3		

# SECTION 15: Regulatory information \*\*\*

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Water Hazard Class (Germany) \*\*\*

Water Hazard Class WGK 1

(Germany)

Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

# **SECTION 16: Other information**

Hazard statements listed in Chapter 3

H226 Flammable liquid and vapour.



Trade name: Polygalae extr liquidum 1/1

Substance number: 127921 Version: 3 / CH Date revised: 08.08.2023

Replaces Version: 2 / CH Print date: 08.08.23

## **CLP categories listed in Chapter 3**

Flam. Liq. 3 Flammable liquid, Category 3

## **Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\* This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.