

Trade name: White spirit

Substance number: 157400 Version: 8 / CH Date revised: 23.09.2025

Replaces Version: 7 / CH Print date: 23.09.25

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

White spirit

Item No. 15740000

Substance / product identification

UFI X0AG-Y1DA-T00C-3ACF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Solvent

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Hänseler AG

Industriestrasse 35

9100 Herisau

Telephone no. E-mail address of 0041 (0)71 353 58 58 sdb@haenseler.ch

person responsible

for this SDS

1.4. Emergency telephone number

Switzerland: 145 / Abroad +41 (0)44 251 51 51

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 3 H226 STOT SE 3 H336 STOT RE 1 H372 Asp. Tox. 1 H304 Aquatic Chronic 2 H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms







Signal word

Danger

Hazard statements



Trade name: White spirit

Substance number: 157400 Version: 8 / CH Date revised: 23.09.2025

Replaces Version: 7 / CH Print date: 23.09.25

H226 Flammable liquid and vapour.
H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.

Precautionary statements ***

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P331 Do NOT induce vomiting.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%);

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Supplemental information

EUH066 Repeated exposure may cause skin dryness or cracking.

Reduced labeling (<= 125 ml)

Hazard pictograms ***







Signal word ***

Danger

Hazard statements ***

H372 Causes damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

Precautionary statements ***

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264.1 Wash hands thoroughly after handling.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P314 Get medical advice/attention if you feel unwell.

P331 Do NOT induce vomiting.

P501.3 Disposal in compliance with local and national regulations.

2.3. Other hazards

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients ***

3.2. Mixtures

Chemical characterization ***

Mixture of diverse hydrocarbons



Trade name: White spirit

Substance number: 157400 Version: 8 / CH Date revised: 23.09.2025

Replaces Version: 7 / CH Print date: 23.09.25

Hazardous ingredients

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

CAS No. 64742-82-1 EINECS no. 919-446-0

Registration no. 01-2119458049-33-XXXX

Concentration >= 50 %

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 3 H226 Asp. Tox. 1 H304 STOT SE 3 H336 STOT RE 1 H372 Aquatic Chronic 2 H411

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

EINECS no. 919-857-5

Registration no. 01-2119463258-33-XXXX

Concentration >= 25 < 50 %

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 3 H226

STOT SE 3 H336 Nervous system; Route of

exposure: inhalative

Asp. Tox. 2 H305 EUH066

1,2,4-trimethylbenzene

CAS No. 95-63-6 EINECS no. 202-436-9

Concentration >= 2.5 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 3 H226
Acute Tox. 4 H332
Skin Irrit. 2 H315
Eye Irrit. 2 H319
STOT SE 3 H335
Aquatic Chronic 2 H411

cATpE inhalative, Dust/Mist 1.5 mg/l ATE inhalative, Vapors 18 mg/l

Other information

94/69/EG (21. ATP). Content of benzene in the product is smaller than 0.1%. Annotation P is valid. Classification and characterization as may cause cancer (R45) is not necessary.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid

After inhalation

Ensure supply of fresh air. When spray fog inhaled, seek medical aid immediately and show the physician the packing or the packing label. In case of respiratory arrest induce breathing with a respiratory device. Seek medical advice.



Trade name: White spirit

Substance number: 157400 Version: 8 / CH Date revised: 23.09.2025

Replaces Version: 7 / CH Print date: 23.09.25

After skin contact

Wash off with soap and water.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.).

After ingestion

Rinse out mouth and give plenty of water to drink.

4.2. Most important symptoms and effects, both acute and delayed

Headache, Dizziness, Unconsciousness, Nausea, CNS depression

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation. In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Dry powder, Water spray jet, Extinguish greater fire with water spray or alcohol-resistant foam. Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Carbon monoxide (CO); Carbon dioxide (CO2); Can build mixtures of gas and air which are capable of explosion.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Use self-contained breathing apparatus. Wear full protective suit.

Other information

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep away unprotected persons.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Advise water authority if spillage has entered water course or drainage system.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations. Ensure adequate ventilation.

6.4. Reference to other sections

Information regarding waste disposal, see Section 13. Information regarding personal protective measures, see Section 8. Information regarding Safe handling, see Section 7.

SECTION 7: Handling and storage



Trade name: White spirit

Substance number: 157400 Version: 8 / CH Date revised: 23.09.2025

Replaces Version: 7 / CH Print date: 23.09.25

ml/m³

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Provide good room ventilation even at ground level (vapours are heavier than air). Handle and open container with care. Avoid formation of aerosols. Observe safety references and application instructions mentioned on can. Keep away from sources of ignition!

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Provide solvent-resistant and impermeable floor. Use steel or stainless steel containers.

Hints on storage assembly

Do not store with strong oxidizing agents.

Storage classes

Storage class according to TRGS 510 3 Flammable liquid Storage category (Switzerland) 3 Flammable liquid

Further information on storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Type MAK Value 525 mg/m³ 100

1,2,4-trimethylbenzene

List SUVA Type MAK

Value 100 mg/m^3 20 ppm(V)Short term exposure limit 200 mg/m^3 40 ppm(V)

Pregnancy group: S Remarks: SSc; ZNS, Asthma, Blut; INRS

Derived No/Minimal Effect Levels (DNEL/DMEL)

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 44 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure inhalative
Mode of action Systemic effects

Concentration 330 mg/m³

Type of value Derived No Effect Level (DNEL)



Print date: 23.09.25

Trade name: White spirit

Substance number: 157400 Version: 8 / CH Date revised: 23.09.2025

Replaces Version: 7 / CH

Reference group Consumer

Duration of exposure Long term

Route of exposure inhalative

Mode of action Systemic effects

Concentration 71 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 26 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure oral

Mode of action Systemic effects

Concentration 26 mg/kg/d

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 208 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Systemic effects

Concentration 871 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 125 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Consumer

Long term

inhalative

Systemic effects

Concentration 185 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure oral

Mode of action Systemic effects

Concentration 125 mg/kg/d



Trade name: White spirit

Substance number: 157400 Version: 8 / CH Date revised: 23.09.2025

Replaces Version: 7 / CH Print date: 23.09.25

8.2. Exposure controls

Exposure controls

See Section 7. No measures exeeding the ones mentioned necessary.

General protective and hygiene measures

Keep away from food-stuffs, beverages and feed-stocks. Wash hands before breaks and after work. At work do not eat, drink, smoke or take drugs. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eves.

Respiratory protection

necessary; If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. At intensive and longer exposition use self-contained breathing apparatus. Short term: filter apparatus: Gas filterA.

Hand protection

Gloves (solvent-resistant)

Appropriate Material nitrile rubber - NBR

Material thickness > 0.4 mm

Breakthrough time > 480 min

Eye protection

Tightly fitting safety glasses

Body protection

Solvent-resistant protective clothing; Fire-resistant antistatic protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid colourless
Odour of hydrocarbons

Melting point

Value < -20 °C Method ASTM D 97

Boiling point or initial boiling point and boiling range

Value 155 to 194 °C Method ASTM D-86

Upper and lower explosive limits

Lower explosion limit 0.7 %(V)
Upper explosion limit 6 %(V)

Flash point

Value 41 °C

Viscosity

kinematic

Value 1.007 mm²/s

Temperature 40 °C

kinematic

Value 1.203 mm²/s Temperature 25 °C

Vapour pressure

Remarks No data available

Density and/or relative density



Trade name: White spirit

Substance number: 157400 Version: 8 / CH Date revised: 23.09.2025

Replaces Version: 7 / CH Print date: 23.09.25

Value 0.794 g/cm³

Temperature 15 °C

9.2. Other information

Solubility in water

Remarks not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

No decomposition if stored and applied as directed.

10.3. Possibility of hazardous reactions

Vapours can form an explosive mixture with air.

10.4. Conditions to avoid

Protect from heat/overheating. Heat. Flames. Sparks

10.5. Incompatible materials

Reactions with strong oxidising agents.

10.6. Hazardous decomposition products

In the event of fire the following can be released: Carbon monoxide and carbon dioxide, Toxic gases/vapours

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute oral toxicity

White spirit

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Reference substance Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Species rat

LD50 > 15000 mg/kg

Method OECD 401

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Species rat

LD50 > 5000 mg/kg

Acute dermal toxicity

White spirit

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Species rat

LD50 > 3400 mg/kg

Method OECD 402 Source Analogous

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics



Trade name: White spirit

Substance number: 157400 Version: 8 / CH Date revised: 23.09.2025

Replaces Version: 7 / CH Print date: 23.09.25

Species rabbit

LD50 > 5000 mg/kg

Acute inhalational toxicity

White spirit

ATE > 100 mg/l

Administration/Form Vapors

Method calculated value according to GHS (e.g see UN GHS)

White spirit

ATE > 20 mg/l

Administration/Form Dust/Mist

Method calculated value according to GHS (e.g see UN GHS)

White spirit

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)

1,2,4-trimethylbenzene

Species rat

LC50 18 mg/l

Duration of exposure 4 h

Administration/Form Vapors

Skin corrosion/irritation

White spirit

Remarks Repeated and prolonged skin contact may lead to defatting and irritation of

the skin.

Skin corrosion/irritation (Components)

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

evaluation non-irritant
Method OECD 404
Source Analogous

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

evaluation slightly irritant

Serious eye damage/irritation

White spirit

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation (Components)

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

evaluation slightly irritant
Method OECD 405
Source Analogous

Sensitization

White spirit

Remarks Based on available data, the classification criteria are not met.

Sensitization (Components)

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

evaluation non-sensitizing
Method OECD 406
Source Analogous

Mutagenicity

White spirit

Remarks Based on available data, the classification criteria are not met.



Trade name: White spirit

Substance number: 157400 Version: 8 / CH Date revised: 23.09.2025

Replaces Version: 7 / CH Print date: 23.09.25

Reproductive toxicity

White spirit

Remarks Based on available data, the classification criteria are not met.

Reproduction toxicity (Components)

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

evaluation No negative effects

Source Analogous

Carcinogenicity

White spirit

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity (Components)

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

evaluation No negative effects

Source Analogous

Specific Target Organ Toxicity (STOT)

White spirit

Single exposure

Remarks The classification criteria are met.

White spirit

evaluation May cause drowsiness or dizziness.

White spirit

Repeated exposure

Remarks The classification criteria are met.

White spirit

evaluation Causes damage to organs through prolonged or repeated exposure

Specific Target Organ Toxicity (STOT) (Components)

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

evaluation May cause drowsiness or dizziness.

Route of exposure inhalative

Source Analogous

Aspiration hazard

White spirit

The classification criteria are met.

White spirit

Harmful: may cause lung damage if swallowed.

11.2. Information on other hazards

Endocrine disrupting properties with respect to humans

White spirit

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

SECTION 12: Ecological information

12.1. Toxicity

Fish toxicity (Components)

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Species rainbow trout (Oncorhynchus mykiss)

HÄNSELER Safety data sheet in accordance with regulation (EC) No 1907/2006 Trade name: White spirit Substance number: 157400 Version: 8 / CH Date revised: 23.09.2025 Replaces Version: 7 / CH Print date: 23.09.25 LL50 10 to 30 mg/l 96 Duration of exposure Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics rainbow trout (Oncorhynchus mykiss) Species LL50 1000 mg/l Duration of exposure 96 h **Daphnia toxicity (Components)** Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) Species Daphnia magna EL50 22 10 mg/l Duration of exposure 48 Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) Species Daphnia magna LÖEC 0.203 mq/l Duration of exposure Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) Species Daphnia magna NOEC 0.097 Duration of exposure 21 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics Species Daphnia magna FI 0 1000 mq/l Duration of exposure 48 h Algae toxicity (Components) Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) **Species** Raphidocelis subcapitata **EL50** 4.6 10 mq/l Duration of exposure 72 Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) Species Raphidocelis subcapitata NOELR mg/l 1 Duration of exposure 72 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics **Species** Pseudokirchneriella subcapitata EL50 1000 ma/l Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics Pseudokirchneriella subcapitata Species **NOELR** 100 mg/l

12.2. Persistence and degradability

Biodegradability (Components)

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Value 74.7 %

Duration of test 28 d evaluation Readily biodegradable

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Value 80 Duration of test 28 d

evaluation Readily biodegradable

12.3. Bioaccumulative potential

Octanol/water partition coefficient (log Pow) (Components)



Trade name: White spirit

Substance number: 157400 Version: 8 / CH Date revised: 23.09.2025

Replaces Version: 7 / CH Print date: 23.09.25

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Remarks Due to the distribution coefficient n-octanol/water, accumulation in

organisms is possible.

12.4. Mobility in soil

Mobility in soil (Components)

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Will not adsorb on soil.

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Adsorbs on soil.

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Slightly mobile in soils

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

The product is insoluble and floats on water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

White spirit

The product contains no PBT substances

White spirit

The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the envrionment

White spirit

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

Do not allow it to reach ground water, water bodies or sewage system. Toxic to aquatic life. May cause long lasting harmful effects to aquatic life.

General information / ecology

Product is hazardous to water. Toxic for aquatic organismes.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Disposal in compliance with local and national regulations.

EWC waste code No not dispose with rubbish.

EWC waste code Should not be released into the sanitary sewer system.

Disposal recommendations for packaging

Disposal in compliance with local and national regulations.

SECTION 14: Transport information ***



Print date: 23.09.25

Trade name: White spirit

Substance number: 157400 Version: 8 / CH Date revised: 23.09.2025

Replaces Version: 7 / CH

	Land transport ADR/RID ***	Marine transport IMDG/GGVSee ***	Air transport ICAO/IATA
14.1. UN number or ID number	1993	1993	1993
14.2. UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C12, n- alkanes, isoalkanes, cyclics, aromatics (2-25%), 1,2,4- trimethylbenzene)	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%), 1,2,4-trimethylbenzene)	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C12, n- alkanes, isoalkanes, cyclics, aromatics (2-25%), 1,2,4- trimethylbenzene)
14.3. Transport hazard class(es)	3	3	3
Label	3	3	3
14.4. Packing group	III	III	III
Remarks	The product is not subject to any other provisions of ADR provided packaging of not more than 51/5 kg	The product can be transported in accordance with IMDG Code paragraph 2.10.2.7, provided packaging not more than 5 I / 5 kg.	The product is not subject to any other provisions of IATA provided packaging of not more than 5 I / 5 kg (A197)
Limited Quantity	51	51	
Transport category	3		
14.5. Environmental hazards	ENVIRONMENTALLY	Marine Pollutant	ENVIRONMENTALLY
	HAZARDOUS	ENVIRONMENTALLY HAZARDOUS	HAZARDOUS
Tunnel restriction code	D/E		

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (Germany)

Water Hazard Class WGK 2

(Germany)

Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

Other information ***

The product does not contain substances according to Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH) with a content of >= 0.1% w/w.



Trade name: White spirit

Substance number: 157400 Version: 8 / CH Date revised: 23.09.2025

Replaces Version: 7 / CH Print date: 23.09.25

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 3	H226	On basis of test data
STOT SE 3	H336	Calculation method
STOT RE 1	H372	Calculation method
Asp. Tox. 1	H304	Calculation method
Aquatic Chronic 2	H411	Calculation method

Hazard statements listed in Chapter 2/3

EUH066	Repeated exposure may	v cause skin dryness o	or cracking.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.
H305 May be harmful if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Acute Tox. 4 Acute toxicity, Category 4

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2 Hazardous to the aquatic environment, chronic, Category 2

Asp. Tox. 1
Asp. Tox. 2
Aspiration hazard, Category 1
Asp. Tox. 2
Eye Irrit. 2
Eye irritation, Category 2
Flam. Liq. 3
Skin Irrit. 2
Skin irritation, Category 2

STOT RE 1 Specific target organ toxicity - repeated exposure, Category 1
STOT SE 3 Specific target organ toxicity - single exposure, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a
guarantee for any specific product properties and shall not establish a legally valid relationship.