according to Regulation (EC) No. 1907/2006



5010950

Dry Vitamin D3 100 SD/S

Revision Date 19.07.2011 Print Date 26.06.2014

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Version 3.0

Trade name : Dry Vitamin D3 100 SD/S

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : For the fortification of foods, Ingredient for capsules and/or

Substance/Mixture tablets

1.3 Details of the supplier of the safety data sheet

Company : DSM Nutritional Products (UK) Ltd.

Heanor Gate αGB061EI0017 Delves Road

GB-DE75 7SG Heanor

Telephone : +441773536500 Telefax : +441773536600

E-mail address : sds.nutritionalproducts@dsm.com

Responsible/issuing person

1.4 Emergency telephone number

+441773536623 / +41628662314

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Classification (67/548/EEC, 1999/45/EC)

Harmful R20: Harmful by inhalation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling:

EUH210 Safety data sheet available on request.

EUH208 Contains: dl-α-tocopherol: May produce an allergic reaction.

2.3 Other hazards

Risk of dust explosion.

3. Composition/information on ingredients

Brief description of the : Mixture (preparation) containing active ingredient and auxiliary

product substances

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No.	Classification	Classification	Concentration
				-

according to Regulation (EC) No. 1907/2006



Dry Vitamin D3 100 SD/S

5010950

<u>Version 3.0</u> Revision Date 19.07.2011 Print Date 26.06.2014

	EC-No. Registration number	(67/548/EEC)	(REGULATION (EC) No 1272/2008)	[%]
3,4-dihydro-2,5,7,8- tetramethyl-2-(4,8,12- trimethyltridecyl)-2H- benzopyran-6-ol (dl-α- tocopherol)	10191-41-0 233-466-0	R43 R53	Skin Sens. 1; H317 Aquatic Chronic 4; H413	>= 1 - < 5
cholecalciferol (Vitamin D3)	67-97-0 200-673-2	T; R24/25-R48/25 T+; R26	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 2; H300 STOT RE 1; H372	>= 0,1 - < 1

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

Further ingredients

Chemical Name	CAS-No. EC-No. Registration number	Classification	GHS Classification	Concentration [%]
sucrose	57-50-1 200-334-9			>= 10 - <= 30
silicon dioxide (amorphous)	7631-86-9 231-545-4			>= 1 - <= 5

4. First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Induce vomiting if person is conscious. Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No specific symptoms known.

according to Regulation (EC) No. 1907/2006



Dry Vitamin D3 100 SD/S

5010950

Version 3.0 Revision Date 19.07.2011 Print Date 26.06.2014

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water

Foam

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: None known.

5.3 Advice for firefighters

Further information

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus. : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Consider dust explosion hazard.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Ensure adequate ventilation.

Avoid dust formation.

Avoid breathing dust.

6.2 Environmental precautions

Try to prevent the material from entering drains or water courses.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust.

6.4 Reference to other sections

For personal protection see section 8.

For disposal considerations see section 13.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.

Avoid exceeding of the given occupational exposure limits

(see section 8).

Version 3.0

according to Regulation (EC) No. 1907/2006



Dry Vitamin D3 100 SD/S

5010950Revision Date 19.07.2011 Print Date 26.06.2014

Avoid contact with skin and eyes. For personal protection see section 8.

Provide sufficient air exchange and/or exhaust in work rooms. Smoking, eating and drinking should be prohibited in the

application area.

Advice on protection against

fire and explosion

: Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Take precautionary measures against static discharges.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Protect against light.

Protect from humidity.

: Keep container tightly closed and dry.

Storage temperature : < 15 °C

7.3 Specific end uses

Specific use(s) : not applicable

8. Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis
sucrose 57-50-1		TWA	10 mg/m3	2005-04-06	GB EH40
		STEL	20 mg/m3	2005-04-06	GB EH40
silicon 7631-86-9 dioxide (amorphous)		TWA	6 mg/m3	2005-04-06	GB EH40
	Inhalable				
		TWA	2,4 mg/m3	2005-04-06	GB EH40
	Respirat	able			
	present at dust or 4 n COSHH if the great n below thes	HH definition of a substance hazardous to health includes dust of any kind when t a concentration in air equal to or greater than 10 mg/m3 8-hour TWA of inhalable mg/m3 8-hour TWA of respirable dust. This means that any dust will be subject to f people are exposed above these levels. Advice on control is given in EH44 and in majority of workplaces reasonable control measures will normally keep exposure use levels. However some dusts have been assigned specific WELs and exposure to st comply with the appropriate limit.			
Components	CAS-No.	Value	Control parameters	Update	Basis
cholecalcifer ol	67-97-0	TWA	0,005 mg/m3		DSM Internal Limit

8.2 Exposure controls

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

according to Regulation (EC) No. 1907/2006



Dry Vitamin D3 100 SD/S 5010950

Version 3.0 Revision Date 19.07.2011 Print Date 26.06.2014

approved filter.

Hand protection : Glove material: for example nitrile rubber

: Consider the hazard characteristics of this product and any special workplace conditions when selecting the appropriate

type of protective gloves.

Eye protection : Safety glasses with side-shields

Skin and body protection : Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Wash hands before breaks and at the end of workday.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : free flowing particles

Colour : off-white - pale yellow

Odour : No information available.

Odour Threshold : No information available.

pH : no data available

Melting point/range : not determined

Boiling point/boiling range : not determined

Flash point : not applicable

Flammability (solid, gas) : Not classified as supporting combustion according to the

transport regulations.

Vapour pressure : not applicable
Relative vapour density : not applicable
Density : not determined
Water solubility : dispersible
Partition coefficient: n- : not applicable

octanol/water

Autoignition temperature : no data available

Thermal decomposition : Decomposes on heating.

Potential for exothermic hazard

Explosive properties : no data available

Oxidizing properties : no data available

9.2 Other information

Combustibility index for

deposited dust

: 4 (22 °C)

Dust explosion properties : KSt value: 135 m.bar/s (Milled sample, Median value of the

tested sample 0,055 mm, Loss on drying 1,4 %; ISO 6184)

according to Regulation (EC) No. 1907/2006



Dry Vitamin D3 100 SD/S

5010950

Version 3.0 Revision Date 19.07.2011 Print Date 26.06.2014

Dust explosion class : St1 (Milled sample, Median value of the tested sample 0,055

mm, Loss on drying 1,4 %; ISO 6184)

Maximum explosion

overpressure

: 8,0 bar (Milled sample, Median value of the tested sample

0,055 mm, Loss on drying 1,4 %; ISO 6184)

Minimum ignition energy : 10 - 30 mJ (Milled sample, Median value of the tested sample

0,045 mm, Loss on drying 1,4 %, EN 13821)

The Minimum ignition energy (MIE) of a dust/air mix depends on the particle size the water content and the temperature of the dust. The finer and the dryer the dust the lower the MIE.

: General remark: The indicated dust explosion characteristics are only valid for this product and are sensitive to the sample's

parameters.

Powder volume resistivity : ca. 1E+12 Ohmm (Product sample, Median value of the

tested sample 0,093 mm, Loss on drying 1,0 %)

The material can accumulate static charge and can therefore

cause electrical ignition.

Minimum ignition

temperature of a dust/air mix

: 410 °C (Median value of the tested sample 0,045 mm)

determined in the BAM oven

10. Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Strong acids and strong bases Strong oxidizing agents

10.6 Hazardous decomposition products

No decomposition if used as directed.

11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

cholecalciferol : LD50 (rat): 5 - 50 mg/kg

(OECD Test Guideline 423)

according to Regulation (EC) No. 1907/2006



Dry Vitamin D3 100 SD/S

5010950

Version 3.0 Revision Date 19.07.2011 Print Date 26.06.2014

Acute inhalation toxicity

cholecalciferol : LC50 (rat, 4 h): 0,13 - 0,18 mg/l

Skin irritation

3,4-dihydro-2,5,7,8tetramethyl-2-(4,8,12trimethyltridecyl)-2Hbenzopyran-6-ol : Mild skin irritation (several species)

cholecalciferol : Mild skin irritation (rabbit)

Serious eye damage/eye

irritation

: Dust contact with the eyes can lead to mechanical irritation.

Respiratory or skin

sensitization

: Does not cause skin sensitization. (mouse, Local Lymph Node

Assay (LLNA), OECD Test Guideline 429)

Tested with a similar product containing 5% dl-alpha-

tocopherol.

Genotoxicity in vivo

cholecalciferol : not genotoxic (rat, Bone marrow, Mutagenicity (micronucleus

test))

Teratogenicity

cholecalciferol : May lead to malformations at dose levels that cause maternal

toxicity.

NOAEL: 0,0095 mg/kg bw/d (rabbit female, OECD Test

Guideline 414)

STOT - repeated exposure

cholecalciferol : NOAEL (Oral, rat) : 0,06 mg/kg bw/d

Sub-chronic toxicity study (90-day) (OECD Test Guideline 408)

Experience with human exposure

cholecalciferol : RDA (Recommended Daily Allowance) 0,005 - 0,01 mg

Experience with human exposure: Ingestion

cholecalciferol : Acute overdose produces the following symptoms:

Nausea, Vomiting, Headache, Weakness, Abdominal pain,

Dry mouth, Metallic taste, Loss of appetite

12. Ecological information

12.1 Toxicity

No data is available on the product itself.

12.2 Persistence and degradability

Biodegradability

3,4-dihydro-2,5,7,8- : Not readily biodegradable.

tetramethyl-2-(4,8,12- 8 % (28 d)

trimethyltridecyl)-2H- (OECD Test Guideline 301F)

according to Regulation (EC) No. 1907/2006



Dry Vitamin D3 100 SD/S

5010950

Version 3.0 Revision Date 19.07.2011 Print Date 26.06.2014

benzopyran-6-ol

No data is available on the product itself.

12.3 Bioaccumulative potential

Bioaccumulation : no data available Partition coefficient: n- : not applicable

octanol/water

12.4 Mobility in soil

Distribution among : no data available

environmental compartments

Surface tension 3,4-dihydro-2,5,7,8-

3,4-dihydro-2,5,7,8- : 8,1 mN/m (430 °C)

tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-ol

12.5 Results of PBT and vPvB assessment

Assessment : This mixture contains no substance considered to be

persistent, bioaccumulating nor toxic (PBT).

: This mixture contains no substance considered to be very

persistent nor very bioaccumulating (vPvB).

12.6 Other adverse effects

Additional ecological

information

: There is no data available for this product.

13. Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Offer surplus and non-recyclable solutions to a licensed

disposal company.

Contaminated packaging : Dispose of as unused product.

Do not re-use empty containers.

14. Transport information

14.1 UN number

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

ADR

according to Regulation (EC) No. 1907/2006



Dry Vitamin D3 100 SD/S

5010950

Version 3.0 Revision Date 19.07.2011 Print Date 26.06.2014

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.3 Transport hazard class

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.6 Special precautions for user

Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code


not applicable

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

NFPA Classification : Health hazard: 0

Fire Hazard: 2 Reactivity Hazard: 1



9/10

MSDS_GB/EN

according to Regulation (EC) No. 1907/2006



Dry Vitamin D3 100 SD/S

5010950

Version 3.0 Revision Date 19.07.2011 Print Date 26.06.2014

15.2 Chemical Safety Assessment

not applicable

16. Other information

Full text of R-phrases referred to under sections 2 and 3

R20 Harmful by inhalation.

R24/25 Toxic in contact with skin and if swallowed.

R26 Very toxic by inhalation.

R43 May cause sensitization by skin contact.

R48/25 Toxic: danger of serious damage to health by prolonged exposure if

swallowed

R53 May cause long-term adverse effects in the aquatic environment.

Full text of H-Statements referred to under sections 2 and 3.

H300 Fatal if swallowed.H311 Toxic in contact with skin.

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H413 May cause long lasting harmful effects to aquatic life.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Abbreviations: 67/548/EEC= Dangerous Substances Directive. 1999/45/EC= Dangerous Preparations Directive. Regulation (EC) No. 1272/2008= Regulation on classification, labelling and packaging of substances and mixtures. DNEL= Derived No-Effect Level. PNEC= Predicted No-Effect Concentration. NFPA= National Fire Protection Association. IATA= International Air Transport Association. IMDG= International Maritime Dangerous Goods. RID= International Rule for Transport of Dangerous Substances by Railway; ADR= European Agreement concerning the International Carriage of Dangerous Goods by Road. TWA= Time Weighted Average. STEL= Short term exposure limit.

10 / 10

MSDS GB/EN