

Dry Vitamin K1 5% SD

0434922

Version 6.0

Revision Date 13.12.2019

Date of last issue: 11.06.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Dry Vitamin K1 5% SD

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : For the fortification of foods, Ingredient for pharmaceutical products

1.3 Details of the supplier of the safety data sheet

Company : DSM Nutritional Products Europe Ltd
PO Box 2676
CH-4002 Basel

Telephone : +41618157777
Telefax : +41618157770
E-mail address of person responsible for the SDS : sds.nutritionalproducts@dsm.com

1.4 Emergency telephone number

+41 848 00 11 77 (Carechem 24 International)

SECTION 2: Hazards identification


2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.
|| Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : 

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P280 Wear protective gloves/ eye protection/ face protection.

Response:
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:
P501 Dispose of contents/ container to an ap-

Dry Vitamin K1 5% SD**0434922**

Version 6.0

Revision Date 13.12.2019

Date of last issue: 11.06.2019



proved waste disposal plant.

Hazardous components which must be listed on the label:



81818-54-4 2-methyl-3-(3,7,11,15-tetramethylhexadec-2-enyl)-1,4-naphthoquinone (Vitamin K1)

2.3 Other hazards

Risk of dust explosion.

SECTION 3: Composition/information on ingredients

Brief description of the product : Mixture (preparation) containing active ingredient and auxiliary substances

3.1 Substances

Not applicable

3.2 Mixtures**Hazardous components**

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
gum arabic	9000-01-5 232-519-5	Eye Irrit. 2; H319	>= 90 - <= 100
2-methyl-3-(3,7,11,15-tetramethylhexadec-2-enyl)-1,4-naphthoquinone (Vitamin K1)	81818-54-4 279-833-9	Skin Sens. 1B; H317 Aquatic Chronic 4; H413	>= 5 - < 10

For explanation of abbreviations see section 16.

Further ingredients

Chemical name	CAS-No. EC-No. Registration number	GHS Classification	Concentration [%]
sucrose	57-50-1 200-334-9		>= 1 - <= 10

SECTION 4: First aid measures**4.1 Description of first aid measures**

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.

Dry Vitamin K1 5% SD

0434922

Version 6.0

Revision Date 13.12.2019

Date of last issue: 11.06.2019

Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No specific symptoms known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water
Foam

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : None known.

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Consider dust explosion hazard.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Avoid dust formation.
Avoid breathing dust.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust.

6.4 Reference to other sections

For personal protection see section 8.
For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Do not breathe vapours/dust.
Smoking, eating and drinking should be prohibited in the ap-

Dry Vitamin K1 5% SD**0434922**

Version 6.0

Revision Date 13.12.2019

Date of last issue: 11.06.2019

plication area.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Take precautionary measures against static discharges.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of work-day.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : To maintain product quality, do not store in heat or direct sunlight.

Keep container tightly closed and dry.

7.3 Specific end use(s)

Specific use(s) : Not applicable

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
sucrose	57-50-1	TWA	10 mg/m ³	GB EH40
		STEL	20 mg/m ³	GB EH40
2-methyl-3-(3,7,11,15-tetramethylhexadec-2-enyl)-1,4-naphthoquinone	81818-54-4	TWA	1 mg/m ³	DSM Internal Limit

8.2 Exposure controls**Personal protective equipment**

Eye protection : Safety glasses with side-shields

Hand protection : Consider the hazard characteristics of this product and any special workplace conditions when selecting the appropriate type of protective gloves.
Glove material: for example nitrile rubber

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance : powder

Colour : off-white - light yellow

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Dry Vitamin K1 5% SD

0434922

Version 6.0

Revision Date 13.12.2019

Date of last issue: 11.06.2019

Odour	: odourless
Odour Threshold	: No information available.
pH	: No data available
Melting point/range	: Not applicable
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Flammability (solid, gas)	: May form combustible dust concentrations in air.
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Density	: not determined
Water solubility	: not determined
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Thermal decomposition	: Decomposes on heating. Potential for exothermic hazard
Explosive properties	: Not explosive
Oxidizing properties	: No data available

9.2 Other information

Combustibility index for deposited dust	: 4 (23 °C)
Dust explosion properties	: KSt value: 111 bar·m/s (Median value of the tested sample 0.058 mm; ISO 6184)
Dust explosion class	: St1 (Median value of the tested sample 0.058 mm; ISO 6184)
Maximum explosion overpressure	: 7.4 bar (Median value of the tested sample 0.058 mm; ISO 6184)
Minimum ignition energy	: 10 - 30 mJ (Product sample, Median value of the tested sample 0.058 mm, Loss on drying 3.1 %, EN 13821) The Minimum ignition energy (MIE) of a dust/air mix depends on the particle size the water content and the temperature of the dust. The finer and the dryer the dust the lower the MIE. : General remark: The indicated dust explosion characteristics are only valid for this product and are sensitive to the sample's parameters.
Powder volume resistivity	: 5E+12 Ohmm (Product sample, Median value of the tested sample 0.058 mm, Loss on drying 3.1 %) The material can accumulate static charge and can therefore cause electrical ignition.
Minimum ignition temperature of a dust/air mix	: 390 °C (Median value of the tested sample 0.058 mm) determined in the BAM oven

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Exposure to sunlight.

Heat

10.5 Incompatible materials

Strong acids and strong bases

Strong oxidizing agents

10.6 Hazardous decomposition products

No decomposition if used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
(calculated from LD50 of components)
- Skin irritation : May cause skin irritation and/or dermatitis.
- Eye irritation
Gum arabic : Eye irritation (Rabbit)
- Sensitisation
Gum arabic : May cause sensitisation of susceptible persons by skin contact or by inhalation of aerosol or dust.
- || 2-methyl-3-(3,7,11,15-tetramethylhexadec-2-enyl)-
|| 1,4-naphthoquinone : The product is a skin sensitizer, sub-category 1B. (Mouse, Local lymph node assay (LLNA), OECD Test Guideline 429)
- Genotoxicity in vitro : No indication for mutagenicity known.
- Carcinogenicity : No indication for carcinogenicity known.
- Teratogenicity : No indication for teratogenicity known.
- STOT - single exposure (Acute exposure) : The substance or mixture is not classified as specific target organ toxicant, single exposure.
- STOT - repeated exposure : This information is not available.

Further information : May cause irritation of respiratory tract.

Aspiration toxicity : No aspiration toxicity classification

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the product itself.

12.2 Persistence and degradability

No data is available on the product itself.

12.3 Bioaccumulative potential

Bioaccumulation : No data available

Partition coefficient: n-octanol/water : Not applicable

12.4 Mobility in soil

Distribution among environmental compartments : No data available

12.5 Results of PBT and vPvB assessment

Assessment : This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).

12.6 Other adverse effects

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.


14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

NFPA Classification : Health hazard: 2
Fire Hazard: 2
Reactivity Hazard: 1



15.2 Chemical safety assessment

Not applicable

SECTION 16: Other information

Full text of H-Statements

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H413 : May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Irrit. : Eye irritation
Skin Sens. : Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equip-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Dry Vitamin K1 5% SD

0434922

Version 6.0

Revision Date 13.12.2019

Date of last issue: 11.06.2019

ment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative
DNEL - Derived No-Effect Level; NFPA - National Fire Protection Association (USA); PNEC - Predicted No-Effect Concentration; STEL - Short term exposure limit; TLV-C - Ceiling Limit Value; TWA - Time Weighted Average; WEL - Workplace Exposure Limit.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN