

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Quali® -Blend Essential BV961, 25 kg VM

UF33150368

Version 1.0

Revision Date 22.01.2019

Date of last issue: -

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Quali® -Blend Essential BV961, 25 kg VM

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

Company : DSM Nutritional Products France S.A.
Boulevard d'Alsace 1
FR-68128 Village Neuf

Telephone : +33389696900
Telefax : +33389696625
E-mail address of person responsible for the SDS : sds.nutritionalproducts@dsm.com

1.4 Emergency telephone number

+41 848 00 11 77 (Carechem 24 International) ORFILA : 01 45 42 59 59

SECTION 2: Hazards identification


2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : 

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.
Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

2.3 Other hazards

Risk of dust explosion.

SECTION 3: Composition/information on ingredients

Brief description of the product : Mixture

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Quali® -Blend Essential BV961, 25 kg VM

UF33150368

Version 1.0

Revision Date 22.01.2019

Date of last issue: -

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
nicotinamide	98-92-0 202-713-4	Eye Irrit. 2; H319	>= 5 - < 10
pyridoxine hydrochloride (Vitamin B6)	58-56-0 200-386-2 01-2120113157-67	Eye Dam. 1; H318	>= 1 - < 3
Substances with a workplace exposure limit :			
calcium pantothenate, D-form	137-08-6 205-278-9		>= 5 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No specific symptoms known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water
Foam

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Quali® -Blend Essential BV961, 25 kg VM

UF33150368

Version 1.0

Revision Date 22.01.2019

Date of last issue: -

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : None known.

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Consider dust explosion hazard.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Avoid dust formation.
Avoid breathing dust.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust.

6.4 Reference to other sections

For personal protection see section 8.
For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Take precautionary measures against static discharges.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of work-day.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed and dry.

7.3 Specific end use(s)

Specific use(s) : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Quali® -Blend Essential BV961, 25 kg VM

UF33150368

Version 1.0

Revision Date 22.01.2019

Date of last issue: -

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
calcium pantothenate, D-form	137-08-6	TWA	10 mg/m ³	DSM Internal Limit
pyridoxine hydrochloride	58-56-0	TWA	2 mg/m ³	DSM Internal Limit

8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : Consider the hazard characteristics of this product and any special workplace conditions when selecting the appropriate type of protective gloves.
Glove material: for example nitrile rubber

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : powder

Odour : No information available.

Odour Threshold : No information available.

pH : No data available

Melting point/range : not determined

Boiling point/boiling range : not determined

Flash point : Not applicable

Flammability (solid, gas) : May form combustible dust concentrations in air.

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Density : not determined

Water solubility : not determined

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Thermal decomposition : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Quali® -Blend Essential BV961, 25 kg VM

UF33150368

Version 1.0

Revision Date 22.01.2019

Date of last issue: -

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Heat

10.5 Incompatible materials

Strong acids and strong bases
Strong oxidizing agents

10.6 Hazardous decomposition products

No decomposition if used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

nicotinamide : LD50 (Rat, male and female): > 2 500 mg/kg
(OECD Test Guideline 423)

pyridoxine hydrochloride : LD50 (Rat): > 6 600 mg/kg

calcium pantothenate , D-
form : LD50 (Rat): 21 920 mg/kg

Skin irritation : May cause skin irritation and/or dermatitis.

Eye irritation : Dust contact with the eyes can lead to mechanical irritation.

STOT - single exposure (A-
cute exposure) : The substance or mixture is not classified as specific target
organ toxicant, single exposure.

Further information : May cause irritation of respiratory tract.

Aspiration toxicity : No aspiration toxicity classification

SECTION 12: Ecological information

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Quali® -Blend Essential BV961, 25 kg VM

UF33150368

Version 1.0

Revision Date 22.01.2019

Date of last issue: -

12.1 Toxicity

Toxicity to algae
pyridoxine hydrochloride : Desmodesmus subspicatus (green algae)
EbC50 (72 h) 5,3 mg/l
(OECD Test Guideline 201)

No data is available on the product itself.

12.2 Persistence and degradability

Biodegradability
pyridoxine hydrochloride : Readily biodegradable.
94 % (28 d)
(OECD Test Guideline 301E)

No data is available on the product itself.

12.3 Bioaccumulative potential

Bioaccumulation : No data available

Partition coefficient: n-
octanol/water : Not applicable

12.4 Mobility in soil

Distribution among environ-
mental compartments : No data available

12.5 Results of PBT and vPvB assessment

Assessment : not determined

12.6 Other adverse effects

Additional ecological informa-
tion : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemi-
cal or used container.
Do not dispose of waste into sewer.
Offer surplus and non-recyclable solutions to a licensed dis-
posal company.

Contaminated packaging : Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Quali® -Blend Essential BV961, 25 kg VM

UF33150368

Version 1.0

Revision Date 22.01.2019

Date of last issue: -

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.


14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

NFPA Classification : Health hazard: 0
Fire Hazard: 1
Reactivity Hazard: 0



15.2 Chemical safety assessment

Not applicable

SECTION 16: Other information

Full text of H-Statements

H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

Full text of other abbreviations

Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Quali® -Blend Essential BV961, 25 kg VM

UF33150368

Version 1.0

Revision Date 22.01.2019

Date of last issue: -

Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CZ / EN