

Trade name: Ethanolum 96% potabile

Substance number: 175000 Version: 7 / CH Date revised: 25.06.2025

Replaces Version: 6 / CH Print date: 25.06.25

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Ethanolum 96% potabile

Item No. 17500000

## 1.3. Details of the supplier of the safety data sheet

#### Address/Manufacturer

Hänseler AG Industriestrasse 35 9100 Herisau

Telephone no. 0041 (0)71 353 58 58 E-mail address of sdb@haenseler.ch

person responsible for this SDS

## 1.4. Emergency telephone number

Switzerland:145 / Abroad +41 (0)44 251 51 51

## **SECTION 2: Hazards identification \*\*\***

## 2.1. Classification of the substance or mixture

## Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

#### 2.2. Label elements

# Labelling according to regulation (EC) No 1272/2008

#### Hazard pictograms



## Signal word

Danger

### **Hazard statements**

H225 Highly flammable liquid and vapour.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501.3 Disposal in compliance with local and national regulations.

## 2.3. Other hazards



Trade name: Ethanolum 96% potabile

Substance number: 175000 Version: 7 / CH Date revised: 25.06.2025

Replaces Version: 6 / CH Print date: 25.06.25

In use, may form flammable/explosive vapour-air mixture. Repeated exposure may cause skin dryness or cracking. Irritating to eyes, respiratory system and skin.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

90

%

%

# **SECTION 3: Composition/information on ingredients** \*\*\*

### 3.2. Mixtures

#### **Chemical characterization**

Alcoholic solution

## Further ingredients \*\*\*

#### ethanol

CAS No.

64-17-5

EINECS no.

200-578-6

Registration no.

01-2119457610-43-0098

Concentration

Advice: [4]

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2

water

CAS No.

7732-18-5

EINECS no.

231-791-2

Concentration

1 < 10

H225

Advice: [4]

#### Note

[4] Voluntary information

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

#### After skin contact

Wash immediately with plenty of water for several minutes. Consult a doctor if skin irritation persists.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

#### After ingestion

Do not induce vomiting - aspiration hazard. Summon a doctor immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Headache, Dizziness, Dizziness, Unconsciousness, Nausea

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide, Dry powder, Water spray jet, Extinguish greater fire with water spray or alcohol-resistant



Trade name: Ethanolum 96% potabile

Substance number: 175000 Version: 7 / CH Date revised: 25.06.2025

Replaces Version: 6 / CH Print date: 25.06.25

foam.

## Non suitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

In case of fires, hazardous combustion gases are formed; Carbon monoxide (CO); Carbon dioxide (CO2)

## 5.3. Advice for firefighters

## Special protective equipment for fire-fighting

Use self-contained breathing apparatus.

#### Other information

Cool endangered containers with water spray jet.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Remove persons to safety. Ensure adequate ventilation. Keep away sources of ignition.

### 6.2. Environmental precautions

Dilute with lot of water. Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

## 6.3. Methods and material for containment and cleaning up

Pick up with absorbent material (eg sand, kieselgur, acid binder, universal binder, sawdust).

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary).

## Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take action to prevent static discharges.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep tightly closed in a dry and cool place.

## Storage classes

Storage class according to TRGS 510 3 Flammable liquid Storage category (Switzerland) 3 Flammable liquid

## Further information on storage conditions

Product is hygroscopic. Store only in the open air or in explosion-proof rooms.

# SECTION 8: Exposure controls/personal protection \*\*\*

## 8.1. Control parameters

#### **Exposure limit values \*\*\***

#### ethanol

List SUVA Type MAK

Value 960  $mg/m^3$  500 ppm(V)Short term exposure limit 1920  $mg/m^3$  1000 ppm(V)

Pregnancy group: S; Remarks: SSc; Formal; INRS NIOSH



Trade name: Ethanolum 96% potabile

Substance number: 175000 Version: 7 / CH Date revised: 25.06.2025

Replaces Version: 6 / CH Print date: 25.06.25

## **Derived No/Minimal Effect Levels (DNEL/DMEL)**

ethanol

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 343 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure inhalative

Mode of action Systemic effects

Concentration 950 mg/m<sup>3</sup>

## **Predicted No Effect Concentration (PNEC)**

ethanol

Type of value PNEC
Type Freshwater
Conditions Long term

Concentration 0.96 mg/l

Type of value PNEC
Type Saltwater
Concentration 0.79

oncentration 0.79 mg/l

Type of value PNEC

Type Freshwater sediment

Concentration 3.6 mg/kg

Type of value PNEC

Type Marine sediment

Concentration 2.9 mg/kg

Type of value PNEC
Type Freshwater
Conditions Intermittend

Concentration 2.75 mg/l

Type of value PNEC

Type Sewage treatment plant (STP)

Concentration 580 mg/l

## 8.2. Exposure controls

## General protective and hygiene measures

Wash hands before breaks and after work.

## **Respiratory protection**

Not necessary, but do not inhale vapours.

## **Hand protection**

impermeable gloves

#### Eye protection



Trade name: Ethanolum 96% potabile

Substance number: 175000 Version: 7 / CH Date revised: 25.06.2025

Replaces Version: 6 / CH Print date: 25.06.25

Tightly fitting safety glasses

### **Body protection**

Fire-resistant protective clothing

# **SECTION 9: Physical and chemical properties** \*\*\*

## 9.1. Information on basic physical and chemical properties

Physical state
Colour
Colour
Colour
Colourless
alcohol-like

Freezing point

Value -114 °C

Boiling point or initial boiling point and boiling range

Value 78 °C Pressure 1013 hPa

**Upper and lower explosive limits** 

Lower explosion limit 3.1 to 27.7 %(V)

Flash point

Value 12 to 13 °C

Ignition temperature

Value 425 °C

**Decomposition temperature** 

Remarks No decomposition if used as prescribed.

pH value

Value appr. 7

Concentration/H2O 10 g/l

**Viscosity** 

dynamic

Value 1.2 mPa.s

kinematic

Value 1.52 mm<sup>2</sup>/s

Vapour pressure

Value 59 hPa

Density and/or relative density

Value appr. 0.81 g/cm<sup>3</sup>

Temperature 20 °C

Remarks Relative Density according specification

## 9.2. Other information

Solubility in water

Remarks Completely miscible

**Auto-ignition temperature** 

Value 400 °C

Oxidising properties

evaluation Not oxidising

Other information

The product is not dangerous for explosions. Forms esplosive mixture with air are possible.



Trade name: Ethanolum 96% potabile

Substance number: 175000 Version: 7 / CH Date revised: 25.06.2025

Replaces Version: 6 / CH Print date: 25.06.25

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Risk of ignition or formation of inflammable gases or vapours with: Air

### 10.2. Chemical stability

No decomposition if stored and applied as directed.

## 10.3. Possibility of hazardous reactions

Possible incompatibility with materials lister under section 10.5.

## 10.4. Conditions to avoid

Keep away from sources of heat and ignition.

### 10.5. Incompatible materials

Reactions with strong oxidising agents. Reactions with strong acids. Reactions with earth alkali metals. Reactions with alkali metals.

### 10.6. Hazardous decomposition products

In the event of fire the following can be released: Carbon monoxide and carbon dioxide, Hazardous determin decomposition products: Flammable gases/vapours

## **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute oral toxicity (Components)

ethanol

Species rat

LD50 7060 mg/kg

Source Toxicology and Applied Pharmacology. Vol. 16, Pg. 718, 1970.

ethanol

Species rat

LD50 10470 mg/kg

Acute dermal toxicity (Components)

ethanol

Species rabbit

LD50 15800 mg/kg

ethanol

NOAEL 8232 mg/kg

Acute inhalative toxicity (Components)

ethanol

Species rat

LC50 30000 mg/m<sup>3</sup>

Duration of exposure 4 h

Administration/Form Vapors

Skin corrosion/irritation (Components)

ethanol

evaluation non-irritant

## Serious eye damage/irritation (Components)

ethanol

evaluation irritant

Sensitization (Components)



Trade name: Ethanolum 96% potabile

Substance number: 175000 Version: 7 / CH Date revised: 25.06.2025

Replaces Version: 6 / CH Print date: 25.06.25

ethanol

evaluation non-sensitizing

**Mutagenicity (Components)** 

ethanol

evaluation No mutagenicity in the Ames-test.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

# **SECTION 12: Ecological information \*\*\***

## 12.1. Toxicity

#### **General information**

There is no data available on the product apart from the information given in this subsection.

## **Fish toxicity (Components)**

ethanol

Species golden orfe (Leuciscus idus)

LC50 8140 mg/l

Duration of exposure 96 h

#### **Daphnia toxicity (Components)**

ethanol

Species Daphnia magna

EC50 9000 to 14000 mg/l

Duration of exposure 48 h

## 12.2. Persistence and degradability

#### **General information**

There is no data available on the product apart from the information given in this subsection.

## **Biodegradability (Components)**

ethanol

Value 94 %

evaluation Readily biodegradable

#### Chemical oxygen demand (COD) (Components)

ethanol

Value 0.93 to 1.67 mg/g

## 12.3. Bioaccumulative potential

## **General information**

There is no data available on the product apart from the information given in this subsection.

## Octanol/water partition coefficient (log Pow) (Components)

ethanol

log Pow -0.31

#### **Bioconcentration factor (BCF) (Components)**

ethanol

BCF 0.66

## 12.4. Mobility in soil



Trade name: Ethanolum 96% potabile

Substance number: 175000 Version: 7 / CH Date revised: 25.06.2025

Replaces Version: 6 / CH Print date: 25.06.25

#### **General information**

There is no data available on the product apart from the information given in this subsection.

## 12.5. Results of PBT and vPvB assessment

#### General information

There is no data available on the product apart from the information given in this subsection.

## Results of PBT and vPvB assessment \*\*\*

The product contains no PBT substances

The product contains no vPvB substances.

## Results of PBT and vPvB assessment (Ingredients)

#### ethanol

The Substance doesn't meets PBT/vPvB-criterions

## 12.6 Endocrine disrupting properties

## Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## 12.7. Other adverse effects

## General information / ecology

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. The product is easily volatile.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Disposal recommendations for the product

Disposal in compliance with local and national regulations.

## Disposal recommendations for packaging

Disposal in compliance with local and national regulations.

# **SECTION 14: Transport information**



Print date: 25.06.25

Trade name: Ethanolum 96% potabile

Substance number: 175000 Version: 7 / CH Date revised: 25.06.2025

Replaces Version: 6 / CH

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	D/E		
14.1. UN number	1170	1170	1170
14.2. UN proper shipping name	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION
14.3. Transport hazard class(es)	3	3	3
Label	***	***	3
14.4. Packing group	II	II	II
Limited Quantity	11		
Transport category	2	_	

# SECTION 15: Regulatory information \*\*\*

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Water Hazard Class (Germany) \*\*\*

Water Hazard Class WGk

(Germany)

Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

## 15.2. Chemical safety assessment

For this substance a chemical safety assessment has been carried out.

## **SECTION 16: Other information**

## Hazard statements listed in Chapter 3

H225 Highly flammable liquid and vapour.

## **CLP categories listed in Chapter 3**

Flam. Liq. 2 Flammable liquid, Category 2

### **Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\* This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.