

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 25.07.2017 Version: 3.03 Revision: 25.07.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: SOFTISAN® 142

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against: -
- · Application of the substance / the preparation: Cosmetic raw material
- · Uses advised against -
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier/Manufacturer:

IOI Oleo GmbH

Arthur-Imhausen Str. 92

D-58453 Witten

Tel.: ++49-40-280031-0

· Email competent person: MSDS@ioioleo.de

· Information department: See supplier/manufacturer

· 1.4 Emergency telephone number:

National Poison Information Service (NPIS)

24 hour national number professionals only

0844 892 0111

National Health Service (NHS)

24 hour national number consumer

England and Scotland: 111

Wales: 0845 46 47

Northern Ireland: call your local General Practitioner

Call 999 if there is a life-threatening incident.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.
- · Information concerning particular hazards for human and environment:

No hazards to be particularly mentioned. Please note the information of this Material Safety Data Sheet.

· Classification system:

The classification was made according to the latest editions of the EC-lists and expanded using company data and specialized literature.

· Additional information:

Product forms slippery surface when combined with water.

For this substance/mixture no safety data sheet needs to be generated according to Article 31(1) of Regulation (EC) No 1907/2006. The here presented safety data sheet may therefore not fulfil all requirements of Annex II of this regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable
- · vPvB: Not applicable

— GB -





Printing date: 25.07.2017 Version: 3.03 Revision: 25.07.2017

Trade name: SOFTISAN® 142

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

Description:
 Mixture based on:
 Glycerides, C12-18-CAS: 67701-26-2

REACH-Nr. 01-2119485904-26-0000

· Dangerous components: Void

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: If symptoms persist or in case of doubt, seek medical advice.
- · After inhalation: Supply fresh air; consult a doctor in case of pain.
- · After skin contact:

Wash with water and soap.

If symptoms persist, consult a doctor.

· After eve contact:

Rinse opened eye for several minutes under running water.

If symptoms persist, consult a doctor.

· After swallowing:

Rinse mouth with water.

Seek medical treatment.

Do not induce vomiting.

Unless instructed explicitly by medical staff.

Never give anything by mouth to an unconscious person.

In case of unintentional swallowing of larger quantities or if any symptoms occur seek medical treatment.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Fire-extinguishing powder

Carbon dioxide (CO₂)

Foam

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: High volume water jet
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO₂)

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information:

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.





Printing date: 25.07.2017 Version: 3.03 Revision: 25.07.2017

Trade name: SOFTISAN® 142

(Contd. of page 2)

Product forms slippery surface when combined with water.

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

The following information refer to the leackage of large quantities: Do not allow product to reach sewage system or any water course.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Make sure to recycle or dispose of in suitable receptacles.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used properly.
- · Information about protection against explosions and fires:



Keep ignition sources away - Do not smoke.

Observe the general rules of industrial fire protection.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store container tightly sealed at a cool and dry place with sufficient ventilation.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from feed.

Refer to national regulations for storing hazardous chemicals.

- · Further information about storage conditions: None
- · Storage class: 11 Combustible solids
- · 7.3 Specific end use(s) No further relevant information available

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

Abbreviations:

In = Industrial

Prof = Professional

Cons = Consumer

LLE = Long term, local effects

LSE = Long term, systemic effects

SLE = Short term, local effects

SSE = Short term, systemic effects

67701-26-2 Glycerides, C12-18

Oral DNEL/Cons/LSE 17.115 mg/kg bw/day (human)
Dermal DNEL/Cons/LSE 17.115 mg/kg bw/day (human)





Printing date: 25.07.2017 Version: 3.03 Revision: 25.07.2017

Trade name: SOFTISAN® 142

(Contd. of page 3)

DNEL/In/LSE 34.23 mg/kg bw/day (human)

Inhalative DNEL/Cons/LSE 59.53 mg/m³ (human) DNEL/In/LSE 241.41 mg/m³ (human)

- · PNECs No long term toxicity to aquatic organisms expected. Therefore no derivation of PNEC.
- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures should be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Use skin protection cream for skin protection.

Breathing equipment:

Not necessary if room is well-ventilated

At formation of dust:

Short term filter device:

Filter P1

Filter P2

Protection of hands:

Chemical resistant gloves (EN 374)

After use of gloves apply skin-cleaning agents and skin cosmetics.

The glove material has to be impermeable and resistant to the product/substance/preparation.

Selection of the glove material in consideration of the penetration times, rates of diffusion and the degradation

Material of gloves:

Nitrile rubber, NBR

Butyl rubber, BR

The selection of suitable gloves depends upon the material, and also upon the quality of the gloves. The degree of protection will vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact penetration time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

(Thickness: 0.35 mm; Permeation time: ≥ 480 minutes)

Butyl rubber, BR

(Thickness: 0.5 mm; Permeation time: > 480 Minuten)

· Eye protection: Safety glasses

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information:

· Appearance:

Form: Solid material.

> Pellets White

Colour: · Odour: Odourless · Odour threshold: Not applicable

· pH-value: Not applicable

· Change in condition:

Melting point/freezing point: 42-44 °C Initial boiling point and boiling range: Not determined

· Flash point: > 200 °C (DIN ISO 2592)

(Contd. on page 5)





Printing date: 25.07.2017 Version: 3.03 Revision: 25.07.2017

Trade name: SOFTISAN® 142

	(Contd. of pag	e 4)
· Flammability (solid, gas):	Not determined	
· Ignition temperature:	Not determined	
· Decomposition temperature:	Not determined	
· Self ingnition temperature:	Product is not self-igniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not applicable Not applicable	
· Vapour pressure:	Not applicable	
Density:Relative density:Vapour density:Evaporation rate:	~0.95 g/cm³ Not determined Not applicable Not applicable	
· Solubility in / Miscibility with Water:	Practically insoluble	
· Partition coefficient: n-octanol/water:	Not determined	
Viscosity: dynamic: kinematic: 9.2 Other information	Not applicable Not applicable No further relevant information available	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

To avoid thermal decomposition do not overheat.

No decomposition if used and stored according to specifications

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid

Strong heating

Dirt

Chemical contamination

Sunlight, UV or ionizing radiation

- · 10.5 Incompatible materials: No further relevant information available
- · 10.6 Hazardous decomposition products:

No hazardous decomposition products if instructions for storage and handling are followed

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

67701-26-2 Glycerides, C12-18

Oral LD_{50} > 2000 mg/kg (rat) (OECD 401)

Dermal LD_{50} > 2000 mg/kg (rat)

Literature





Printing date: 25.07.2017 Version: 3.03 Revision: 25.07.2017

Trade name: SOFTISAN® 142

(Contd. of page 5)

Inhalative LC $_{50}$ /6h > 1.86 mg/l (rat) (OECD 403)

Literature

- · Primary irritant effect:
- · Skin corrosion/irritation Skin irritation test (rabbit): no irritation
- · Serious eve damage/irritation Skin irritation test (rabbit): no irritation
- · Respiratory or skin sensitisation

No sensitisation species: guinea pig OECD 406

Read-across: CAS 555-43-1

- · Additional toxicological information: The toxicological information refers to the main component.
- · Toxicokinetics, metabolism and distribution: Fatty acid glycerides are metabolized or stored in adipose tissue.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- · Germ cell mutagenicity

Ames-test: negative

OECD 471

No classification

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity

67701-26-2 Glycerides, C12-18

Oral NOAEL 1000 mg/kg bw/day (rat) (OECD 422)

NOAEL (F1) 1000 mg/kg bw/day (rat) (OECD 422)

49 d Literature, substance: glycerides, C8-18 and C18 unsaturated mono- and di-, acetate

NOAEL (P) 1000 mg/kg bw/day (rat) (OECD 422)

49 d Literature, substance: glycerides, C8-18 and C18 unsaturated mono- and di-, acetate

Based on available data, the classification criteria are not met.

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

67701-26-2 Glycerides, C12-18

Oral NOAEL 1000 mg/kg/day (rat) (OECD 422)

5000 mg/kg bw/d (rat) (OECD 408) Literature; test substance: castor oil

Based on available data, the classification criteria are not met.

· Aspiration hazard Not relevant

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

No harmful effect on fish, daphnia and algae up to its limit of solubility.

67701-26-2 Glycerides, C12-18

EC₅₀/48h (static) >0.01 mg/l (Daphnia magna) (EU Method C.2)

separation of undissolved matter: No effect up to the limit of the water solubility of test substance (< 0.01 mg/L).

Read across, test material: CAS 67701-30-8

EC_{so}/72h >10 mg/l (Desmodesmus subspicatus) (EU Method C.3)

With separation of undissolved test substance; no effect up to the limit of the water solubility of test substance was

observed.

Read across, test material CAS 67701-30-8

LC₅₀/96h >10000 mg/l (Danio rerio) (ISO 7346-1)

nominal; semi-static; read across, test material: Castor oil, hydrogenated

NOEC/21d ≥0.01 mg/l (Daphnia magna) (OECD 211)

No effect up to the limit of the water solubility of the test substance was observed.

Read across, test material: CAS 65381-09-1

- · 12.2 Persistence and degradability Readily biodegradable
- Other information:

Biological degradation: >60% after 28 days





Printing date: 25.07.2017 Version: 3.03 Revision: 25.07.2017

Trade name: SOFTISAN® 142

(Contd. of page 6)

OECD 301 F

In analogy to similar product

- · Behaviour in environmental systems:
- · Components:

Water:

Slow evaporation

Soil:

strong adsorption to soil

· 12.3 Bioaccumulative potential

No bioaccumulation to be expected

Conclusion by analogy

- · 12.4 Mobility in soil strong adsorption to soil
- · Adsorption coefficient Koc:

log Koc 9 (calculated)

- · Additional ecological information:
- · General notes:

Generally not hazardous for water

According to appendix 4 of VwVwS dated 17.05.1999 (German regulation)

The declaration of the ecology refers to the main component.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable
- · vPvB: Not applicable
- 12.6 Other adverse effects No further relevant information available

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:

Must be recycled or disposed of according to the regulations. Waste has to be classified according to the European Waste Catalogue based on the identification of the waste generating source.

Disposal according to instructions of local authorities

- · Uncleaned packagings:
- · Recommendation:

Disposal must be made according to official regulations.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

If not officially regulated, non contaminated packagings can be used for recycling or treated like household garbage.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	

(Contd. on page 8)





Version: 3.03 Revision: 25.07.2017 Printing date: 25.07.2017

Trade name: SOFTISAN® 142

		(contai oi pago i)	
· 14.6 Special precautions for user	Not applicable		
· 14.7 Transport in bulk according to Annex II of Marpol and			
the IBC Code	Not applicable		
· UN "Model Regulation":	Void		

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Water hazard class: Generally not hazardous for water
- · Further information:

For this substance/mixture no safety data sheet needs to be generated according to Article 31(1) of Regulation (EC) No 1907/2006. The here presented safety data sheet may therefore not fulfil all requirements of Annex II of this regulation.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Reasons for amendments: Layout · Replaces version dated: 08.09.2016

Department issuing SDS:

KFT Chemieservice GmbH

Im Leuschnerpark. 3 64347 Griesheim

Postfach 1451 64345 Griesheim

Germany

Fax: +49 6155 8981 500 Phone: +49 6155 8981 400

Safety Data Sheet Service: +49 6155 8981 522

· Contact: Dr. Rebecca Hiltrop

Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Sources:

IUCLID-Dossier from ECHA

Information provided by the manufacturer

* Data compared to the previous version altered.

Changes have been made to sections marked with a *, as compared to the previous version.