

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : DRY VITAMIN D3 100 SD/S

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : For the fortification of foods

1.3 Details of the supplier of the safety data sheet

Company : DSM Nutritional Products Ltd.
PO Box 2676
CH-4002 Basel

Telephone : +41618158888
E-mail address of person
responsible for the SDS : sds.nutritionalproducts@dsm.com

1.4 Emergency telephone number

+41 848 00 11 77 (Carechem 24 International)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

EUH210 Safety data sheet available on request.
EUH208 Contains dl- α -tocopherol. May produce an allergic reaction.

2.3 Other hazards

Risk of dust explosion.

SECTION 3: Composition/information on ingredients

Brief description of the prod-
uct : Mixture (preparation) containing active ingredient and auxiliary
substances

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DRY VITAMIN D3 100 SD/S

5016406

Version 2.1

Revision Date 20.04.2020

Date of last issue: 06.04.2020

3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-ol (dl- α -tocopherol)	10191-41-0 233-466-0 01-2120086658-39	Skin Sens. 1B; H317	$\geq 1 - < 5$
cholecalciferol (Vitamin D3)	67-97-0 200-673-2	Acute Tox. 2; H300 Acute Tox. 2; H330 Acute Tox. 2; H310 STOT RE 1; H372 Aquatic Chronic 4; H413	$\geq 0.25 - < 0.3$

For explanation of abbreviations see section 16.

Further ingredients

Chemical name	CAS-No. EC-No. Registration number	GHS Classification	Concentration [%]
sucrose	57-50-1 200-334-9		$\geq 10 - \leq 30$
silicon dioxide (amorphous)	7631-86-9 231-545-4		$\geq 1 - \leq 5$

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
- If swallowed : Induce vomiting if person is conscious.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Acute overdose produces the following symptoms:
Nausea, Vomiting, Headache, Weakness, Abdominal pain,
Dry mouth, Metallic taste, Loss of appetite

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water
Foam

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DRY VITAMIN D3 100 SD/S

5016406

Version 2.1

Revision Date 20.04.2020

Date of last issue: 06.04.2020

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : None known.

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Consider dust explosion hazard.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid dust formation.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust.

6.4 Reference to other sections

For personal protection see section 8.

For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Take precautionary measures against static discharges.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of work-day.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : To maintain product quality, do not store in heat or direct sunlight.

Keep container tightly closed and dry.

Advice on common storage : No special restrictions on storage with other products.

7.3 Specific end use(s)

Specific use(s) : Not applicable

SECTION 8: Exposure controls/personal protection

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DRY VITAMIN D3 100 SD/S

5016406

Version 2.1

Revision Date 20.04.2020

Date of last issue: 06.04.2020

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
cholecalciferol	67-97-0	TWA	0.005 mg/m ³	DSM Internal Limit
sucrose	57-50-1	TWA	10 mg/m ³	GB EH40
		STEL	20 mg/m ³	GB EH40

8.2 Exposure controls

Personal protective equipment

- Eye protection : Safety glasses with side-shields
- Hand protection : Consider the hazard characteristics of this product and any special workplace conditions when selecting the appropriate type of protective gloves.
Glove material: for example nitrile rubber
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : No personal respiratory protective equipment normally required.
In case of high dust concentration use a dust mask applicable to local conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : free flowing particles
- Colour : off-white - pale yellow
- Odour : very faint
- Odour Threshold : No information available.
- pH : No data available
- Melting point/range : Not applicable
- Boiling point/boiling range : Not applicable
- Flash point : Not applicable
- Flammability (solid, gas) : May form combustible dust concentrations in air.
- Vapour pressure : Not applicable
- Relative vapour density : Not applicable
- Density : not determined
- Water solubility : dispersible
- Partition coefficient: n-octanol/water : Not applicable
- Auto-ignition temperature : No data available
- Thermal decomposition : Decomposes on heating.
Potential for exothermic hazard
- Explosive properties : Not explosive

Oxidizing properties : No data available

9.2 Other information

Combustibility index for deposited dust : 4 (23 °C, VDI 2263-1)

Dust explosion properties : KSt value: 135 bar-m/s (Milled sample, Median value of the tested sample 0.055 mm, Loss on drying 1.4 %; ISO 6184)

Dust explosion class : St1 (Milled sample, Median value of the tested sample 0.055 mm, Loss on drying 1.4 %; ISO 6184)

Maximum explosion over-pressure : 8.0 bar (Milled sample, Median value of the tested sample 0.055 mm, Loss on drying 1.4 %; ISO 6184)

Minimum ignition energy : 10 - 30 mJ (Milled sample, Median value of the tested sample 0.044 mm, Loss on drying 4.2 %, EN 13821)
The Minimum ignition energy (MIE) of a dust/air mix depends on the particle size the water content and the temperature of the dust. The finer and the dryer the dust the lower the MIE.

: General remark: The indicated dust explosion characteristics are only valid for this product and are sensitive to the sample's parameters.

Powder volume resistivity : ca. 3E+11 Ohmm (Product sample, Median value of the tested sample 0.084 mm, Loss on drying 3.7 %)
The material can accumulate static charge and can therefore cause electrical ignition.

Minimum ignition temperature of a dust/air mix : 390 °C (Median value of the tested sample 0.084 mm) determined in the BAM oven

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Heat

10.5 Incompatible materials

Strong acids and strong bases
Strong oxidizing agents

10.6 Hazardous decomposition products

No decomposition if used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
(Calculation method)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DRY VITAMIN D3 100 SD/S

5016406

Version 2.1

Revision Date 20.04.2020

Date of last issue: 06.04.2020

- Acute inhalation toxicity : Acute toxicity estimate : > 10 mg/l
(Calculation method)
- Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg
(Calculation method)
- Skin irritation : Prolonged skin contact may cause skin irritation.
- Eye irritation : Dust contact with the eyes can lead to mechanical irritation.
- Sensitisation : Does not cause skin sensitisation. (Mouse, Local Lymph Node Assay (LLNA), OECD Test Guideline 429)
Tested with a similar product containing 5% dl-alpha-tocopherol.
- Genotoxicity in vivo
cholecalciferol : not genotoxic (Rat, Bone marrow, Mutagenicity (micronucleus test))
- Carcinogenicity : No indication for carcinogenicity known.
- Teratogenicity
cholecalciferol : May lead to malformations at dose levels that cause maternal toxicity.
NOAEL: 0.0095 mg/kg bw/d (Rabbit female, OECD Test Guideline 414)
- STOT - single exposure (Acute exposure) : The substance or mixture is not classified as specific target organ toxicant, single exposure.
- STOT - repeated exposure
cholecalciferol : NOAEL (Oral, Rat) : 0.06 mg/kg bw/d
Sub-chronic toxicity study (90-day)
(OECD Test Guideline 408)
- Experience with human exposure
cholecalciferol : RDA (Recommended Daily Allowance) 0.005 - 0.01 mg
- Experience with human exposure: Ingestion
cholecalciferol : Acute overdose produces the following symptoms:
Nausea, Vomiting, Headache, Weakness, Abdominal pain,
Dry mouth, Metallic taste, Loss of appetite
- Aspiration toxicity : No aspiration toxicity classification

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the product itself.

12.2 Persistence and degradability

Biodegradability
cholecalciferol : Not readily biodegradable.
<= 7 % (28 d)
(OECD Test Guideline 301C)

No data is available on the product itself.

12.3 Bioaccumulative potential

Bioaccumulation : No data available

Partition coefficient: n-
octanol/water : Not applicable

12.4 Mobility in soil

Distribution among environ-
mental compartments : No data available

12.5 Results of PBT and vPvB assessment

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Additional ecological informa-
tion : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Dispose of as unused product.
Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.


14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

NFPA Classification : Health hazard: 0
Fire Hazard: 2
Reactivity Hazard: 1



15.2 Chemical safety assessment

Not applicable

SECTION 16: Other information

Full text of H-Statements

H300 : Fatal if swallowed.
H310 : Fatal in contact with skin.
H317 : May cause an allergic skin reaction.
H330 : Fatal if inhaled.
H372 : Causes damage to organs through prolonged or repeated exposure.
H413 : May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Chronic : Long-term (chronic) aquatic hazard
Skin Sens. : Skin sensitisation
STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentra-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DRY VITAMIN D3 100 SD/S

5016406

Version 2.1

Revision Date 20.04.2020

Date of last issue: 06.04.2020

tion; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative
DNEL - Derived No-Effect Level; NFPA - National Fire Protection Association (USA); PNEC - Predicted No-Effect Concentration; STEL - Short term exposure limit; TLV-C - Ceiling Limit Value; TWA - Time Weighted Average; WEL - Workplace Exposure Limit.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN